

2026 WSRC Tutorial Lab Instructions

Pre-reqs:


1. Create an account at cloud.innoslate.com.
2. Create a New Project named “Cell Phone Model”.

Module 4 - Requirements Architecture Lab


1. Create a *Requirements Document* named “Cell Phone Stakeholder Needs”.
2. Add the following Requirements:

ID	Name	Text
SN-1	Voice Communications	The cellphone will enable the user to engage in voice communication with someone else.
SN-2	Text Communications	The cellphone will enable the user to engage in textual communications with someone else.
SN-3	Play Videos	The cellphone will enable the user to watch videos.
SN-4	Listen to Music	The cellphone will enable the user to listen to music.
SN-5	Access Internet	The cellphone will enable the user to access the internet, and all websites on the internet.

3. To add a new Label, go to the Schema Editor from the top-left “MENU” drop-down.



4. Add a new Label named “Stakeholder Need”.



5. Select the Requirement asset as the “Class(es)” field and select “Save”.

The image shows a 'Create New Label' dialog box. It has a title bar with 'Save' and 'Cancel' buttons. The form contains the following fields: 'Name' with the value 'Stakeholder Need', 'Description' which is empty, 'Class(es)' with a dropdown menu showing 'Requirement' and a close button 'X', 'Hidden' with a dropdown menu showing 'No', and 'Parent' with a dropdown menu showing 'Select option'.


6. Navigate to the Database View. Select SN-1. Select the Metadata panel and click the + next to the “Stakeholder Need” label. Repeat this for SN-2 through SN-5.
7. Return to the “Cell Phone Stakeholder Needs” *Requirements Diagram* and select the wrench in the top-right. From the drop-down select “Display Options”.
8. Remove the “Rationale Column” from the “Display Attributes Columns” field as shown:

The image shows a 'Document Display Settings' dialog box. It has a title bar with a wrench icon and a close button. The main section is titled 'Display Attributes Columns'. Below the title, it says 'Select attributes to display within the view:' followed by a 'Clear Attributes' button. At the bottom, there is a dropdown menu showing three selected items: 'Rationale', 'Quality Score', and 'Labels', each with a close button 'X'.

9. The document should now look like this:

Entity	Quality Score	Labels
SN-1 Voice Communicati... The cellphone will enable the user to engage in voice communication with someone else.	0%	Stakeholder Need
SN-2 Text Communications The cellphone will enable the user to engage in textual communications with someone else.	0%	Stakeholder Need
SN-3 Play Videos The cellphone will enable the user to watch videos.	0%	Stakeholder Need
SN-4 Listen to Music The cellphone will enable the user to listen to music.	0%	Stakeholder Need
SN-5 Access Internet The cellphone will enable the user to access the internet, and all websites on the internet.	0%	Stakeholder Need

10. Perform Quality Check.



11. Generate a **Test Case** from a **Requirement** of your choice. Review the “Description”, “Expected Result”, and “Verification Method” fields. Update as necessary and select “Create”.

Description	Body + ↺ ⚙ ⌂ B I ... ≡ ≡ ☐ Ⓐ A Tt Ω ↶ ↷ </> 1. Ensure the cellphone is powered on and unlocked. 2. Open the dialer application. 3. Enter a valid phone number or select a contact from the contact list. 4. Press the call button to initiate the voice call. 5. Wait for the call to connect and verify that the call is established. 6. Speak into the microphone and confirm that the other party can hear the audio clearly. 7. End the call and verify that the call log is updated with the call details. words: 77 chars: 430
Expected Result	The cellphone should successfully connect the call without any errors. The user should be able to communicate clearly with the other party, and both parties should
Verification Method	Demonstration

Cancel

< Prev

Create

12. Generate a **Risk** for the same **Requirement**.

NOTE: You will have the option to create up to three (3) Risks for a single Requirement. Please only select one (1) so we do not run out of tokens.

13. Review the “Description”, “Consequence Description”, “Consequence”, “Probability”, and “Risk Label” fields and update as necessary. Select “Create”.

Generate Risks

1 Setup

2 Generate

3 Verify

Description

Body - Text

+ ↺ ⚙ ⌂ B I ... ≡ ≡ ≡ ⌨ Ⓐ Tt Ω ↶ ↷

Inconsistent message delivery refers to the potential failure of text messages to be delivered reliably and in a timely manner. This risk can arise from various factors such as network congestion, software bugs, or compatibility issues between different devices and messaging platforms.

words: 42 | chars: 286

Consequence Description

The consequence of inconsistent message delivery can lead to miscommunication, user frustration, and a loss of trust in the messaging service, which may ultimately result in

Consequence

75%

Probability

60%

Risk Label

Technical

Cancel

< Prev

Create


14. Inspect the “Relationship” tab of the **Requirement** and there should now be a “causes” relationship with the newly generated **Risk** and a “verified by” relationship with the newly generated **Test Case**.

Module 6 – Structural Architecture Lab

1. Create an **Asset** named “Cell Phone”.
2. Create an *Asset Diagram* for the “Cell Phone” and add the following

Assets:

- Battery
- CPU
- Communication Subsystem
- Camera Subsystem




NOTE: This screenshot was taken after the decomposition of the “Camera Subsystem” Asset.

3. Create an *Asset Diagram* for the “Camera” **Subsystem** and add the following **Assets:**




4. Navigate to the “Cell Phone” **Asset**. Open the *Class Diagram*.




NOTE: We have not added Attributes to the Battery or Camera Subsystem Asset.

5. Open the *Hierarchy Diagram*.



6. Open the *Layer Diagram*.




7. Open the *Risk Diagram*. Drag and drop the generated **Risk** onto the matrix.

	Negligible	Minor	Moderate	Serious	Critical
High					
Medium High	- R1 SN-1 Limited Battery Life During Calls				


8. Open the *SysML BDD*. Select the wrench in the top left and select “Layout Diagram” from the drop-down.
9. Open the *SysML IBD* and notice it should look just like the *Layer Diagram*.

Module 7 – Functional Architecture Lab

1. Create an **Action** named “Make Phone Call”. Open the *LML Action Diagram* from this entity.
2. Create the following *LML Action Diagram*:




3. Create an *LML Action Diagram* from the **Test Case** generated in Module 4.
- NOTE: This will vary for each individual.**
4. Open the *N2 Diagram* for the “Make Call” **Action**:




5. Create a traceability matrix that assigns **Assets** to the **Actions** that each performs:

Left Root Entity (Y Axis) Make Call Top (X Axis) Related Relationship Type performed by				
			Cell Phone	User
			User	User
Make Call				X
Connect to Line		X		
Display Number		X		
Enter Number			X	
Is the call answered?				X
Leave Voicemail				X
Talk to Receiver				X
Unlock Phone			X	


6. Open the *IDEF(A0) Diagram* for the “Make Call” **Action**:



7. Open the *ICOM Diagram* for the “Make Call” Action:




8. Open the *LML Spider Diagram* for the “Cell Phone” **Asset**:




Module 8 – Project Management

1. Navigate to the “Project Management” view.
2. Select “Create Kanban Board”.
3. Select the “Project Workflow Board” template and click “Next”.
4. Name the Kanban Board “Touchscreen Kanban”.
5. Select “New” → “New Task”.
6. Add 3-5 tasks to the Kanban board such as:



Note: Investigate the various fields instead of copying these examples.

7. Open the *Gantt Chart* view:



Lab Complete