

# User API's

## 1. ADD Workflow

### Request

```
curl --location --request POST 'http://localhost:8000/api/user/workflow/add?user_id=user1&workflow_id=1'
```

### Response

```
{  
  "success": true,  
  "data": "Workflow Added."  
}
```

## 2. Authenticate Google API

### Request

```
curl --location --request POST  
'http://localhost:8000/api/user/google/authorize?code=123&user_id=user1&workflow_id=1'
```

### Response

```
{  
  "success": true,  
  "data": "authenticated"  
}
```

## 3. Trigger Workflow

### Request

```
curl --location --request POST  
'http://localhost:8000/api/user/workflow/execute?user_id=user1&workflow_id=1'
```

### Response

```
{  
  "success": true,  
  "data": [  
    {  
      "id": "drive_file_id_1"  
    }  
  ]  
}
```

# Workflow API's

## 1. List Integrations

### Request

```
curl --location --request GET 'http://localhost:8000/api/workflow/integrations'
```

### Response:

```
{  
  "success": true,  
  "data": {  
    "gmail_gdrive": "Upload attachments in mails to google drive"  
  }  
}
```

# Server API's

## 1. Health check

### Request

```
curl --location --request GET 'http://localhost:8000/api/ping'
```

### Response:

```
{  
  "success": true,  
  "data": {  
    "data": "pong"  
  }  
}
```