

SELECT

SQL File 3* x sales.sales_data_sample sales.sales_data_sample SQLAdditions...

Limit to 1000 rows

```
1 • SELECT ORDERNUMBER, CUSTOMERNAME, COUNTRY, SALES
2 FROM sales_data_sample
3 WHERE COUNTRY = 'USA';
4
5
```

Result Grid

	ORDERNUMBER	CUSTOMERNAME	COUNTRY	SALES
▶	10107	Land of Toys Inc.	USA	2871
	10145	Toys4GrownUps.com	USA	3746.7
	10159	Corporate Gift Ideas Co.	USA	5205.27
	10168	Technics Stores Inc.	USA	3479.76
	10201	Mini Wheels Co.	USA	2168.54
	10237	Vitachrome Inc.	USA	2333.12
	10251	Tekni Collectables Inc.	USA	3188.64
	10263	Gift Depot Inc.	USA	3676.76
	10285	Marta's Replicas Co.	USA	4099.68
	10318	Diecast Classics Inc.	USA	4358.04
	10329	Land of Toys Inc.	USA	4396.14
	10388	FunGiftIdeas.com	USA	3207.12

data_sample1 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
✗ 9	18:59:02	SELECT ORDERNUMBER, CUSTOMERNAME, COUNTRY, SALES FROM orders WHERE COUN...	Error Code: 1146. Tal
✗ 10	19:03:44	SELECT ORDERNUMBER, CUSTOMERNAME, COUNTRY, SALES FROM orders WHERE COUN...	Error Code: 1146. Tal
✓ 11	19:04:21	use Sales	0 row(s) affected
✓ 12	19:05:48	use Sales	0 row(s) affected
✗ 13	19:06:33	use sales_data_sample	Error Code: 1049. Un
✓ 14	19:12:50	SELECT ORDERNUMBER, CUSTOMERNAME, COUNTRY, SALES FROM sales_data_sample W...	1000 row(s) returned

SQL File 3* x sales.sales_data_sample sales.sales_data_sample

Limit to 1000 rows

```
1 • SELECT ORDERNUMBER, CUSTOMERNAME, SALES
2 FROM sales_data_sample
3 ORDER BY SALES DESC
4 LIMIT 10;
5
6
7
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

	ORDERNUMBER	CUSTOMERNAME	SALES
▶	10407	The Sharp Gifts Warehouse	14082.8
	10322	Online Diecast Creations Co.	12536.5
	10424	Euro Shopping Channel	12001
	10412	Euro Shopping Channel	11887.8
	10403	UK Collectables, Ltd.	11886.6
	10405	Mini Caravy	11739.7
	10312	Mini Gifts Distributors Ltd.	11623.7
	10333	Mini Wheels Co.	11336.7
	10127	Muscle Machine Inc	11279.2
	10150	Dragon Souvenirs, Ltd.	10993.5

sales_data_sample2 x

SQL File 3* × sales.sales_data_sample sales.sales_data_sample



Limit to 1000 rows



1 • SELECT COUNTRY, SUM(SALES) AS total_sales

2 FROM sales_data_sample

3 GROUP BY COUNTRY

4 ORDER BY total_sales DESC;

5

6

7

8

Result Grid  Filter Rows: Export:  Wrap Cell Content: 

	COUNTRY	total_sales
▶	USA	3627982.83
	Spain	1215686.9200000009
	France	1110916.5199999993
	Australia	630623.1000000001
	UK	478880.4600000001
	Italy	374674.30999999976
	Finland	329581.9100000001
	Norway	307463.7000000001
	Singapore	288488.41000000003
	Denmark	245637.15
	Canada	224078.55999999994
	Germany	220472.08999999994

Result 3 × 

Output

 Action Output 

#

Time

Action

JOINS

Tools Scripting Help

SQL File 3* x sales.sales_data_sample sales.sales_data_sample

Limit to 1000 rows

```
1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES
2 FROM sales_data_sample o1
3 INNER JOIN sales_data_sample o2
4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;
```

Result Grid

	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	1858
	10107	Land of Toys Inc.	Motorcycles	3155.14
	10107	Land of Toys Inc.	Motorcycles	2845.75
	10107	Land of Toys Inc.	Motorcycles	2055.23
	10107	Land of Toys Inc.	Motorcycles	3036.6
	10107	Land of Toys Inc.	Motorcycles	6065.55
	10107	Land of Toys Inc.	Motorcycles	3896.49
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	3293.4
	10121	Reims Collectables	Motorcycles	2168.5
	10121	Reims Collectables	Motorcycles	2460.16
	10121	Reims Collectables	Motorcycles	8284

Result 4 x Read Only

Output

Action Output

#	Time	Action
---	------	--------

Messa

SQL File 3* × sales.sales_data_sample sales.sales_data_sample



Limit to 1000 rows



1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES

2 FROM sales_data_sample o1

3 LEFT JOIN sales_data_sample o2

4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;

5

6

7

8

Result Grid

Filter Rows:

Export:

Wrap Cell Content: 

Fetch rows:

	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9

Result 5 ×

Read O

Output



SQL File 3* x sales.sales_data_sample sales.sales_data_sample



Limit to 1000 rows

```
1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES
2 FROM sales_data_sample o1
3 RIGHT JOIN sales_data_sample o2
4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;
5
6
7
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:

Fetch rows:



	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	1858
	10107	Land of Toys Inc.	Motorcycles	3155.14
	10107	Land of Toys Inc.	Motorcycles	2845.75
	10107	Land of Toys Inc.	Motorcycles	2055.23
	10107	Land of Toys Inc.	Motorcycles	3036.6
	10107	Land of Toys Inc.	Motorcycles	6065.55
	10107	Land of Toys Inc.	Motorcycles	3896.49
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	3293.4
	10121	Reims Collectables	Motorcycles	2168.5
	10121	Reims Collectables	Motorcycles	2460.16
	10121	Reims Collectables	Motorcycles	8284

Result
GridForm
EditorField
Types

Result 6 x

Read On

Output

SUB QUERIES

Tools Scripting Help

SQL File 3* x sales.sales_data_sample sales.sales_data_sample

Limit to 1000 rows

```
1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES
2 FROM sales_data_sample o1
3 INNER JOIN sales_data_sample o2
4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;
```

Result Grid

	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	1858
	10107	Land of Toys Inc.	Motorcycles	3155.14
	10107	Land of Toys Inc.	Motorcycles	2845.75
	10107	Land of Toys Inc.	Motorcycles	2055.23
	10107	Land of Toys Inc.	Motorcycles	3036.6
	10107	Land of Toys Inc.	Motorcycles	6065.55
	10107	Land of Toys Inc.	Motorcycles	3896.49
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	3293.4
	10121	Reims Collectables	Motorcycles	2168.5
	10121	Reims Collectables	Motorcycles	2460.16
	10121	Reims Collectables	Motorcycles	8284

Result 4 x Read Only

Output

Action Output

#	Time	Action
---	------	--------

Messa

SQL File 3* × sales.sales_data_sample sales.sales_data_sample



Limit to 1000 rows



1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES

2 FROM sales_data_sample o1

3 LEFT JOIN sales_data_sample o2

4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;

5

6

7

8

Result Grid

Filter Rows:

Export:

Wrap Cell Content: 

Fetch rows:

	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9
	10121	Reims Collectables	Motorcycles	2765.9

Result 5 ×

Read O

Output



SQL File 3* x sales.sales_data_sample sales.sales_data_sample



Limit to 1000 rows

```
1 • SELECT o1.ORDERNUMBER, o1.CUSTOMERNAME, o2.PRODUCTLINE, o1.SALES
2 FROM sales_data_sample o1
3 RIGHT JOIN sales_data_sample o2
4 ON o1.ORDERNUMBER = o2.ORDERNUMBER;
5
6
7
```

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

	ORDERNUMBER	CUSTOMERNAME	PRODUCTLINE	SALES
▶	10107	Land of Toys Inc.	Motorcycles	1858
	10107	Land of Toys Inc.	Motorcycles	3155.14
	10107	Land of Toys Inc.	Motorcycles	2845.75
	10107	Land of Toys Inc.	Motorcycles	2055.23
	10107	Land of Toys Inc.	Motorcycles	3036.6
	10107	Land of Toys Inc.	Motorcycles	6065.55
	10107	Land of Toys Inc.	Motorcycles	3896.49
	10107	Land of Toys Inc.	Motorcycles	2871
	10121	Reims Collectables	Motorcycles	3293.4
	10121	Reims Collectables	Motorcycles	2168.5
	10121	Reims Collectables	Motorcycles	2460.16
	10121	Reims Collectables	Motorcycles	8284

Result Grid



Form Editor



Field Types

Result 6 x

Read On

Output

Aggregate Functions

The screenshot shows a SQL IDE interface. At the top, there are two tabs labeled "sales.sales_data_sample". Below the tabs is a toolbar with various icons, including a "Limit to 1000 rows" dropdown. The main area contains a SQL query:

```
1 • SELECT SUM(SALES) AS total_revenue
2 FROM sales_data_sample;
3
4
5
6
7
```

Below the query editor is a "Result Grid" section. It includes a "Filter Rows:" input field, an "Export:" button, and a "Wrap Cell Content:" checkbox. The result grid displays the following data:

	total_revenue
▶	10032628.85000001

On the right side of the interface, there is a vertical toolbar with icons for "Result Grid", "Form Editor", and "Field Types". At the bottom, there is a "Result 7" tab and a "Read On" button.



SQL File 3* x sales.sales_data_sample sales.sales_data_sample

Limit to 1000 rows

```
1 • SELECT SUM(SALES) AS total_revenue
2 FROM sales_data_sample;
3
4
5
6
7
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	total_revenue
▶	10032628.850000001

Result 7 x Read Only

Result Grid
Form Editor
Field Types

S

SQL File 3* x sales.sales_data_sample sales.sales_data_sample

Limit to 1000 rows

```
1 • SELECT PRODUCTLINE, SUM(SALES) AS total_sales
2 FROM sales_data_sample
3 GROUP BY PRODUCTLINE
4 ORDER BY total_sales DESC;
5
6
7
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	PRODUCTLINE	total_sales
▶	Classic Cars	3919615.6599999997
	Vintage Cars	1903150.8399999992
	Motorcycles	1166388.3400000003
	Trucks and Buses	1127789.8399999996
	Planes	975003.5700000001
	Ships	714437.13
	Trains	226243.46999999997

Result 9 x Read Only

Result Grid
Form Editor
Field Types

CREATE FUNCTION

Limit to 1000 rows

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

• CREATE VIEW Top_Customers AS
SELECT CUSTOMERNAME, COUNTRY, SUM(SALES) AS total_sales
FROM sales_data_sample
GROUP BY CUSTOMERNAME, COUNTRY
ORDER BY total_sales DESC;

Context Help

Snippets

ction Output

	Time	Action	Message	Duration / Fetch
20	19:16:24	SELECT DISTINCT CUSTOMERNAME FROM sales_data_sample WHERE CUSTOMERNAME IN ...	Error Code: 2013. Lost connection to MySQL server during query	30.000 sec
21	19:18:02	SELECT DISTINCT CUSTOMERNAME FROM sales_data_sample WHERE CUSTOMERNAME IN ...	Error Code: 2013. Lost connection to MySQL server during query	30.016 sec
22	19:18:41	SELECT SUM(SALES) AS total_revenue FROM sales_data_sample LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
23	19:19:53	SELECT AVG(SALES) AS avg_sales FROM sales_data_sample LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
24	19:20:22	SELECT PRODUCTLINE, SUM(SALES) AS total_sales FROM sales_data_sample GROUP BY PRO...	7 row(s) returned	0.015 sec / 0.000 sec
25	19:20:53	CREATE VIEW Top_Customers AS SELECT CUSTOMERNAME, COUNTRY, SUM(SALES) AS tot...	0 row(s) affected	0.016 sec

INDEX FUNCTIONS

The screenshot displays the SQL Server Enterprise Manager interface. The top pane shows the SQL query editor with the following statement:

```
CREATE INDEX idx_ordernumber ON sales_data_sample(ORDERNUMBER);
```

The bottom pane shows the execution output, which includes a table with columns: Time, Action, Message, and Duration / .

Time	Action	Message	Duration /
22 19:18:41	SELECT SUM(SALES) AS total_revenue FROM sales_data_sample LIMIT 0, 1000	1 row(s) returned	0.015 sec
23 19:19:53	SELECT AVG(SALES) AS avg_sales FROM sales_data_sample LIMIT 0, 1000	1 row(s) returned	0.015 sec
24 19:20:22	SELECT PRODUCTLINE, SUM(SALES) AS total_sales FROM sales_data_sample GROUP BY PRO...	7 row(s) returned	0.015 sec
25 19:20:53	CREATE VIEW Top_Customers AS SELECT CUSTOMERNAME, COUNTRY, SUM(SALES) AS tot...	0 row(s) affected	0.016 sec
26 19:21:25	SELECT * FROM Top_Customers LIMIT 10	10 row(s) returned	0.015 sec
27 19:22:04	CREATE INDEX idx_ordernumber ON sales_data_sample(ORDERNUMBER)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.093 sec

The bottom taskbar shows the Windows operating system with various application icons and system tray icons.