











```
link/ether 00:0c:29:f7:93:74 brd ff:ff:ff:ff:ff:ff
altname enp2s1
inet 192.168.206.128/24 brd 192.168.206.255 scope global dynamic noprefixroute ens33
    valid_lft 1245sec preferred_lft 1245sec
inet6 fe80::c63c:6dfe:fdc0:b726/64 scope link noprefixroute
    valid_lft forever preferred_lft forever
sunbeam@cyber:~$ ifconfig
ens33: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.206.128 netmask 255.255.255.0 broadcast 192.168.206.255
    inet6 fe80::c63c:6dfe:fdc0:b726 prefixlen 64 scopeid 0x20<link>
    ether 00:0c:29:f7:93:74 txqueuelen 1000 (Ethernet)
    RX packets 14362 bytes 18951573 (18.9 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 6039 bytes 384082 (384.0 KB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 168 bytes 17109 (17.1 KB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 168 bytes 17109 (17.1 KB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

sunbeam@cyber:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:f7:93:74 brd ff:ff:ff:ff:ff:ff
    altname enp2s1
    inet 192.168.206.128/24 brd 192.168.206.255 scope global dynamic noprefixroute ens33
        valid_lft 1217sec preferred_lft 1217sec
    inet6 fe80::c63c:6dfe:fdc0:b726/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
sunbeam@cyber:~$
```