
U23IT484 – Cloud Computing Technologies

"Automated and secure cross-region AWS backup and recovery using Amazon Data Lifecycle Manager"


Name: Sruthi R

Reg. No: 722824148104


1. Primary Region:
   a. Create EC2





   b.




2. Create the data EBS volume










EC2 > Volumes > vol-0b56129d1fbca5e35 > Attach volume
Attach volume Info
Attach a volume to an instance to use it as you would a regular physical hard disk drive.
Basic details
Volume ID
vol-0b56129d1fbca5e35
Availability Zone
aps1-az3 (ap-south-1b)
Instance Info
i-0f3e5a1e2ddd95090
(Ransomware-DR-Server) (running)
Only instances in the same Availability Zone as the selected volume are displayed.
Device name Info
/dev/sdf
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Newer Linux kernels may rename your devices to /dev/xvdf through /dev/xvdp internally, even when the device name entered here (and shown in the details) is /dev/sdf through /dev/sdp.
Cancel
Attach volume
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-14-95 ~]$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1 259:0 0 8G 0 disk
├─nvme0n1p1 259:1 0 8G 0 part /
├─nvme0n1p127 259:2 0 1M 0 part
└─nvme0n1p128 259:3 0 10M 0 part /boot/efi
nvme1n1 259:4 0 1G 0 disk
[ec2-user@ip-172-31-14-95 ~]$
i-0f3e5a1e2ddd95090 (Ransomware-DR-Server)
PublicIPs: 13.203.218.109 PrivateIPs: 172.31.14.95
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



/* force overwrite */ [-f]
/* inode size */ [-i perblock=n|size=num,maxpct=n,attr=0|1|2,
projid32bit=0|1,sparse=0|1,nrext64=0|1,
exchange=0|1]
/* no discard */ [-K]
/* log subvol */ [-l agnum=n,internal,size=num,logdev=xxx,version=n
sunit=value|su=num,sectsize=num,lazy-count=0|1,
concurrency=num]
/* label */ [-L label (maximum 12 characters)]
/* naming */ [-n size=num,version=2|ci,ftype=0|1,parent=0|1]]
/* no-op info only */ [-N]
/* prototype file */ [-p fname]
/* quiet */ [-q]
/* realtime subvol */ [-r extsize=num,size=num,rtdev=xxx]
/* sectorsize */ [-s size=num]
/* version */ [-V]
devicename
<devicename> is required unless -d name=xxx is given.
<num> is xxx (bytes), xxxs (sectors), xxxb (fs blocks), xxxk (xxx KiB),
xxxm (xxx MiB), xxxg (xxx GiB), xxxt (xxx TiB) or xxxp (xxx PiB).
<value> is xxx (512 byte blocks).
[ec2-user@ip-172-31-14-95 ~]$ sudo mkdir /backupdata
mkdir: cannot create directory '/backupdata': File exists
[ec2-user@ip-172-31-14-95 ~]$ echo "AWS RANSOMWARE RECOVERY LAB" | sudo tee /backupdata/test.txt
AWS RANSOMWARE RECOVERY LAB
[ec2-user@ip-172-31-14-95 ~]$ echo "Important business data - RECOVERY TEST" | sudo tee /backupdata/business-data.txt
Important business data - RECOVERY TEST
[ec2-user@ip-172-31-14-95 ~]$ sudo mkdir /backupdata/company
[ec2-user@ip-172-31-14-95 ~]$ echo "Customer records are protected by AWS backup." | sudo tee /backupdata/company/customer-data.txt
Customer records are protected by AWS backup.
[ec2-user@ip-172-31-14-95 ~]$ sudo find /backupdata -type f -print
/backupdata/test.txt
/backupdata/business-data.txt
/backupdata/company/customer-data.txt
[ec2-user@ip-172-31-14-95 ~]$
i-0f3e5a1e2ddd95090 (Ransomware-DR-Server)
PublicIPs: 13.203.218.109 PrivateIPs: 172.31.14.95
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

3. Create DLM Custom lifecycle policy





4. Enabling Cross-region & Cross-account policy






5. Create the EBS Snapshot






6. Create Volume from Snapshots



7. Mount the restored Volume



8. Recovery Drill

