```
ec2-user@ip-172-31-35-246:~/ansible> ansible all -m ansible.builtin.ping
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.33.178 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.13"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.45.145 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.13"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.38.69 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.13"
    },
    "changed": false,
    "ping": "pong"
}
ec2-user@ip-172-31-35-246:~/ansible>
```

```
}
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -a "uname -a"
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.45.145 | CHANGED | rc=0 >>
Linux ip-172-31-45-145 6.12.0-160000.29-default #1 SMP PREEMPT_DYNAMIC Fri May  1 12:45:19 UTC 2026 (66d7b47) x86_64 x86_64 x86_64 GNU/Linux
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED | rc=0 >>
Linux ip-172-31-33-178 6.12.0-160000.29-default #1 SMP PREEMPT_DYNAMIC Fri May  1 12:45:19 UTC 2026 (66d7b47) x86_64 x86_64 x86_64 GNU/Linux
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.38.69 | CHANGED | rc=0 >>
Linux ip-172-31-38-69 6.12.0-160000.29-default #1 SMP PREEMPT_DYNAMIC Fri May  1 12:45:19 UTC 2026 (66d7b47) x86_64 x86_64 x86_64 GNU/Linux
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -a "uptime"
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.45.145 | CHANGED | rc=0 >>
 15:48:38  up   0:26,  1 user,  load average: 0.00, 0.00, 0.01
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED | rc=0 >>
 15:48:38  up   0:26,  1 user,  load average: 0.00, 0.00, 0.00
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.38.69 | CHANGED | rc=0 >>
 15:48:38  up   0:26,  1 user,  load average: 0.22, 0.07, 0.02
ec2-user@ip-172-31-35-246:~/ansible> ^C
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -m zypper -a "name=nginx state=present" -b
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED => {
    "ansible_facts": {
```

```
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -b -m command -a "
nginx -v"
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.45.145 | CHANGED | rc=0 >>
nginx version: nginx/1.27.2
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.33.178 | CHANGED | rc=0 >>
nginx version: nginx/1.27.2
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python
interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See
https://docs.ansible.com/ansible-
core/2.18/reference_appendices/interpreter_discovery.html for more information.
172.31.38.69 | CHANGED | rc=0 >>
nginx version: nginx/1.27.2
```

```
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -b -m command -a "systemctl is-active nginx"
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED | rc=0 >>
active
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.45.145 | CHANGED | rc=0 >>
active
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.38.69 | CHANGED | rc=0 >>
active
```

```
active
ec2-user@ip-172-31-35-246:~/ansible> echo "Hello from Ansible Master" > hello.txt
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -m copy -a "src=hello.txt dest=/tmp/hello.txt"
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.13"
    },
    "changed": true,
    "checksum": "0d3dd2caeec939a503c21db6acae5f5ce44d077d",
    "dest": "/tmp/hello.txt",
    "gid": 1000,
    "group": "ec2-user",
    "md5sum": "1a8cc71daee7f24341be8dfdd74202ae",
    "mode": "0644",
    "owner": "ec2-user",
    "secontext": "unconfined_u:object_r:user_tmp_t:s0",
    "size": 26,
    "src": "/home/ec2-user/.ansible/tmp/ansible-tmp-1792685202.5609777-5496-171875453015 67/.source.txt",
    "state": "file",
    "uid": 1000
}
```

```
have a lot of fun...
ec2-user@ip-172-31-45-145:~> pwd
/home/ec2-user
ec2-user@ip-172-31-45-145:~> cd tmp
-bash: cd: tmp: No such file or directory
ec2-user@ip-172-31-45-145:~> cd /
ec2-user@ip-172-31-45-145:/> cd tmp/
ec2-user@ip-172-31-45-145:/tmp> ls
hello.txt                                                  systemd-private-37da700abe984394bf6941485067d571-irqbalance.service-KByf5T
systemd-private-37da700abe984394bf6941485067d571-chronyd.service-tVq4OU    systemd-private-37da700abe984394bf6941485067d571-nginx.service-YJn6I1
systemd-private-37da700abe984394bf6941485067d571-dbus-broker.service-gcWDEA  systemd-private-37da700abe984394bf6941485067d571-systemd-logind.service-5vOYqK
ec2-user@ip-172-31-45-145:/tmp>
```

```
ec2-user@ip-172-31-35-246:~/ansible> ansible all -i inventory -b -m command -a "id devopsuser"
[WARNING]: Platform linux on host 172.31.33.178 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.33.178 | CHANGED | rc=0 >>
uid=1001(devopsuser) gid=1001(devopsuser) groups=1001(devopsuser)
[WARNING]: Platform linux on host 172.31.38.69 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.38.69 | CHANGED | rc=0 >>
uid=1001(devopsuser) gid=1001(devopsuser) groups=1001(devopsuser)
[WARNING]: Platform linux on host 172.31.45.145 is using the discovered Python interpreter at /usr/bin/python3.13, but future installation of another Python
interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.18/reference_appendices/interpreter_discovery.html for more
information.
172.31.45.145 | CHANGED | rc=0 >>
uid=1001(devopsuser) gid=1001(devopsuser) groups=1001(devopsuser)
ec2-user@ip-172-31-35-246:~/ansible>
```