




asruthi_chowdary@DESKTOP-
asruthi_chowdary@DESKTOP-PQIM4MO:~$ find ~ -type f -mtime -1
/home/asruthi_chowdary/.motd_shown
/home/asruthi_chowdary/.bash_history
asruthi_chowdary@DESKTOP-PQIM4MO:~$ find ~ -type f -perm 644
/home/asruthi_chowdary/.docker/desktop/log/host/docker-desktop.log
/home/asruthi_chowdary/.docker/desktop/log/host/docker-desktop-user-distro.log
/home/asruthi_chowdary/.docker/config.json
/home/asruthi_chowdary/dockerfile-practice/Dockerfile
/home/asruthi_chowdary/linux-backup.tar.gz
/home/asruthi_chowdary/.bashrc
/home/asruthi_chowdary/.bash_logout
/home/asruthi_chowdary/.sudo_as_admin_successful
/home/asruthi_chowdary/linux-day2-backup.tar.gz
/home/asruthi_chowdary/.profile
/home/asruthi_chowdary/.landscape/sysinfo.log
/home/asruthi_chowdary/.m2/repository/net/java/jvnet-parent/3/_remote.repositories
/home/asruthi_chowdary/.m2/repository/net/java/jvnet-parent/3/jvnet-parent-3.pom
/home/asruthi_chowdary/.m2/repository/net/java/jvnet-parent/3/jvnet-parent-3.pom.sha1
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.18.0/_remote.repositories
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.18.0/commons-codec-1.18.0.pom.sha1
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.18.0/commons-codec-1.18.0.jar
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.18.0/commons-codec-1.18.0.pom
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.18.0/commons-codec-1.18.0.jar.sha1
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.11/_remote.repositories
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.11/commons-codec-1.11.pom
/home/asruthi_chowdary/.m2/repository/commons-codec/commons-codec/1.11/commons-codec-1.11.pom.sha1
/home/asruthi_chowdary/.m2/repository/kr/motd/maven/os-maven-plugin/1.7.1/os-maven-plugin-1.7.1.jar.sha1
/home/asruthi_chowdary/.m2/repository/kr/motd/maven/os-maven-plugin/1.7.1/_remote.repositories
/home/asruthi_chowdary/.m2/repository/kr/motd/maven/os-maven-plugin/1.7.1/os-maven-plugin-1.7.1.pom.sha1
/home/asruthi_chowdary/.m2/repository/kr/motd/maven/os-maven-plugin/1.7.1/os-maven-plugin-1.7.1.pom
/home/asruthi_chowdary/.m2/repository/kr/motd/maven/os-maven-plugin/1.7.1/os-maven-plugin-1.7.1.jar
/home/asruthi_chowdary/.m2/repository/jakarta/interceptor/jakarta.interceptor-api/2.1.0/_remote.repositories
/home/asruthi_chowdary/.m2/repository/jakarta/interceptor/jakarta.interceptor-api/2.1.0/jakarta.interceptor-api-2.1.0.pom
31°C
Partly sunny
Search
ENG
INTL
15:27
26-10-2026


asruthi_chowdary@DESKTOP-
asruthi_chowdary@DESKTOP-PQIM4MO:~$ wc /etc/passwd
28 39 1446 /etc/passwd
asruthi_chowdary@DESKTOP-PQIM4MO:~$ ps aux --sort=-%mem | head -n 6
USER PID %CPU %MEM VSZ RSS TTY STAT START TIME COMMAND
root 200 0.9 0.5 107052 23244 ? Ssl 09:55 0:00 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade
-shutdown --wait-for-signal
root 42 0.8 0.4 42120 16156 ? S<s 09:55 0:00 /usr/lib/systemd/systemd-journald
root 174 0.6 0.3 1756636 13672 ? Ssl 09:55 0:00 /usr/libexec/wsl-pro-service
systemd+ 147 0.8 0.3 21352 13164 ? Ss 09:55 0:00 /usr/lib/systemd/systemd-resolved
root 1 3.6 0.3 21884 12976 ? Ss 09:55 0:01 /sbin/init
asruthi_chowdary@DESKTOP-PQIM4MO:~$ pgrep -af python
200 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-shutdown --wait-for-signal
asruthi_chowdary@DESKTOP-PQIM4MO:~$ du -h --max-depth=1 ~
36K /home/asruthi_chowdary/.docker
4.0K /home/asruthi_chowdary/project
24K /home/asruthi_chowdary/.ssh
8.0K /home/asruthi_chowdary/dockerfile-practice
8.0K /home/asruthi_chowdary/.config
4.0K /home/asruthi_chowdary/.landscape
81M /home/asruthi_chowdary/.m2
4.0K /home/asruthi_chowdary/.cache
8.0K /home/asruthi_chowdary/linux_lab
20K /home/asruthi_chowdary/day8-lab
11M /home/asruthi_chowdary/transaction-validation-engine
12K /home/asruthi_chowdary/.local
92M /home/asruthi_chowdary
asruthi_chowdary@DESKTOP-PQIM4MO:~$ find ~ -type f -printf '%s %p\n' 2>/dev/null | sort -nr | head -n 10
10261736 /home/asruthi_chowdary/transaction-validation-engine/target/protoc-plugins/protoc-4.32.1-linux-x86_64.exe
10261736 /home/asruthi_chowdary/.m2/repository/com/google/protobuf/protoc/4.32.1/protoc-4.32.1-linux-x86_64.exe
9766726 /home/asruthi_chowdary/.m2/repository/org/apache/kafka/kafka-clients/4.1.1/kafka-clients-4.1.1.jar
7305999 /home/asruthi_chowdary/.m2/repository/com/github/luben/zstd-jni/1.5.6-10/zstd-jni-1.5.6-10.jar
3160927 /home/asruthi_chowdary/.m2/repository/org/eclipse/jdt/ecj/3.33.0/ecj-3.33.0.jar
3037368 /home/asruthi_chowdary/.m2/repository/com/google/guava/guava/32.0.1-jre/guava-32.0.1-jre.jar
31°C
Partly sunny
Search
ENG
INTL
15:27
26-10-2026


asruthi_chowdary@DESKTOP-PQIM4MO:~$ systemctl --failed
UNIT LOAD ACTIVE SUB DESCRIPTION
0 loaded units listed.
asruthi_chowdary@DESKTOP-PQIM4MO:~$ printenv | sort
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
DISPLAY=:0
HOME=/home/asruthi_chowdary
HOSTTYPE=x86_64
JAVA_HOME=/usr/lib/jvm/java-17-openjdk-amd64
LANG=C.UTF-8
LESSCLOSE=/usr/bin/lesspipe %s %s
LESSOPEN=| /usr/bin/lesspipe %s
LOGNAME=asruthi_chowdary
NAME=DESKTOP-PQIM4MO
PATH=/usr/lib/jvm/java-17-openjdk-amd64/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:
/usr/lib/wsl/lib:/mnt/c/Program Files/WindowsApps/MicrosoftCorporationII.WindowsSubsystemForLinux_2.7.13.0_x64__8wekyb3d8bbwe:/mnt/c/
Program Files/Eclipse Adoptium/jdk-17.0.20.101-hotspot/bin:/mnt/c/Program Files/Microsoft MPI/Bin/:/mnt/c/Program Files/Common Files/
Oracle/Java/javapath:/mnt/c/Program Files (x86)/Common Files/Oracle/Java/javapath:/mnt/c/WINDOWS/system32:/mnt/c/WINDOWS:/mnt/c/WINDO
31°C
Partly sunny
Search
ENG
INTL
15:28
26-10-2026

asruthi_chowdary@DESKTOP-PQIM4MO:~$ getent hosts google.com
2404:6800:4007:800::200e google.com
asruthi_chowdary@DESKTOP-PQIM4MO:~$ grep -Rni --include="*.conf" "port" /etc 2>/dev/null
/etc/apport/crashdb.conf:21: 'dupdb_url': 'http://people.canonical.com/~ubuntu-archive/apport-duplicates',
/etc/apport/crashdb.conf:37: 'labels': ['apport'],
/etc/apport/crashdb.conf:44: 'labels': ['apport'],
/etc/ld.so.conf.d/x86_64-linux-gnu.conf:1:# Multiarch support
/etc/sudo_logsrvd.conf:6:# The host name or IP address and port to listen on with an optional TLS
/etc/sudo_logsrvd.conf:7:# flag. If no port is specified, port 30343 will be used for plaintext
/etc/sudo_logsrvd.conf:8:# connections and port 30344 will be used to TLS connections.
/etc/sudo_logsrvd.conf:11:# listen_address = hostname:port(tls)
/etc/sudo_logsrvd.conf:13:# listen_address = IPv4_address:port(tls)
/etc/sudo_logsrvd.conf:15:# listen_address = [IPv6_address]:port(tls)
/etc/sudo_logsrvd.conf:73:# The host name or IP address and port to send logs to in relay mode.
/etc/sudo_logsrvd.conf:208:# Supported log formats are "sudo" and "json"
/etc/sudo_logsrvd.conf:215:# IETF RFC 5424 states that syslog servers must suport messages
/etc/sudo_logsrvd.conf:216:# of at least 480 bytes and should support messages up to 2048 bytes.
/etc/sudo_logsrvd.conf:221:# The following syslog facilities are supported: authpriv (if your OS
/etc/sudo_logsrvd.conf:222:# supports it), auth, daemon, user, local0, local1, local2, local3,
/etc/sudo_logsrvd.conf:228:# supported: alert, crit, debug, emerg, err, info, notice, warning, none.
/etc/sudo_logsrvd.conf:235:# Syslog priority to use for event log alert messages reported by the
/etc/sudo_logsrvd.conf:250:# any format string supported by that function is allowed.
/etc/selinux/semanage.conf:30:# then the remainder is interpreted as a port number;
/etc/selinux/semanage.conf:31:# otherwise default to port 4242.
/etc/modules-load.d/modules.conf:4:# Updating this file still works, but it is undocumented and unsupported.
/etc/PackageKit/Vendor.conf:25:# It should explain why some hardware is not supported, and links to futher
/etc/modprobe.d/blacklist-framebuffer.conf:1:# Framebuffer drivers are generally buggy and poorly-supported, and cause
/etc/modprobe.d/blacklist.conf:21:# snd_intel8x0m can interfere with snd_intel8x0, doesn't seem to support much
/etc/sudo.conf:23:# password prompt for "sudo -A" support. Sudo does not ship with its
/etc/sudo.conf:49:# support LD_PRELOAD or its equivalent.
/etc/sudo.conf:63:# support LD_PRELOAD or its equivalent.
/etc/sudo.conf:123:# Sudo and related programs support logging debug information to a file.
/etc/dhcpcd.conf:34:# Most distributions have NTP support.
31°C
Partly sunny
Search
ENG
INTL
15:28
26-10-2026


asruthi_chowdary@DESKTOP-
asruthi_chowdary@DESKTOP-PQIM4MO:~$ tar -czvf ~/home-backup.tar.gz ~/Documents
tar: Removing leading '/' from member names
tar: /home/asruthi_chowdary/Documents: Cannot stat: No such file or directory
tar: Exiting with failure status due to previous errors
asruthi_chowdary@DESKTOP-PQIM4MO:~$ df -i
Filesystem Inodes IUsed IFree IUse% Mounted on
none 485071 5 485066 1% /usr/lib/modules/6.18.33.2-microsoft-standard-WSL2
none 485071 2 485069 1% /mnt/wsl
drivers 999 -999001 1000000 - /usr/lib/wsl/drivers
/dev/sdd 67108864 54219 67054645 1% /
none 485071 23 485048 1% /mnt/wslg
none 485071 5 485066 1% /usr/lib/wsl/lib
rootfs 483632 12 483620 1% /init
none 485071 536 484535 1% /run
none 485071 2 485069 1% /run/lock
none 485071 1 485070 1% /run/shm
none 485071 52 485019 1% /mnt/wslg/versions.txt
none 485071 52 485019 1% /mnt/wslg/doc
C:\ 999 -999001 1000000 - /mnt/c
tmpfs 97014 43 96971 1% /run/user/1000
asruthi_chowdary@DESKTOP-PQIM4MO:~$ top
top - 09:56:47 up 1 min, 1 user, load average: 0.11, 0.06, 0.02
Tasks: 22 total, 1 running, 21 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0
MiB Mem : 3789.6 total, 2171.9 free, 467.5 used, 1287.6 buff/cache
MiB Swap: 1024.0 total, 1024.0 free, 0.0 used. 3322.1 avail Mem
PID USER PR NI VIRT RES SHR S %CPU %MEM TIME+
1 root 20 0 21884 12976 9624 S 0.0 0.3 0:01.04
2 root 20 0 3180 2204 2072 S 0.0 0.1 0:00.01
6 root 20 0 3180 2048 1940 S 0.0 0.1 0:00.00
42 root 19 -1 42264 16180 15044 S 0.0 0.4 0:00.24
88 root 20 0 25420 6732 5168 S 0.0 0.2 0:00.22
31°C
Partly sunny
Search
ENG
INTL
15:30
26-10-2026