



https://767841748203-ucytjzwu.eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Search
[Alt+S]
Ask Amazon Q
Europe (Stockholm)
EC2 > Instances > Launch an instance
Type | Info
Custom TCP
Protocol | Info
TCP
Port range | Info
8080
Source type | Info
Custom
Source | Info
Add CIDR, prefix list or security
Description - optional | Info
e.g. SSH for admin desktop
14.99.219.164
Security group rule 2 (TCP, 22, 14.99.219.164)
Remove
Type | Info
ssh
Protocol | Info
TCP
Port range | Info
22
Source type | Info
Custom
Source | Info
Add CIDR, prefix list or security
Description - optional | Info
e.g. SSH for admin desktop
14.99.219.164
Summary
Number of instances | Info
1
Software Image (AMI)
Provided by Red Hat, Inc.
ami-07ba4be829b9bf20a
Virtual server type (instance type)
t3.small
Firewall (security group)
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
28°C
Mostly cloudy
Search
ENG
INTL
15:21
21-10-2026


ec2-user@ip-172-31-5-37:~
login as: ec2-user
Authenticating with public key "redhat-jenkins-key"
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-5-37 ~]$
28°C
Mostly cloudy
Search
ENG
INTL
15:30
21-10-2026




```
[ec2-user@ip-172-31-5-37 ~]$ java -version
openjdk version "21.0.12.1" 2026-08-18 LTS
OpenJDK Runtime Environment (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS)
OpenJDK 64-Bit Server VM (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS, mixed mode, sharing)
[ec2-user@ip-172-31-5-37 ~]$ which java
/usr/bin/java
```


```
[ec2-user@ip-172-31-5-37 ~]$ sudo rpm --import https://pkg.jenkins.io/rpm-stable/jenkins.io-2026.key
[ec2-user@ip-172-31-5-37 ~]$ cat /etc/yum.repos.d/jenkins.repo
[jenkins]
name=Jenkins-stable
enabled=1
type=rpm-md
baseurl=https://pkg.jenkins.io/rpm-stable
gpgkey=https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
gpgcheck=1
repo_gpgcheck=1

# Only for SUSE/openSUSE distributions with zypper
autorefresh=1
keeppackages=0
[ec2-user@ip-172-31-5-37 ~]$ sudo dnf makecache
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscription-manager" to register.


Jenkins-stable                                                                                  21 kB/s | 833  B     00:00
Jenkins-stable                                                                                  97 kB/s | 1.6 kB     00:00
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Is this ok [y/N]: y
Jenkins-stable                                                                                  39 kB/s | 2.2 kB     00:00
Red Hat Enterprise Linux 10 for x86_64 - AppStream from RHUI (RPMs)                             99 kB/s | 4.1 kB     00:00
Red Hat Enterprise Linux 10 for x86_64 - BaseOS from RHUI (RPMs)                                99 kB/s | 4.1 kB     00:00
Red Hat Enterprise Linux 10 Client Configuration                                                38 kB/s | 1.5 kB     00:00
Metadata cache created.
```


```
[ec2-user@ip-172-31-5-37 ~]$ rpm -q jenkins
jenkins-2.580.1-1.noarch
```





```
[ec2-user@ip-172-31-5-37 ~]$ sudo systemctl is-active firewalld
inactive
```




Not secure http://16.16.173.180:8080
Getting Started
Create First Admin User
Username
dadslittleprincess
Password
Confirm password
Full name
Jenkins 2.580.1
Skip and continue as admin
Save and Continue


Not secure http://16.16.173.180:8080
Getting Started
Instance Configuration
Jenkins URL:
http://16.16.173.180:8080/
The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.
The proposed default value shown is not saved yet and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.
Jenkins 2.580.1
Not now
Save and Finish


Not secure
http://16.16.173.180:8080
Getting Started
Jenkins is ready!
Your Jenkins setup is complete.
Start using Jenkins
Jenkins 2.580.1
29°C
Mostly cloudy
Search
ENG
INTL
16:03
21-10-2026