DESCRIPTIONS OF TABLES -

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
DEPARTMENT_CODE	NN_CONS_DNAME_CODE	C	DNAME	"DNAME" IS NOT NULL
DEPARTMENT_CODE	PK_CONS_DID_CODE	P	DID	-
DEPARTMENT_CODE	UQ_CONS_DNAME_CODE	U	DNAME	-

Download CSV

3 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
COURSE_CODE	FK_CONS_DID_CODE	R	F_DID	-
COURSE_CODE	NN_CONS_CNAME_CODE	C	CNAME	"CNAME" IS NOT NULL
COURSE_CODE	NN_CONS_TRADE_CODE	C	TRADE	"TRADE" IS NOT NULL
COURSE_CODE	PK_CONS_CID_CODE	P	CID	-
COURSE_CODE	UQ_CONS_CNAMETRADE_CODE	U	CNAME	-
COURSE_CODE	UQ_CONS_CNAMETRADE_CODE	U	TRADE	-

Download CSV

6 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
STUDENT_CODE	FK_CONS_CID_CODE	R	F_CID	-
STUDENT_CODE	NN_CONS_ADDR_CODE	C	SADDRESS	"SADDRESS" IS NOT NULL
STUDENT_CODE	NN_CONS_MOB_CODE	C	SMOB	"SMOB" IS NOT NULL
STUDENT_CODE	NN_CONS_NAME_CODE	C	SNAME	"SNAME" IS NOT NULL
STUDENT_CODE	PK_CONS_ROLLNO_CODE	P	ROLLNO	-
STUDENT_CODE	UQ_CONS_MOBILE_CODE	U	SMOB	-
STUDENT_CODE	UQ_CONS_NAMEADD_CODE	U	SNAME	-
STUDENT_CODE	UQ_CONS_NAMEADD_CODE	U	SADDRESS	-

Download CSV

8 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
FACULTY_CODE	FK_CONS_FDID_CODE	R	FEMP_DID	−
FACULTY_CODE	NNC_CONS_SALARY_CODE	C	SALARY	salary >= 10000
FACULTY_CODE	NN_CONS_FADDR_CODE	C	ADDRESS	"ADDRESS" IS NOT NULL
FACULTY_CODE	NN_CONS_FMOB_CODE	C	MOB	"MOB" IS NOT NULL
FACULTY_CODE	NN_CONS_FNAME_CODE	C	NAME	"NAME" IS NOT NULL
FACULTY_CODE	NN_CONS_FSALARY_CODE	C	SALARY	"SALARY" IS NOT NULL
FACULTY_CODE	PK_CONS_EMPID_CODE	P	EMPID	−
FACULTY_CODE	UQ_CONS_MOB_CODE	U	MOB	−
FACULTY_CODE	UQ_CONS_NAMEADDR_CODE	U	NAME	−
FACULTY_CODE	UQ_CONS_NAMEADDR_CODE	U	ADDRESS	−

Download CSV
10 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
PAPER_SUBJECT_CODE	NN_CONS_PNAME_CODE	C	PNAME	"PNAME" IS NOT NULL
PAPER_SUBJECT_CODE	PK_CONS_PCODE_CODE	P	PCODE	−

Download CSV
2 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
CONTENT_OF_CODE	FK_CONS_CCID_CODE	R	CONTENT_CID	−
CONTENT_OF_CODE	FK_CONS_PCODE_CODE	R	CONTENT_PCODE	−
CONTENT_OF_CODE	PK_CONS_CPCODECCID_CODE	P	CONTENT_PCODE	−
CONTENT_OF_CODE	PK_CONS_CPCODECCID_CODE	P	CONTENT_CID	−

Download CSV
4 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
TEACHING_CODE	FK_CONS_TEMPID_CODE	R	T_EMPID	–
TEACHING_CODE	FK_CONS_TPCODE_CODE	R	T_PCODE	–
TEACHING_CODE	NN_CONS_SESS_SEM_CODE	C	SESSION_SEM	"SESSION_SEM" IS NOT NULL
TEACHING_CODE	PK_CONS_PCODE_EMPID_CODE	P	T_PCODE	–
TEACHING_CODE	PK_CONS_PCODE_EMPID_CODE	P	T_EMPID	–

Download CSV
5 rows selected.

TABLE_NAME	CONSTRAINT_NAME	CONSTRAINT_TYPE	COLUMN_NAME	SEARCH_CONDITION
EXAM_APPEARED_IN_CODE	FK_CONS_EPCODE_CODE	R	EXAM_PCODE	–
EXAM_APPEARED_IN_CODE	FK_CONS_ROLL_CODE	R	STU_ROLL	–
EXAM_APPEARED_IN_CODE	NNC_CONS_MARKS_CODE	C	MARKS	marks >= 0
EXAM_APPEARED_IN_CODE	NN_CONS_MARKS_CODE	C	MARKS	"MARKS" IS NOT NULL
EXAM_APPEARED_IN_CODE	PK_CONS_ROLL_PCODE_SEM_CODE	P	STU_ROLL	–
EXAM_APPEARED_IN_CODE	PK_CONS_ROLL_PCODE_SEM_CODE	P	EXAM_PCODE	–
EXAM_APPEARED_IN_CODE	PK_CONS_ROLL_PCODE_SEM_CODE	P	SEM_SESSION	–

Download CSV
7 rows selected.