



Vishal S R 250701844-2025-CSE ▾

V2**Started on** Friday, 25 September 2026, 8:17 AM**State** Finished**Completed on** Friday, 25 September 2026, 8:32 AM**Time taken** 14 mins 44 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a		g		g		t		a		b
s2		g		x		t		x		a		y
										b		

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab	2
azb	

Answer: (penalty regime: 0 %)

```

1 | #include<stdio.h>
2 | #include<string.h>
3 | int main(){
4 |     char str[100],str1[100];
5 |     scanf("%s",str);
6 |     scanf("%s",str1);
7 |     int cnt=0;
8 |     for(int i=0;i<strlen(str1);i++){
9 |         if(str[i]==str1[i]){
10 |             cnt++;
11 |         }
12 |     }
13 |     printf("%d",cnt);
14 | }
```

	Input	Expected	Got	
✓	aab	2	2	✓
	azb			
✓	ABCD	4	4	✓
	ABCD			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)