```
postgres=# INSERT INTO temp_scores VALUES (1, 85);
INSERT 0 1
postgres=# SELECT * FROM temp_scores;
 student_id | score
------------+-------
          1 |    85
(1 row)


postgres=# \dt
            List of relations
  Schema   |    Name     | Type  |  Owner
-----------+-------------+-------+----------
 pg_temp_3 | temp_scores | table | postgres
 public    | courses     | table | postgres
 public    | enrollments | table | postgres
 public    | students    | table | postgres
(4 rows)


postgres=#    DROP TABLE students;
ERROR:  cannot drop table students because other objects depend on it
DETAIL:  constraint enrollments_student_id_fkey on table enrollments depends on table students
HINT:  Use DROP ... CASCADE to drop the dependent objects too.
postgres=#    DROP TABLE enrollments;
DROP TABLE
postgres=#    DROP TABLE courses;
DROP TABLE
postgres=#    DROP TABLE students;
DROP TABLE
postgres=#    DROP TABLE IF EXISTS students;
NOTICE:  table "students" does not exist, skipping
DROP TABLE
```

Activate
Go to Sett

```
postgres=#    DROP TABLE courses;
DROP TABLE
postgres=#    DROP TABLE students;
DROP TABLE
postgres=#    DROP TABLE IF EXISTS students;
NOTICE:  table "students" does not exist, skipping
DROP TABLE
postgres=#    \dt
            List of relations
  Schema   |    Name     | Type  |  Owner
-----------+-------------+-------+----------
 pg_temp_3 | temp_scores | table | postgres
(1 row)


postgres=#    \q
PS C:\Users\Dell>
PS C:\Users\Dell>    psql -U postgres -d postgres
Password for user postgres:

psql (14.24)
WARNING: Console code page (850) differs from Windows code page (1252)
         8-bit characters might not work correctly. See psql reference
         page "Notes for Windows users" for details.
Type "help" for help.

postgres=#    SELECT * FROM temp_scores;
ERROR:  relation "temp_scores" does not exist
LINE 1: SELECT * FROM temp_scores;
                      ^
postgres=#    \dt
Did not find any relations.
postgres=#
```

Activate Windows
Go to Settings to activate