```
postgres(# );
CREATE TABLE
postgres=# CREATE TABLE loans (
postgres(#     loan_id SERIAL PRIMARY KEY,
postgres(#     member_id INTEGER NOT NULL,
postgres(#     book_id INTEGER NOT NULL,
postgres(#     loan_date DATE DEFAULT CURRENT_DATE,
postgres(#     due_date DATE NOT NULL,
postgres(#     return_date DATE,
postgres(#     late_fee DECIMAL(10,2) DEFAULT 0.00,
postgres(#     FOREIGN KEY (member_id) REFERENCES members(member_id),
postgres(#     FOREIGN KEY (book_id) REFERENCES books(book_id)
postgres(# );
CREATE TABLE
postgres=# \pset pager off
Pager usage is off.
postgres=# \dt lab9.*
             List of relations
 Schema |       Name       | Type  |  Owner
--------+------------------+-------+----------
 lab9   | authors          | table | postgres
 lab9   | book_authors     | table | postgres
 lab9   | books            | table | postgres
 lab9   | courses          | table | postgres
 lab9   | departments      | table | postgres
 lab9   | enrollments      | table | postgres
 lab9   | enrollments_bad  | table | postgres
 lab9   | loans            | table | postgres
 lab9   | members          | table | postgres
 lab9   | student_phones   | table | postgres
 lab9   | students         | table | postgres
 lab9   | students_bad     | table | postgres
 lab9   | students_bad_1nf | table | postgres
(13 rows)

postgres=#
```

```
postgres=#
postgres=# SELECT c.relname AS table_name, con.conname AS constraint_name,
postgres-#        CASE con.contype WHEN 'p' THEN 'PRIMARY KEY' ELSE 'FOREIGN KEY' END AS type,
postgres-#        pg_get_constraintdef(con.oid) AS definition
postgres-# FROM pg_constraint con
postgres-# JOIN pg_class c ON c.oid = con.conrelid
postgres-# JOIN pg_namespace n ON n.oid = c.relnamespace
postgres-# WHERE n.nspname = 'lab9' AND con.contype IN ('p', 'f')
postgres-# ORDER BY c.relname, type;
    table_name    |        constraint_name         |    type     |                           definition
------------------+--------------------------------+-------------+-----------------------------------------------------------------
 authors          | authors_pkey                   | PRIMARY KEY | PRIMARY KEY (author_id)
 book_authors     | book_authors_author_id_fkey    | FOREIGN KEY | FOREIGN KEY (author_id) REFERENCES authors(author_id)
 book_authors     | book_authors_book_id_fkey      | FOREIGN KEY | FOREIGN KEY (book_id) REFERENCES books(book_id)
 book_authors     | book_authors_pkey              | PRIMARY KEY | PRIMARY KEY (book_id, author_id)
 books            | books_pkey                     | PRIMARY KEY | PRIMARY KEY (book_id)
 courses          | courses_pkey                   | PRIMARY KEY | PRIMARY KEY (course_id)
 departments      | departments_pkey               | PRIMARY KEY | PRIMARY KEY (department_id)
 enrollments      | enrollments_student_id_fkey    | FOREIGN KEY | FOREIGN KEY (student_id) REFERENCES students(student_id)
 enrollments      | enrollments_course_id_fkey     | FOREIGN KEY | FOREIGN KEY (course_id) REFERENCES courses(course_id)
 enrollments      | enrollments_pkey               | PRIMARY KEY | PRIMARY KEY (student_id, course_id)
 enrollments_bad  | enrollments_bad_pkey           | PRIMARY KEY | PRIMARY KEY (student_id, course_id)
 loans            | loans_book_id_fkey             | FOREIGN KEY | FOREIGN KEY (book_id) REFERENCES books(book_id)
 loans            | loans_member_id_fkey           | FOREIGN KEY | FOREIGN KEY (member_id) REFERENCES members(member_id)
 loans            | loans_pkey                     | PRIMARY KEY | PRIMARY KEY (loan_id)
 members          | members_pkey                   | PRIMARY KEY | PRIMARY KEY (member_id)
 student_phones   | student_phones_student_id_fkey | FOREIGN KEY | FOREIGN KEY (student_id) REFERENCES students(student_id)
 student_phones   | student_phones_pkey            | PRIMARY KEY | PRIMARY KEY (student_id, phone_number)
 students         | students_department_id_fkey    | FOREIGN KEY | FOREIGN KEY (department_id) REFERENCES departments(department_id)
 students         | students_pkey                  | PRIMARY KEY | PRIMARY KEY (student_id)
 students_bad     | students_bad_pkey1             | PRIMARY KEY | PRIMARY KEY (student_id)
 students_bad_1nf | students_bad_pkey              | PRIMARY KEY | PRIMARY KEY (student_id)
(21 rows)

postgres=#
```

Activate Windov
Go to Settings to activ