



Certified to: ASTM B928 (G66/G67 Tested) with ABS, BV, DNV and LR Cert.

[illegible]

12.0mm	1220mm	2440mm	Stock
	1500mm	6000mm	Stock
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
15.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Stock
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
16.0mm	1220mm	2440mm	Stock
	1500mm	6000mm	Stock
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
20.0mm	1220mm	2440mm	Stock
	1500mm	6000mm	Stock
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
25.0mm	1220mm	2440mm	Stock
	1500mm	6000mm	Stock
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
28.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Indent
	2200mm	9000mm	Indent
30.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
32.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
35.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent

38.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
40.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent
50.0mm	1220mm	2440mm	Indent
	1500mm	6000mm	Indent
	2000mm	6000mm	Stock
	2200mm	9000mm	Indent

Custom & Indent Items:

Dimensions not listed above and items marked Indent are available via mill / works production on a made-to-order basis. Subject to minimum order quantities (MOQ).

