

Playwright · F01–F13 · Mock + Live

Platform Feature QA Matrix

One feature at a time — serial automated walkthrough

Maps operator flows on platform VM detail, Connect hub, Access tab, ConsoleHub, Machine Finder, and Mission Control to Playwright tests F01 through F13.

VM Detail & Connect

Hero, actions, attention stack, Connect hub, Access tab, SSH, NAT.

ID	Feature	Expected	Mock
F01	VM detail hero	Gradient icon, state, health pills	-g F01
F02	Action bar	Cinema, SSH, Power & more overflow	-g F02
F03	Attention stack	Top banner expanded; chip swap	-g F03
F04	Connect hub (Overview)	vm-daily-access, checklist, copy	-g F04
F05	Access tab	Full NAT + export on ?tab=access	-g F05
F06	SSH dialog	NAT banner, expose SSH action	-g F06
F07	NAT presets	Network tab POST port-forwards 2222→22	-g F07

Tabs, ConsoleHub & Fleet

ID	Feature	Expected	Mock
F08	Overview body	Usage bars + Doctor one-liner	-g F08
F09	Console tab	Cinema + Studio guidance links	-g F09
F10	Doctor tab	Run migrate plan → Guest health	-g F10
F11	ConsoleHub / Cinema	cinema-shell, recovery, ops shelf NAT	-g F11
F12	Machine Finder	Table SSH; Gallery → Cinema	-g F12
F13	Mission Control	Home VM card → SSH dialog	-g F13

Commands & Configs

```
cd web npm run build npm run test:e2e:features # mock matrix (serial F01-F13) npm run  
test:e2e:features:live # live lab (read-only) # Single feature: npm run test:e2e:features -- -g F04 #  
Remote lab: ./scripts/e2e-feature-matrix-remote.sh E2E_FEATURE_MATRIX=1 ./scripts/e2e-platform-  
complete-remote.sh
```

Mock config

playwright.feature-matrix.config.ts —
platform mocks, no live host required.

Live config

playwright.feature-matrix.live.config.ts —
PLAYWRIGHT_LIVE_URL + credentials.

Guide & Integration

Internal guide: [docs/guides/platform-feature-qa.md](#)

Artifact	Path
Helper	<code>web/e2e/helpers/featureMatrix.ts</code>
Mock spec	<code>web/e2e/platform-feature-matrix.spec.ts</code>
Live spec	<code>web/e2e/platform-live-feature-matrix.spec.ts</code>
Remote runner	<code>scripts/e2e-feature-matrix-remote.sh</code>

Synced to hypersdk-web via `npm run presentations:sync` after HTML decks land in `docs/client-presentations/`.