

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Machina

Getting Started

2026-07-26

What you need

Requirement	Notes
Linux host with KVM/libvirt	Machina daemon builds/runs on Linux
URL	<code>https://<host>:5092</code> (TLS on by default)
Login	PAM (host Linux account) or LDAP/OIDC when configured
Browser	Modern Chromium, Firefox, or Safari

1. Open the dashboard

Open `https://<host>:5092` . Accept the self-signed certificate in labs, or install your org cert in production.

Health check:

```
curl -sk https://localhost:5092/api/v1/health
```

2. Sign in

Mode	What you do
PAM	Use your Linux username/password on the host
LDAP	Directory credentials when LDAP is enabled
OIDC	SSO via <code>/auth/oidc/login</code> when configured

RBAC roles: Admin / Operator / ReadOnly via `roles.json`, OIDC groups, or API tokens. Empty `roles.json` means everyone is Admin — fix that before production.

3. Orient yourself

1. **Core** — Dashboard, VMs, Create, Import, Fleet on this host.
2. **Platform** — Mission Control for multi-host fleet (`/platform`).
3. **Infrastructure / OpenStack / Monitoring** — storage, networks, OpenStack, host metrics.
4. Spotlight / Finder for quick jump.

4. First workflows

A. List and open a VM console

`/vms` → select a VM → Console (VNC/SPICE/SSH/serial/RDP as available).

B. Create a VM

`/create` or Platform → VM Builder / Advanced Create.

C. Check host health

`/node` or Platform → Hosts.

D. Wire OpenStack (optional)

Settings → OpenStack (`/settings?openstack=1`) then use `/openstack` pages.

Next steps

- [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page guides](#)
-

Machina's UI has a **classic host shell** (Core / Infrastructure / OpenStack / Monitoring) and a **Platform** Mission Control experience for fleets.

Surfaces

Element	Purpose
Core nav	This-host VMs, create/import, fleet list
Platform	Multi-host Mission Control, Zeus, backups, SOC
Top-bar quick links	Settings, Host SSH, API Docs
Consoles	VNC, SPICE, SSH PTY, serial, RDP from VM detail

Browse vs act

Inventory pages are safe to explore. Create/delete VM, firewall, and OpenStack mutations require Operator/Admin roles.

Related

- [Getting Started](#)
 - [Page-by-page guides](#)
-

Create and console into a VM

1. [Create VM](#) or [VM Builder](#)
2. [Virtual Machines](#) → open detail → console

Fleet day-2

1. [Mission Control](#)
2. [Hosts / Machine Finder](#)
3. [Backup & Restore](#) as needed

OpenStack (when wired)

1. Wire credentials in Settings
2. [OpenStack Overview](#)
3. Instances / Networks / Volumes as required

Related

- [Getting Started](#)