STAFF GUIDE · AJG (ASSEMBLYMEMBER JESSE GABRIEL) PRESS COVERAGE

Using the AJG Press Tracker

How to start the tracker on your PC, find and read coverage, keep the workbook up to date, and share it with colleagues.

What the tracker is

The tracker is a program on your PC that shows every news story about Assemblymember Gabriel: print, online, TV, radio, podcasts and non-English outlets. It runs inside a Microsoft Edge window, but it is **not a website**. Everything it shows comes from files in one folder on your PC.

Words used in this guide

Word	What it means
Workbook	The Excel file that holds every story, one row each. It is the master record. The tracker page is built from it.
Library	The folder of saved article copies (web pages and PDFs), sorted by year.
Saved copy	A copy of a story kept in the library, so it stays readable if the news site moves it or puts it behind a paywall.
Keeper	The one person who brings in new stories and saves them. The keeper's copy is the official one.
Reader	Everyone else. A reader's copy is updated from the keeper's refresh files.
"for Update" file	A small file the tracker makes that lists the stories it already has. The Update station needs it.
Update station	A separate page on claude.ai that searches for new stories and packs them into an update folder. See the companion guide, *Updating the tracker with the Update station*.
Update folder	A .zip file from the Update station with the new stories in it. (A .zip is one file that holds many files.)
Refresh file	A .zip the keeper makes after a save, so readers' copies can match.

The program stays on your PC

The tracker makes no internet connections and only reads and writes inside its own folder. One exception: newer saved copies show their photos from the news site, so Edge loads those pictures when you open such a copy.

Contents

1. Starting and closing the tracker
2. The top of the page
3. Home
4. Clips: finding stories
5. The story panel
6. Data
7. Reporters, Outlets, Press releases, Bills, Story travel
8. Manage
9. The Tracker files panel
10. Bring in an update
11. Save my edits
12. Refresh files for colleagues
13. Repairs
14. Installing a new version
15. Where your files live
16. Problems and fixes
17. Cheat sheet

START AND STOP

Starting and closing the tracker

1. **Open the tracker folder.** On the office PC it is `Desktop\AJG_v4\AJG Tracker`. Keep the folder on your own PC (for example on the Desktop), not on the shared drive. Each person has their own copy.
2. **Double-click `Start Tracker.cmd`.** A black window opens. This window is the tracker's engine. **Leave it open** the whole time you use the tracker; you can minimize it.
3. **The tracker opens in its own Microsoft Edge window.** It looks like a web page, but its address is `http://127.0.0.1:8765`, which means "this PC". Nothing goes out over the internet.

AJG Tracker (keep this window open)

```
AJG Tracker is running at http://127.0.0.1:8765/
Keep this window open while you use the tracker. Close it to stop the tracker.
```

What the black window says when the tracker has started (drawn from the program's own messages).

Closing the tracker

1. Close the Edge window.
2. Close the black window (click its X). This stops the tracker.

If you double-click `Start Tracker.cmd` while the tracker is already running, it just opens the page again.

> **DON'T CLOSE THE BLACK WINDOW DURING A SAVE**
>
> Saving, making files and repairs all run in the black window. If you close it in the middle, the job stops. The tracker always backs up the workbook before it writes, so nothing is lost, but you will have to run the job again.

What is in the tracker folder

File or folder	What it is
`Start Tracker.cmd`	Starts the tracker. The only thing you open day to day.
`Install update.cmd`	Installs a new version of the program (see "Installing a new version").
`READ ME FIRST.txt`	A short version of this guide.
`data`	Your workbook, library, backups, notes and saved views. See "Where your files live".
`app`, `python`	The program itself. Don't change anything in these.

FIND YOUR WAY

The top of the page

The dark band at the top stays on screen wherever you are.



The top of the tracker. The numbers match the list below.

1. **Back and Forward.** Go back to the view you were on before, like a browser's back button.
2. **Spreadsheet.** Downloads a copy of the workbook (Excel) to your Downloads folder. Changing that copy does not change the tracker.
3. **Tracker files.** Opens the panel for updates, refresh files and repairs (see "The Tracker files panel"). An amber dot on it means something needs attention.
4. **Manage.** Opens the Update log, saved-copy counts, data checks and definitions. The number counts things worth a look, such as pages without a tone rating.
5. **Tabs.** Home, Clips, Data, Reporters, Outlets, Press releases, Bills and Story travel. Click one to switch.



After a save, a third line under "Press coverage tracker" says when the tracker was last updated.


THE OLD PRESS DESK

If you used the old online tracker: its Press desk tools are now the Reporters, Outlets, Press releases, Bills and Story travel tabs. The Update database, tone, author and translation buttons are not in the PC tracker; that work happens in the Update station.

TAB 1

Home

Home is a quick summary of the coverage. Every part can be clicked to see the stories behind it.



Home: the greeting line, four summary tiles, “Needs attention” and the tone bar.

- **The line under the greeting** gives the number of stories and the date of the newest one.
- **The four tiles** compare the last 30 days and this year with the same period before, and show headlines and major outlets. The arrow and percent show the change.
- **Needs attention** lists negative stories and very positive stories from the last 30 days. Click a headline to open the story.
- **Tone, last 90 days** shows the share of positive (green), neutral (gray) and negative (red) stories. **See rated clips** lists them.

TAB 2

Clips: finding stories

Clips is the full list of stories, newest first. Use the tools at the top to narrow it down.




The Clips tools. The numbers match the list below.

1. **Filters.** Opens a panel of filters: issue, bills, reach, how Gabriel appears, mention depth, direct quote, medium, format, outlet, reporter, county, state, language and tone. Tick as many as you need. **Clear all** removes them.
2. **Search.** Type words from a headline, an outlet or the story text. All the words must appear, in any order.
3. **Dates.** All dates, the last 30 or 90 days, the last 12 months, one year, or a custom range.
4. **Compact.** Shows the list in a tighter layout, so more stories fit on screen. Click again to switch back.
5. **Export.** Copy the list for an email, copy it for a spreadsheet, download it as a CSV file (a simple table file Excel opens), or download the full workbook.


Views are ready-made filters: Last 30 days, Headlines and op-eds, National and statewide, Negative tone, and With a saved copy. Click one to apply it. When you set your own filters, **Save this view** keeps them as a new view button. Saved views stay in your copy only.

The line under the views says how many stories match, for example “3,689 of 3,689 stories”.


Search, filters and the table



The Filters panel. Each group lists its choices with a count.



The Export menu.



A search for "food label". The gray tag under the views shows the search; click its × to clear it. Where the words are found inside a saved copy, a short quote shows under the headline.

Reading the table

- **Date**, **Story**, **Issue / bill**, **Reach** and **Reprints** (how many other outlets ran the same story). Click a column name to sort by it; click again to reverse.
- Under each headline: the outlet, the reporter, and **badges**, for example *Named in headline*, *Depth: Featured*, *Quoted*, the language, *Saved copy*, the tone, and *Related press release*. Non-English stories show an English headline in italics.
- **Click a row** to open the story panel (next page).
- **Tick boxes** on the left pick stories. A bar appears at the bottom to copy or download just those.



Two stories ticked. Clear unticks them.

Everything about one story


Click a story anywhere in the tracker to open its panel on the right. Press **Esc** to close it, and the left and right arrow keys to move to the previous or next story in the list.



The top of the story panel (a Spanish-language story). The numbers match the list below.

1. **Panel buttons.** Full-page view, previous story, next story, close. “1 of 1” says where this story is in the current list.
2. **Date and outlet.** Click the outlet to list all its clips; **page ›** opens the outlet’s own page.
3. **Links. Publisher site** opens the story on the news site. **NewsBank via CA State Library** and **ProQuest via CA State Library** open the library copy (you sign in with your State Library card). The small copy icon before a link copies the link. **Edit details** opens the edit form (next page).
4. **Facts line.** Issue, bills, reach, medium, reporter and reprints. Click any of them to list every clip like it. **page ›** after a reporter or bill opens its page.
5. **Badges.** How much the story is about him (Depth: Featured, Quoted, Named or List-only), the language, whether there is a saved copy, and the tone. Click a badge to list every clip like it.

Tone, notes, mentions and translation



Lower part of the panel. The numbers match the list below; the blurred text is the licensed article, left out of this guide.

6. **Tone box.** The tone rating and the reason for it. **Change** lets you correct the rating. The change shows in your copy of the tracker only; it is not written into the workbook.
7. **Note.** A note for yourself. Notes stay in your copy of the tracker. They are never in refresh files and never in the workbook.
8. **Highlighting mentions of Gabriel.** Every mention of his name in the saved copy is highlighted in yellow. The arrows jump to the previous and next mention (or press Enter, and Shift+Enter to go back).
9. **English translation.** For a story not in English: the English headline and, when there is one, the whole story in English. It is a machine translation; check quotes against the original before you use them.

The saved copy

Below the translation box is the **saved copy** of the article, with its headline, byline and text, read from the library. For a print story, it is the PDF of the clipping. If a story has no saved copy, the panel shows the links only.

Full-page view and Edit details




Full-page view: details on the left, the story on the right. Click the same button (top right) to go back to the side panel.

Edit details

Edit details opens a form with the story's date, outlet, headline, link, reporter, issue, bills, reach, format, how Gabriel appears, language, reprints and tone. Change what you need and press **Save changes**. **Remove story** takes a story out of the tracker (for example one that is not about him).


View original (print stories)

When the library has a scan of the printed page, the links line starts with **View original**. It opens the page scan as a PDF in a new tab. A story that ran on two pages has two buttons.



A print story with two page scans: View original, printed page 1 and printed page 9.

What happens to your edits




The Edit story form. The note at the bottom says where the change goes.

- A change shows in the tracker at once.
- It goes into the workbook with the next update you bring in, or when you press **Save my edits** in Tracker files (keeper only).
- **Edits fill empty fields only.** If the workbook already has a different value in that field, the workbook keeps its own. The preview tells you so before you save, and the change stays in your copy only. To change a value that is already filled in, edit the workbook in Excel and then use Repairs, “Accept the workbook as it is now”.
- A removed story is moved to the workbook’s **Removed** tab when it is saved. Nothing is deleted.
- On a reader copy, edits and removals stay in that copy only.

TAB 3


Data

Data is the numbers page: charts and summaries for any period. Choose the **Period** at the top right; everything on the page follows it.



The top of Data: the period, Copy brief, and “The brief”, a short written summary.

- **Copy brief** copies “The brief” so you can paste it into an email or memo.
- Click a section heading (or the – in front of it) to fold it away or open it again.



Coverage by quarter. Click a bar to see the clips from that quarter. “Chart options” changes what the colors show; “Show the numbers” lists the figures behind the chart.


The sections below are: Compare two periods; Issues & bills (issues, biggest news moments); Outlets & reach (reach and medium, local coverage by county, coverage outside California by state); Languages; Tone (tone by issue, quarter by quarter); Issues by year; Busiest months; Bills in the news; Top outlets; Stories that travel; Outlet relationships; and Gaps (outlets, counties and issues gone quiet). Wherever you see a number or a bar, you can click it to see the clips.

TABS 4 TO 8


Reporters, Outlets, Press releases, Bills, Story travel

These five tabs work the same way: a short summary, a **Filters** button, a search box, an **Export** menu and a table. Click a column name to sort. Click a name in the first column to open its own page; ‹ **All reporters** (or All outlets, and so on) at the top takes you back to the list.

Reporters




Who wrote about him: their outlets, story counts, last story, top issues, average tone and negative stories.



A reporter's page: outlets, title, top issues, bills, press releases and coverage numbers. Their outlets and stories follow below.

Outlets



Every outlet that ran a story, with its place, reach and medium, story and reprint counts, last story, top issues and tone.


Press releases



Releases from Gabriel's office and the Jewish Caucus, how many were picked up, and a chart by quarter. Click a bar to list that quarter's releases.

A release's page has **Read release** (the release text), who it was joint with, and the stories related to it: ones that ran its words ("picked up") and ones on the same subject.


Bills



Every bill Gabriel authored or co-led, one row per bill and session, with its final status and the number of stories. Budget Act bills are left out unless you change the filter.

A bill's page has its LegInfo link, its milestones (introduced, floor votes, signed) and a weekly chart of the stories that mention it.

Story travel




Stories that other outlets also ran, with how many outlets picked each one up. Click "How it spread ›" to see where it ran, on a map and a list.


MANAGE

The Manage panel

Manage (top right) opens a panel with four parts.



Update log: every update and what it added, newest first. Press Edit on any story to change its details.



Data checks: records worth checking. Show lists them in Clips.


Part	What it is for
Update log	Each update you bring in is listed with everything it added. Click a story to open it; **Edit** opens the same form as Edit details.
Saved copies	How many stories have a saved copy. **Add saved pages** lets you add a page or PDF by hand; pages added this way show only on this computer.
Data checks	Things worth a look: how long since the last clip, saved pages waiting for a tone rating, stories that link to a search instead of the article, outlet names spelled more than one way.
Definitions	What each field means (issue, bills, reach, depth and so on) and where the stories come from.

ONLY ONE PANEL AT A TIME

Manage and Tracker files both open on the right. Opening one closes the other. Click × to close.

The Tracker files panel

Click **Tracker files** at the top right. This panel is where the workbook is updated and shared. What you see depends on whether your copy is the **keeper** copy or a **reader** copy; the panel says which near the top.



The keeper's panel. The top line names the workbook, its size and its fingerprint.

The four steps

1. **Make "for Update" file.** Before each Update station run.
2. **Bring in update.** Take in the update folder from the Update station, check the preview, and save.
3. **Save my edits.** Write your edits and removals into the workbook when there is no update to bring in.
4. **Make refresh file.** After a save, so colleagues' copies can match.

Repairs (closed at the bottom) holds steps you rarely need.

A **fingerprint** is a short code worked out from the file's exact contents, like `bc21c9fb`. If even one cell changes, the fingerprint changes. The tracker uses it to know which workbook it is looking at.


CLOSE EXCEL FIRST

Saving, accepting the workbook and bringing in a refresh file are switched off while Excel has the workbook open. The panel says so in red. Close Excel and the buttons come back.

TRACKER FILES · STEP 1

Make the “for Update” file

1. Click **Make “for Update” file**. It takes about a minute.
2. The file downloads to your Downloads folder, named like `for_update_202611051945_d2d774e5.json` (the date and time it was made, then the workbook’s fingerprint). A copy is kept in `data\for_update`.
3. Load it into the Update station. The companion guide explains that part.



The file was made: 3,689 stories, workbook fingerprint d2d774e5. It is also in your Downloads folder.


MAKE A NEW ONE AFTER EVERY SAVE

The file lists the stories the tracker has right now. A file made before a save doesn’t know about the stories that save added, so the Update station would find them again. It holds no article text.

TRACKER FILES · STEP 2

Bring in an update

1. **Drop the update zip** from the Update station onto the dashed box, or click **choose a file** and pick it from Downloads. Use the .zip itself; don't unzip it.
2. **Wait for the preview.** The tracker checks the update and works out what it would change. Nothing is saved yet. This can take a few minutes.
3. **Read the preview** (next page).
4. **Press Save**, or **Do not use this update** to drop it.



The warning you see when the update was made from an older workbook.

If the workbook changed after the "for Update" file was made (by a save, or by an edit in Excel), you first see this warning. The clean fix is to make a new "for Update" file and run the Update station again. **Use it anyway** also works: the save still checks everything and only fills blanks.

Reading the preview

The bold line at the top sums up what Save would do. The list below it gives the details: rows added to each tab of the workbook, saved pages added to the library, reprint counts updated, and your own edits that go in with it.

2. Bring in update


If you press Save: 21 rows added, 51 cells filled, 1 conflicts left for Sammy, 1 rows of 1 removed stories moved to the Removed tab, 1 finds skipped (California Files, listing pages, other Gabriels or Gabriel only outside the article), 1 finds written as reprints (same text as another story), 7 dates to check (see review).

You chose to use an update made from an older workbook. The save still runs all its checks.

- Your edits made in this tracker, saved together with it: 1 story removed (s01888); 1 story edited (s01674; fields: outlet)
- 1 edit will not be applied, because the workbook already has a different value in that cell and the workbook keeps its own (story s01674). They stay in this tracker, marked as reported.
- 21 rows added to the Coverage tab
- 10 rows added to the Originals tab
- 1 row added to the Removed tab
- 2 rows added to the Unlinked print pages tab
- 4 reprint counts updated
- 2 cells of removed stories' rows moved to the Removed tab
- 2 press-release cells recalculated
- 25 saved pages added to the library
- 1 file of removed stories moved aside (not deleted)
- The update carries 1 run, 5 reprints
- 11 file(s) renamed to the names the save gave (11

The top of a preview. (A long list of renamed files under it is left out here.)

Items that need a person, and Save



The end of the preview: items that need a person, then Save.

Items that need a person are things the save will not decide for you, for example a date to check, a possible reprint, or an outlet the tracker has not seen before. They are saved as they are and listed for you. You can press Save and look at them afterwards; fix any of them with Edit details or in the workbook.

When you press Save

1. The tracker backs up the workbook, then writes the new rows. Keep the black window open. This can take a few minutes.
2. It shows what it saved, then reloads the page by itself.
3. Make a refresh file for your colleagues (step 4), and a new “for Update” file before the next Update station run.

2. Bring in update

Saved. 21 rows added, 51 cells filled, 1 conflicts left for Sammy, 1 rows of 1 removed stories moved to the Removed tab, 1 finds skipped (California Files, listing pages, other Gabriels or Gabriel only outside the article), 1 finds written as reprints (same text as another story), 7 dates to check (see review).

- Backup of the old workbook: AJG Coverage - NewsBank BACKUP before run run-mw3o2qv2rzz 2026-11-05 1139.xlsx
- Your edits made in this tracker, saved together with it: 1

- 0 file name(s) were as the station named them.
- 1 edit saved and set aside in the tracker (db_applied\edits, not deleted)
- New workbook fingerprint: d2d774e5
- The tracker page was rebuilt with the new stories
- 11 items are listed for a person to look at (see the run notes)


Reloading the tracker...

After Save: the result. (The middle of the list is left out here.) The page then reloads by itself.

Save my edits

Edits and removals you make in the tracker (Edit details, or Edit in the Update log) are written into the workbook the next time you bring in an update. To save them without an update, use **Save my edits**. The number on the button counts the stories waiting.

1. Click **Save my edits**. A preview shows what would change.
2. Read it. In this example, one removed story moves to the Removed tab, and one edit is **not** applied because the workbook already has a value in that field.
3. Press **Save**, or **Not now** to keep the edits waiting.



The Save my edits preview.


Refresh files for colleagues

Each colleague has their own copy of the tracker (a **reader** copy). After every save, the keeper makes a refresh file so the readers' copies match.

Keeper: make the refresh file

1. After a save, click **Make refresh file**.
2. It downloads to your Downloads folder (a copy stays in `data\refresh_out`).
3. Pass it to the others by the shared drive, email or Teams.


A refresh file carries the workbook, the new saved copies and the page data. It never carries your notes or saved views. The first one is a full one, with everything; later ones carry only what changed. The tracker makes a full one by itself when a short one could not be complete.



The refresh file was made and downloaded.

Reader: bring in the refresh file

1. Close Excel if the workbook is open.
2. Open **Tracker files**. On a reader copy, step 2 is **Bring in refresh file**.
3. Drop the refresh zip on the dashed box. The page reloads when it is done. Your own notes and saved views stay as they are.



A reader’s panel: no Bring in update, Save my edits or Make refresh file; it takes refresh files instead.


READERS’ EDITS STAY LOCAL

On a reader copy, stories you edit or remove stay in that copy only. Only the keeper’s edits reach the workbook. If something needs fixing for everyone, tell the keeper.

Repairs

Open **Repairs** at the bottom of the Tracker files panel. It opens by itself when the tracker needs one of these.

Button	When to use it
Accept the workbook as it is now	After you edited the workbook in Excel yourself (close Excel first). It tells the tracker to trust the file exactly as it is. Until you do, saving is refused. It asks “Are you sure?” first.
Make a FULL refresh file	For a person who is new or whose copy has never had a refresh. It carries everything, including the whole library, so it is large.
Rebuild the page	Builds the tracker page again from the workbook. Needed after a new workbook is copied into the folder, or when the instructions for a new version say so. Then press **Reload the tracker**.
Rebuild saved copies	When a story shows a saved copy that will not open. It reads your library and adds every saved copy the tracker cannot open yet. It changes nothing that is already there.



Repairs, opened. Most of the time you won’t need any of these.

NEW VERSIONS

Installing a new version of the program

When Claude sends a new version (a zip), install it like this. Your data is never touched: the new version replaces only the program parts.

1. **Close the tracker** (the black window).
2. **Unzip the new zip somewhere else**, for example in Downloads. Don't unzip it on top of your tracker folder.
3. Open the new folder and double-click **Install update.cmd**.
4. When it asks, **drag the folder you use now** (the one with `Start Tracker.cmd` and `data` in it) into the black window and press **Enter**.
5. It checks everything first and says plainly if something is wrong. Nothing changes until the checks pass. At the end it says **Done**.
6. Start the tracker as usual. You can delete the folder you unzipped.

The old program parts are kept in a `_previous_version` folder inside your tracker folder, in case you want to go back. Delete it once the new version has worked for you. Reader copies are updated the same way.

> **IF CLAUDE SAYS TO REBUILD**
>
> Some new versions need the page rebuilt once. Claude will say so. Then open Tracker files, Repairs, **Rebuild the page**.

By hand, if the installer won't run

1. Close the tracker.
2. Unzip the new version to a new folder.
3. Copy the whole `data` folder from your old tracker folder into the new folder, replacing the empty one there.
4. Start the tracker from the new folder. Keep the old folder as a backup until you are sure all is well.

YOUR FILES

Where your files live

Everything the tracker knows is in the `data` folder inside the tracker folder. Copying the tracker folder copies everything. Don't move or rename files in it by hand.

Inside data	What is there
`workbook`	The workbook, `AJG Coverage - NewsBank.xlsx`. You can open it in Excel to read it. Close Excel before you save in the tracker. If you change it in Excel, use Repairs, "Accept the workbook as it is now".
`library`	The saved copies. Year folders (`2026`, `2025` ...) by story date; `_original_html` (raw web pages); `_original_pdf` (print page scans for View original); `Press releases`. Files are only ever added, never deleted.
`backups`	Copies of the workbook made before each save. The newest few are kept.
`for_update`, `refresh_out`, `updates`	Copies of the "for Update" files and refresh files you made, and of the updates you brought in.
`db`	Your notes, saved views, tone changes and waiting edits.
`site`, `copies`, `state`	The page data, the saved-copy data and the save record. The tracker manages these.
`role.json`	Says whether this copy is the keeper copy or a reader copy.

NOTHING IS DELETED

When something must go, the tracker moves it aside (to backups, to a replaced-files folder, or to `_to_delete`). It never deletes your files.

Problems and fixes

What you see	What to do
The black window says “The tracker did not start”	Read the line above it. If the folder is incomplete, unzip the version again, in full. If it keeps happening, take a photo of the window and send it to Claude.
“Another copy of the AJG Tracker is already running … from a different folder”	Close the other tracker’s black window, then start this one again.
“Port 8765 … is used by another program”	Another program is using the number the tracker talks on (8765). Restart the PC and try again.
The page won’t load, or a button says “Is the tracker’s … window still open?”	The black window was closed. Start the tracker again.
An amber dot on Tracker files	Open the panel and read the colored box: Excel has the workbook open, a save is running, or the workbook was changed outside the tracker.
“Excel has the workbook open”	Close Excel. The Save buttons come back.
“The workbook is not the one the tracker last saved”	Someone changed it in Excel. If that was on purpose, use Repairs, “Accept the workbook as it is now”. Until then, saving is refused.
Warning: the update was made from a different version of the workbook	Make a new “for Update” file and run the Update station again, or press Use it anyway.
“That is not a .zip file”	Drop the .zip itself, not a folder or another file.
A saved copy will not open	Tracker files, Repairs, Rebuild saved copies.
The page looks out of date after a new workbook was copied in	Tracker files, Repairs, Rebuild the page, then Reload the tracker.
Photos are missing in a saved copy	Newer copies load photos from the news site. The site may have removed them, or the PC is offline.

CHEAT SHEET

Start to finish

Every day

1. Double-click **Start Tracker.cmd**; leave the black window open.
2. Find stories in **Clips** (search, Filters, Views).
3. Click a story for its panel: links, saved copy, tone, translation.
4. Close Edge, then the black window.

Keeper: each update

1. Tracker files → **Make “for Update” file**.
2. Update station → load it → **Update database** → download the folder.
3. Tracker files → **Bring in update** → read the preview → **Save**.
4. **Make refresh file** → pass it on.

Reader: each refresh

1. Close Excel.
2. Tracker files → **Bring in refresh file** → drop the zip.

New version

1. Close the tracker; unzip the new version elsewhere.
2. Run **Install update.cmd**; drag your tracker folder in; Enter.