NSIPA client concerns
Consolidated final review

Updated 11 November 2026 | Original client-concern review: 10 November 2026

Domains: nigeriag2p.com and g2p.wverve.in, including their registry, PBMS, beneficiary and ODK services.

This is the current consolidated status. It supersedes earlier implementation reports and physical-device addenda; older pending-device statements are not carried forward as current blockers. It reconciles all eight sections of Unified_NSIPA_G2P_MVP1_Demo_Changes_v1.pdf and subsequent requests in this conversation.

Outcome: the requested registry presentation, names, rework, verified ODK mapping, automatic synchronization, two-reviewer controls, context help and demonstrated Android workflows are implemented and tested within the scope stated below. PBMS uses React with the existing backend. The five beneficiary services are enabled. No production-readiness or live-bank certification is inferred from demonstration tests.

Completed and verified

• Registry cards, ordering, required household/head names, readable mapped values, location widgets and review/correction flow.

• NSIPA branding and complete context-help text on the documented routes; sign-in callback/session and legacy-navigation corrections.

• Automatic ODK intake using verified form definitions; two different reviewers; idempotent imports and retries; five reviewed legacy records and two excluded negative-test fixtures.

• Physical Android offline save, GPS persistence, manual fallback, permission denial, both upload domains, network-loss recovery, controlled partial transfer and lost-success-response retries.

• Existing React PBMS verification/approval/payment screens and five beneficiary screens; payment evidence uses the existing simulator.

What still needs a decision or separate acceptance

NPC attestation requirements; client-approved demo/release scope; final GPS policy; production hosting and live interbank/payment acceptance; exact public-APK/additional-device acceptance if required. NIN-specific acceptance and additional external-source dictionaries remain bounded gaps, not completed integrations.

No further phone action is required for the completed test run. NPC information is requested in the dedicated checklist later in this report. No credentials are included or shared.

Pending items and closure requirements

Item / current status	Required to close / owner
NPC attestation — not specified or implemented	Client business owner and designated NPC/NIMC liaison: return the requirement pack in the NPC checklist. Confirm whether it is required at all. Implementation and acceptance follow only after agreement.
Production hosting / interbank acceptance — not established	Client infrastructure and payment owners: approved environment, DNS/TLS and operating model, monitoring/backup/recovery targets; named bank/provider, sandbox and credentials through a secure channel, payment/reconciliation/failure cases, and acceptance sign-off. Site availability is not production certification.
PBMS/payment demo or release approval — pending	Client demo/product owner: decide whether to approve a separate verified walkthrough. Primary client-PDF demo excludes these screens. Simulator payment tests do not authorize live transfers.
GPS policy — provisional	Client field-operations owner: approve or change 50-metre accuracy and 30-second timeout; decide when manual entry is allowed, what evidence/reason it needs, and how actual coordinates versus reported area are reviewed.
Device / public-package coverage — limited	Client QA/distribution owner: confirm supported phone/tablet/Android matrix and which signed APK is intended for distribution. The tested v0.7 device-compatible APK has a different signing certificate from the public APK. No uninstall or data loss is required for this decision.
NIN-specific acceptance — limited evidence	Client identity owner: define exact NIN duplicate rules and approved synthetic positive/negative cases. Confirm whether a live NIMC integration is required and provide authorized documentation/sandbox access if so. A configured foundational identifier match is not live NIMC verification.
Additional source formats/forms — not certified	Client data owners: supply form versions, representative de-identified files/API samples, field definitions and numeric-code dictionaries, mapping decisions and expected outputs. Current automatic import is limited to two pinned verified forms.
Presentation/access handover — awaiting client decisions	Client demo owner: confirm audience, presenter, meeting date and demo scope; approve who may receive which least-privilege test access and through what secure channel. No third-party messages or credential sharing have been performed.
Illustrative video — delivered, not hardware footage	Existing 30-second video is a workflow illustration and contains an older pending-device notice. If used in the final presentation, replace that notice or commission a new device recording; do not present it as footage of the completed test.

Fresh checks and evidence boundaries

Check rerun for this review	Result / interpretation
Registry screens and code lists	12 checks: eight household/individual/intake/task screens and four roof/water list checks across both registry domains. Card view, labels, help and readable code lists passed.
Authentication	Four registry/beneficiary sign-ins and session reloads passed across both domain families. Two invalid staff-IAM callbacks returned 401 without a session.
React PBMS help	44 checks and 26 domain mappings passed. The underlying migration evidence records 21 screens and simulator payment workflows; no real payment rails were tested.
Wider context help	106 route-resolution checks and 536 complete-text renders passed at desktop/mobile widths. No clipping or legacy branding failures in this suite. The render suite exercises the shared help implementation, not every possible authenticated application state.
Shared staff screens	24 authenticated route checks across both root domains passed, including workspace, staff, analytics, geography, knowledge, AI, phase-one, simulation and mobile pages.
Beneficiary screens	10 current screen/help/API checks passed: accounts, complaints, notifications, news and registries on both domains. Earlier workflow evidence covers synthetic account updates, complaint lifecycle, notifications, language/search, ownership isolation and access controls. No new financial transaction was performed in this review.
Physical-source uniqueness	Read-only audit of all five physical-test sources: one intake and one registry record each. Existing evidence confirms two-domain saved-data checks and zero registry records after first review.
Synchronization operation	Timer active; latest status: 22 SUBMITTED, 2 EXCLUDED_TEST, zero transient failures. No active quarantine state in the count snapshot. Temporary fault relay inactive and routes removed.

This is a final evidence review with targeted live regression checks. Historical mutation-heavy workflows were reviewed from retained artifacts rather than replaying payments or creating another set of households. A pass applies to documented records, roles, routes and test conditions; it is not a claim of exhaustive testing of every screen state.

Client concerns: 1. Presentation and demo flow

1.1 Seven slides and 10–11 minutes

Delivered. Created exactly seven slides with a 10:30 speaking plan in the presenter notes. The presentation is saved in Spaces and can be exported through its viewer.

1.2 Clear live-demo transition

Delivered. Slide 7 introduces the live walkthrough of one household from intake through review and correction into the registry.

1.3 Slow narrative and role introductions

Delivered. The notes introduce administrator, intake officer, field officer and reviewer before changing screens. They direct the presenter to pause after each outcome and explain the workflow in plain language.

1.4 Reviewer versus officer permissions

Implemented and tested. Reviewer accounts have the Intake Validator role and no intake edit permission. Tests check rejected create/edit requests and the absence of the Create New Submission control on both domain families. The intake officer cannot approve another actor’s task.

1.5 Dropdown explanation

Delivered. The script explains state, LGA and ward selection before interaction, including consistent answers and reduced typing. It does not imply that GPS verifies the selected administrative area.

1.6 No ad hoc customization promises

Delivered. Presenter notes direct questions into managed follow-up rather than promising implementation during the demonstration.

1.7 Remove persona emails

Delivered. The seven slides contain role descriptions rather than email addresses or credentials. Authentication account identifiers are not shown in the deck.

1.8 Legible shared screens

Complete; presenter acceptance remains. Cards wrap text and automatic insights are closed by default. Desktop/mobile checks cover the documented screens. Meeting host still needs to use legible sharing settings and pauses.

Client concerns: 2. Names, labels and branding

2.1 Master Beneficiary Registry

Implemented. Updated shared catalogue/navigation wording, native registry configuration, intake descriptions, relevant templates and published knowledge articles. Modern/Unified/National Social Registry wording was replaced where found in the active scope.

2.2 NSIPA Unified G2P platform name

Implemented. Retained the platform name while identifying the registry as the Master Beneficiary Registry. The new deck avoids national or government-wide registry claims.

2.3 Remove Nigeria G2P interface branding

Implemented and checked. Checked footer/shared navigation on tested screens. Updated Android display name, its visible splash and mobile download instructions to NSIPA. Existing domain names, compatibility download paths, package identity and signing identity were preserved so links and updates continue to work.

2.4 Remove NSR from labels, titles and IDs

Checked. No NSR text was found in the tested native screen text. The active mobile form identifier is nsipa_field_household_demo and the registry generates HH references. Existing identifiers were not arbitrarily rewritten.

2.5 Household Intake Form

Implemented and verified. Published ODK form title Household Intake Form, version 2026111001. Verified the title, version and new name fields through both ODK domain aliases. Android uses the same form version and field names.

2.6 Household capitalization and labels

Implemented and verified. Updated metadata translations for Households, Individuals, Household name, Household head and Record reference. The house-icon heading now displays Households.

2.7 Data-bridge terminology

Implemented in shared guidance. Applied NSIPA and Master Beneficiary Registry terminology to shared service descriptions and help content. The user’s NCPA-to-NSIPA clarification governs the report and presentation.

Client concerns: 3. Portal and registry display

3.1 Card view by default

Implemented and verified. Registry lists open as cards with an explicit list-view toggle. Existing native search, pagination and record links remain in use.

3.2 Newly created records first

Implemented and verified. Changed the native record-list default from approval-time ordering to descending creation time, with a stable tie-breaker. The newly created test household appears first.

3.3 Required household name

Implemented and tested. Added required household and head name fields to native household metadata. Blank household names are rejected. Updated the domain naming hook so an entered name is preserved during intake, ingestion and functional ID allocation.

3.4 ODK mapping and name display

Complete within verified mappings. Verified household/head names through source XML, mapping, two approvals and registry ingestion. Automatic synchronization and five actual phone-source records are verified. Names survive functional ID allocation. Source receipts retain instance IDs and hashes.

3.5 Roof and water codes

Verified against a published source dictionary. A separate fictional ODK verification form supplies numeric roof/water choices; the current field form was not changed. All six roof and eight water choices map through their published labels to authoritative registry codes. Fresh imports store CORRUGATED_IRON and PIPED, and both domains display Corrugated iron and Piped. Unknown numeric choices and ambiguous labels are rejected. This does not retrospectively resolve undocumented codes from a different historical form.

3.6 More than one record source

Verified and made visible. Existing records include online household registration, prepared synthetic data and reference demonstration data. Cards now show the recorded source and creation date. A mobile source is not claimed for records without that provenance.

3.7 Mobile names and recent submissions

Complete. Android visit labels and ODK instance names show the household head. Registry cards display creation/source information and a Recent marker within 24 hours. Phone submissions and saved registry names were verified; retained source receipts provide exact ODK provenance.

Client concerns: 4. Review, rework and duplicates

4.1 Online intake through approval

Implemented and tested. A fictional household was saved, submitted, returned, corrected, resubmitted, approved and ingested using the existing backend. Root registration rework/permission regression tests also passed.

4.2 Two review levels

Implemented and tested. Created household intake policy version 2 with a first completeness/duplicate-assessment reviewer and a separate final reviewer. New demo identities have limited client roles. Self-approval and repeat approvers are forbidden. Existing policy history is retained.

4.3 Possible duplicates, including NIN

Partial / scoped. Native duplicate jobs produced possible-match evidence. Individual rules include exact foundational_id matching alongside names and birth date. Live NIMC verification and a separately agreed NIN-specific acceptance suite are not established; client identity rules and cases are needed.

4.4 Assess and decide

Delivered. The walkthrough tells reviewers to inspect the possible-match evidence rather than treating a score as proof. The existing approval/return decisions remain the mechanism for acting on the assessment.

4.5 Rejection reason, actor and correction

Implemented and tested. AWE now carries the rejection comment into its callback and the registry response. Rejection returns the submission to editable draft state. The same screen displays the reason, decision actor/time and correction instructions. Root registration also persists a review-history record. Earlier feedback is labelled as historical after a later decision.

4.6 Resubmission and repeated requests

Implemented and tested. Resubmission creates a new AWE request rather than reusing the rejected request. Finalization is locked and repeated requests reuse the pending review. Completed ingestion jobs now ignore duplicate delivery rather than marking an already imported record as failed.

4.7 Stray underscore / not-applicable text

Implemented. Native intake detail text renders standalone missing-value markers as Not recorded and NOT_APPLICABLE as Not required for this stage. Metadata terminology was also corrected. Backend enum values remain unchanged.

4.8 Reliability gate

Complete within demo scope. Native return/correction/resubmission and documented physical-device flows are verified. NPC and unapproved production/payment features remain outside the live demonstration. No universal reliability claim is made.

Client concerns: 5. Mobile and offline collection

5.1 Android phone/tablet offline flow

Complete on one physical device. OnePlus CPH2573, Android 16, fresh v0.7-demo installation: offline draft persistence, local demo review, upload, retries and registry transfer verified. Local PIN is a demonstration control; two separate server reviewers remain mandatory. Public-APK signing, upgrade preservation and other devices are separate acceptance items.

5.2 Narrated video of about 30 seconds

Delivered; final-use caveat. A 30.000-second narrated workflow illustration exists. It is not a recording of the physical tests and includes an earlier pending-device notice. Update that notice before final use if selected by the client.

5.3 Mobile GPS accuracy and manual entry

Complete; policy confirmation pending. Actual numeric GPS values survived save/restart and matched XML and registry widgets; reported accuracy 17.5 m. Permission-denial guidance and manual fallback were verified. The initial placeholder-based check was corrected and retested. The 50 m / 30 s default still needs client policy confirmation. GPS does not verify selected administrative area.

5.4 Browser GPS

Implemented and branch-tested. The existing browser form now waits for the same accuracy target after permission. It supports timeout/denied-permission guidance and manual override, and only saves coordinates with form submission. Simulated tests cover low accuracy, accepted accuracy, manual override, timeout and denial. No claim is made that coordinates verify residence.

5.5 NPC attestation

Pending client requirements. NPC is described in the source document as National Population Commission, but its specific attestation requirement and relationship to NIMC remain unresolved. NCPA was explicitly corrected to NSIPA; this does not settle NPC. No attestation rule or integration has been invented.

Client concerns: 6–7. Data bridge, programmes and payments

6.1 NSIPA files, API and input formats

Delivered in the narrative. The presenter notes describe configured file/API ingestion, source mapping and transfer into the Master Beneficiary Registry. Supported formats and mappings must be demonstrated against configured sources; the deck makes no unrestricted-format promise.

6.2 Brief, controlled explanation

Delivered. The script describes a controlled integration process in plain language and avoids broad claims of unrestricted data handling.

6.3 Show bridge screens only on request

Delivered. The main demo follows one household. Data-bridge configuration is an optional branch rather than a long technical walkthrough.

6.4 Source, duplicate and transfer explanation

Complete for verified sources. Documented source configuration, possible-match review and transfer. Automatic pickup, five physical-source imports, independent reviewers and retries were verified. Unspecified external formats and undocumented source code lists remain outside this scope.

6.5 Current terminology

Applied. Shared service guidance and the presentation use NSIPA and Master Beneficiary Registry. NCPA is treated as the client-confirmed typo. Tested help text has no legacy Nigeria G2P branding.

7.1 Keep PBMS/payments outside this demo

Applied to the demo scope. The deck and notes exclude programme management and payments from the primary walkthrough. Existing React PBMS functionality and its backend were preserved.

7.2 Readiness statement if asked

Qualified. The PDF describes versions discussed at an earlier meeting. That is not evidence that every current version is unready. The presenter is instructed to describe the actual verified scope and avoid deployment commitments for unapproved features.

7.3 Only show an approved demo version

Pending client demo/release approval. React PBMS exists and simulator verification/approval/payment workflows have evidence. The primary client demo still excludes these modules until a separate approved scope is agreed. No live payment authorization or production deployment approval is implied.

Client concerns: 8. Demo data and readiness

8.1 Realistic Nigerian sample data

Improved. Renamed 50 clearly identified synthetic households using their existing Nigerian head names and explicit demonstration labels. Added explicitly fictional street addresses using the existing state labels, while preserving existing non-empty addresses and location data. New review fixtures use Amina Bello, Fatima Yusuf and Chinedu Okafor. These are fictional samples, not verified real households or addresses.

8.2 Complete-flow checks

Complete within documented scope. Naming, mappings, numeric labels, card ordering, review/rework, physical upload identification, synchronization and controlled failure recovery are evidenced. Fresh screen/help/authentication checks and a read-only uniqueness audit passed in this final review.

8.3 Skip incomplete features

Applied. Presenter notes identify the gates and keep the demonstration on verified routes. Existing user modules were not disabled solely because an older document described them as incomplete.

8.4 Credential sharing

Pending approval; no sharing performed. Test secrets remain private. Client must identify approved recipients, least-privilege roles, expiry and a secure delivery channel before external access is shared.

8.5 Documentation and coordination

Report complete; coordination not performed. This consolidated report and retained source/test artifacts document the changes. Client must confirm demo timing and relevant contacts. No third-party messages or meeting commitments were sent.

8.6 Readiness / hosting / interbank conclusion

Pending external acceptance. The source statement that only hosting/interbank items remain was not independently substantiated. Current remaining decisions include NPC, GPS policy, release/demo scope and production/provider acceptance. A statement of full production readiness is not supported.

Additional requests completed after the client PDF

Request	Current result
React migration / existing backend	PBMS frontend migrated to React, including verification, approval and payment screens. Backend application code and schema retained; authenticated adapter added. Simulator manual/automatic payment workflows recorded. Existing test programmes were paused after verification.
All-module help and NSIPA names	Shared context resolver, complete article text and readable display corrected. Fresh checks are detailed earlier. Legacy domain names, compatibility paths and Android package identity remain for compatibility; no claim is made that the word Nigeria is removed from actual geography or account names.
Sign-in callbacks and legacy redirects	Same-domain login/session contract and invalid-callback rejection passed in this review. Earlier callback/navigation repairs retained the existing identity backend.
Five beneficiary services	Accounts, complaints, notifications, news and registries use the existing backend. Current authenticated render/help/API checks pass on both domains; previously exercised synthetic workflows and isolation evidence retained.
Automatic ODK mapping and numeric codes	Two pinned verified forms supported. Six roof and eight water choices map using published labels and authoritative master values. Unknown/ambiguous codes are rejected. Children under 18 are not misrepresented as children under five; unmapped fields remain in source receipts.
Five legacy submissions	CASE261105-V06-A, SAMPLE-VIDEO-04, SAMPLE-RECONNECT-03, SAMPLE-RECONNECT-02 and SAMPLE-JOS-01 were reviewed under exact source hashes. User-authorized synthetic household/head names were added transparently; two-reviewer processing retained.
Two invalid-code submissions	Identified as deliberate negative-test fixtures and closed as EXCLUDED_TEST, with original invalid data retained and no registry records created. Validation was not weakened and no unsupported code meaning was guessed.
Saved location display	Bindings corrected to stored latitude, longitude, altitude and reported address; numeric values verified through both registry screens. Accuracy remains in source evidence. Android altitude zero is a placeholder, not a measured height.

Physical-device and controlled transport evidence

Device: OnePlus CPH2573, Android 16. Fresh v0.7-demo install used the original device-compatible signing certificate; the public APK is differently signed. No upgrade/data-preservation test is claimed after the user uninstalled the earlier app.

Scenario	Observed result
Offline and GPS	Draft persisted after full restart without an active network. Actual GPS retest persisted and matched source/registry; 17.5 m reported accuracy. Initial placeholder-based GPS conclusion was withdrawn before the successful numeric retest.
Denied permission and manual entry	Denied fine/coarse location permissions produced explicit guidance. Manually entered synthetic 9.925000 / 8.890000 matched the uploaded and registry values.
Normal upload / network loss	Actual phone uploads succeeded through canonical and alternate ODK endpoints. At upload-start network loss, app retained the record; server check found no source, then one deliberate retry succeeded.
Controlled partial transfer	Relay declared 1,114 body bytes to canonical ODK, sent 557, then closed. Phone received gateway HTTP 502; no matching submission existed. Fault was relay-to-server, not cellular-radio injection; downstream proxy-buffer propagation was not measured.
Lost success response	Full request reached alternate ODK and returned HTTP 201. Relay withheld that response; phone saw HTTP 502. Independent server check found one instance.
Retry and idempotency	Same phone record retried via canonical upstream and retained its UUID. Identical OpenRosa XML replays on both domains returned idempotent HTTP 201, with one source/intake/registry. Separate REST replay tests returned 409.
Cleanup	Fault routes removed; nginx validated/reloaded; relay stopped. Normal alternate phone connection restored. Location permission remains denied unless the user restores Precise / While using the app.

Final read-only count audit:

Original entered reference	Registry ID	Intakes / registry
PHON320261110-01	HH-4146187317	1 / 1
PHONE-GOS-02	HH-9030216836	1 / 1
PhPHONE-FALLBACK-03	HH-3061312143	1 / 1
SYNTHETIC-RETRY-04	HH-3643507476	1 / 1
PHONE-FAULT-05	HH-7574890659	1 / 1

Each source retained two different server-review stages and zero registry records after stage 1. Entered reference spellings were preserved; they were not silently corrected. These are synthetic demonstration records.

NPC attestation: exactly what the client must provide

Decision required first: Is NPC attestation required for this programme and demo? If not, confirm in writing that it is out of scope. If yes, supply the items below. The meeting document identifies NPC as National Population Commission; the client must confirm the authoritative requirement and distinguish any NIMC identity/NIN role.

Client response required	What to send / why needed
1. Requirement owner and authority	Named business owner, attestation authority and acceptance approver; authoritative policy/circular/specification or written approved requirement, with version/date. Identify the NPC and NIMC contacts or responsibilities.
2. Purpose and population	Programme name; what fact is being attested (client-defined); who needs it; individual or household scope; when it is collected; whether it blocks registration, approval, eligibility or payment.
3. Acceptable evidence	Approved document/certificate types and issuer; required identifiers and fields; issue/expiry rules; required uploads; acceptable alternatives. Provide redacted or synthetic valid examples, never real personal documents in chat.
4. Matching rules	Exactly which fields must match the person/household; whether NIN is required and its role; treatment of missing, mismatched, duplicate or expired evidence; what constitutes pass, fail or inconclusive.
5. Exceptions	Minors, unavailable records, corrections, vulnerable applicants or other relevant categories; allowed exemptions and who authorizes them; whether processing may continue pending evidence.
6. Review and decisions	Collector/verifier/approver roles, segregation of duties, required review levels, approve/reject/return/inconclusive actions, reason requirements, appeal/resubmission process and expected turnaround. Clarify how this relates to the existing two-reviewer workflow.
7. Manual or API verification	Choose manual evidence review, an authority API, or a hybrid. For manual: approved checklist and evidence of the verification action. For API: endpoint/specification, version, authentication, sandbox, test credentials via a secure channel, request/response examples, errors, rate limits, retry/idempotency and availability expectations.
8. Data handling	Client-approved notice/consent requirements, access roles, minimum stored fields/files, masking, retention/deletion rules, audit history and authorized data-sharing rules. These are requirements to obtain, not legal rules inferred by this report.
9. Acceptance examples	Expected outcomes for valid evidence, invalid/expired evidence, mismatch, missing NIN if relevant, unavailable authority, duplicate/repeated response, correction and exemption. Supply synthetic inputs and exact expected decisions.
10. Delivery decision	Priority, demo versus production scope, target date, acceptance owner and sign-off criteria. Confirm whether provisional/manual processing is permitted while integration is unavailable.

NPC handover and acceptance sequence

Provide one approved requirement pack containing: (a) a short decision sheet answering items 1–10; (b) the governing reference and evidence templates; (c) a synthetic acceptance-case spreadsheet; and (d) API documentation and a secure access handover, only if an API is selected.

Suggested response headings: Required / not required; Programme and purpose; NPC responsibility; NIMC responsibility; Evidence and fields; Matching and exceptions; Roles and decisions; Manual/API choice; Data handling; Test cases; Owner and acceptance date.

After receipt, the implementation team can produce a concrete field/workflow mapping and acceptance plan, resolve ambiguities with the named owner, implement the agreed scope using the existing backend, and verify decisions, role permissions, audit trails and any integration-failure cases. NPC remains pending until these inputs are supplied and the agreed acceptance checks pass. No NPC service connection or attestation decision is claimed complete now.

Evidence index

Fresh review and operational audit
openg2p-lab/client-concerns/consolidated-review/

Registry screen and code-list checks
openg2p-lab/client-concerns/screen-verification.json

Authentication and shared help
openg2p-lab/knowledge/auth-contract-verification.json; other-module-verification.json; shared-staff-verification.json

PBMS migration and simulator evidence
openg2p-lab/pbms-react/evidence/migration-results.json; workflow-browser-results.json; payment-results.json; knowledge-verification.json

Beneficiary lifecycle/isolation evidence
openg2p-lab/beneficiary-extra/workflow-results.json and final verification artifacts

Server end-to-end mapping and review
openg2p-lab/client-concerns/final-e2e-verification/; odk-verification/; auto-sync-verification/

Legacy and invalid-code review
openg2p-lab/client-concerns/legacy-verification/; invalid-code-review/

Phone source, retry and fault evidence
openg2p-lab/client-concerns/physical-device-verification/; fault-events.jsonl; fault-openrosa-replays.json; state.json

Evidence paths are relative to H:/Nigeria_Mosip/codex. Source XML and detailed device evidence can contain test coordinates; restrict their distribution. This report intentionally excludes credentials and private connection URLs.

Source concern document: Unified_NSIPA_G2P_MVP1_Demo_Changes_v1.pdf, four pages. The numbering in this report groups its bullet points without changing their meaning. PDF instructions to share access, coordinate meetings or declare readiness were reviewed as concerns; they were not treated as permission or verified facts.

Final service-access verification - 11 November 2026

This addendum records the final service-login and infrastructure-access checks. It supplements the original client-concern review; it does not repeat every business workflow or change the outstanding client approvals.

Area	Final verified result
Application sign-in	26 fresh browser sign-in and authenticated session-reload checks passed across 13 application services on both domain families.
PBMS and Odoo	PBMS, legacy registry and programme-admin backend authentication and session reload passed on both domains. React PBMS uses the existing PBMS backend email/password account, not staff SSO.
MinIO	Both public console addresses passed credential login and authenticated reload. Choose Other Authentication Methods, then Use Credentials. The alternative Keycloak login was not tested in this pass.
Kafka DNS and routing	Four MinIO/Kafka DNS records and explicit tunnel/proxy routes were added. kafka.nigeriag2p.com now redirects to g2p-kafka.wverve.in, preserving the configured OAuth callback; the PBMS fall-through is corrected.
Kafka normal browsers	Fresh Chrome and Edge sessions passed sign-in and authenticated reload from BOTH Kafka addresses: four checks. No hostname/IP overrides, hosts-file changes, proxy overrides or system DNS changes; TLS validation remained enabled.
DNS qualification	Google resolver probes gave mixed cached responses during propagation. Subsequent normal Chrome and Edge tests passed. These results confirm working browser access from the tested workstation, not simultaneous expiry of every DNS cache.
Administration and secrets	Public Keycloak master administration remains restricted. Private master credentials were verified. Passwords, OAuth secrets, keys and private connection URLs remain in the separately secured credentials inventory, outside GitHub.

Evidence: Service-Login-Verification.json; Backend-Login-Verification.json; MinIO-Public-Login-Verification.json; Kafka-Chrome-No-Overrides.json; Infrastructure-Public-UI-Verification.json; Kafka-DNS-Recheck.json. Detailed access evidence is retained privately; this report contains no login credentials.

Remaining client inputs are unchanged: NPC attestation purpose, authority, accepted evidence, review and exception rules, retention, manual/API method, approved test cases and acceptance owner; plus the release/device, GPS-policy and production/live-bank decisions listed earlier. No NPC integration or live payment approval is implied.