

# python-docutils-exts sample doc

revision: 20180309.1

## Contents

1	Legal notice.....	3
2	samples.....	4
2.1	list.....	4
2.2	table.....	4
2.3	codeblock.....	4
2.4	images.....	5
3	テンプレートの例.....	7
3.1	リスト.....	7

## 1 Legal notice

Copyright (C) 2013 Satoru SATOH

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, MetaMatrix, Fedora, the Infinity Logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries. Linux® is the registered trademark of Linus Torvalds in the United States and other countries. Java® is a registered trademark of Oracle and/or its affiliates. XFS® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries. MySQL® is a registered trademark of MySQL AB in the United States, the European Union and other countries. All other trademarks are the property of their respective owners.

## 2 samples

### 2.1 list

Itemized list:

- item0
- item1:
  - item1.1
  - item1.2
  - item1.3

Ordered list:

1. aaa
2. bbb
  1. bbb.1
  2. bbb.2

### 2.2 table


#### Table example

Item	Description
Item0	Description0
Item1	Description1
Item2	Description2

### 2.3 codeblock


```
ssato@localhost% cat << EOF > hello.c
heredoc> #include <stdio.h>
heredoc>
heredoc> int
heredoc> main(void) {
heredoc>     printf("Hello, world!\n");
heredoc>     return 0;
heredoc> }
heredoc> EOF
ssato@localhost% gcc -Wall -O2 hello.c -o hello
ssato@localhost% ./hello
Hello, world!
ssato@localhost%
```

## 2.4 images



[Gimp image]

Inkscape image:



### 3 テンプレートの例

#### 3.1 リスト

##### ホスト一覧

IP アドレス	FQDN	用途
192.168.122.1	gw.example.com	Default Gateway
192.168.122.10	lb.example.com	Load Balancer
192.168.122.20	www-0.example.com	WWW Server
192.168.122.21	www-1.example.com	WWW Server
192.168.122.22	www-2.example.com	WWW Server
192.168.122.30	db-0.example.com	DB Server