
RISK 231: Excel

Himchan Jeong, FSA

Department of Statistics & Actuarial Science
Simon Fraser University

Intro to Excel and Functions Part 1

Intro to Excel ∼ Tabs



- **File** – *saving, printing, options*
- **Home** – *formatting and editing commands*
- **Insert** – *tables, charts, & graphs*
- **Page Layout** – *headers, footers, print formats*
- **Formulas** – *directory of formulas*
- **Data** – *importing data, filtering, sorting, limitations*
- **Review** – *proofing, commenting, protections*
- **View** – *spreadsheet or multi-file viewing options*
- **Developer** – *VBA and macros portal*

Intro to Excel ∼ Tabs


Enable the "Developer" tab in Excel:

1. **Windows version:**
   - Click the "File" button in the top left corner of Excel.
   - In the bottom left corner, select "Options".
   - From the menu that shows up, select "Customize Ribbon".
   - Check the box of the "Developer" tab in the right column.

2. **Mac version:**
   - Click the "Excel" tab at the top of the screen.
   - Choose the "Preferences" option.
   - Select the "Ribbon & Toolbar" option.
   - Check the box to the left of "Developer" in the right column.
   - Click the "Save" button at the bottom-right corner of the window.

Intro to Excel ∼ Options setup

Excel Options >> Formulas



Intro to Excel $\sim$ Keyboard Shortcuts

Practice these! Know these! Use these!

A full list of keyboard shortcuts can be found here:

https://support.office.com/en-us/article/Excel-shortcut-and-function-keys-1798d9d5-842a-42b8-9c99-9b7213f0040f

Functions Part 1 ∼ Hiding/unhiding

Hiding columns:

- Highlight the column(s) you want to hide.
- Right-click and select "Hide".

Unhiding columns:

- Locate the hidden column(s) by finding the lightly coloured line where the hidden column(s) would be on the column index bar.
- Highlight the columns from before to after the lightly coloured line.
- Right-click and select "Unhide".

Hiding/unhiding rows:

- Apply similar instructions for rows as given above for columns.

Functions Part 1 ∼ Hiding/unhiding (cont.)

Hiding worksheets:

- Click on the worksheet tab that you would like to hide.
  - Note: to hide more than one worksheet at a time, hold down Ctrl as you select the tabs with your mouse.
- Right-click and select "Hide".

Unhiding worksheets:


- Right-click on any worksheet tab.
- When the Unhide Worksheet window pops up, select the desired worksheet to unhide and click OK.

Functions Part 1 ∼ Simple formulas & formatting

Creating simple formulas:

- In the desired cell, simply write = followed by the formula. For example, to add the values of cells D2 and D3 into D4, simply write the formula `=D2+D3` in D4.

Formatting (Home tab):



- **Font**: text formatting, e.g. bold, italics, underlined, font type and size
- Cell(s) border style
- Colour of cell(s) and font colours
- **Alignment**: alignment of text within cells; *Merge & Center* merges several cells into one and centres the text; *Wrap Text* makes multiple lines of text stay visible
- **Number**: number formats, e.g. dollar, percentage, dates, number of decimal places displayed, etc.

Functions Part 1 ∼ Format Painter




- Clicking **once** will copy the format of cells into others.
- Clicking **twice** will allow you to copy the format of cells into many others many times until you push Esc.


Functions Part 1 ∼ Freeze Panes

Super useful when looking at numerous rows or columns and you still want to see the index and/or headers.

- Select the cell that represents the top left of the section you want to be "movable".
- Go to the View tab in the ribbon and select **Freeze Panes**.
- Select the type of freezing you want. For example, if you want the column headers to stay but the rows to be fluid, select *Freeze Top Row*; or, if you have selected cell A2, you can just select *Freeze Panes*.
- To unfreeze panes, go to the View tab and select *Unfreeze Panes*.



Functions Part 1 ∼ “Copy & Paste” vs “Fill”



Fill: update numerous cells at once using either Ctrl+D or Ctrl+R, or double-click or drag the little square (the *fill handle*) at the bottom right corner of the cell.



Functions Part 1 ∼ Cell reference – LOCAL vs ABSOLUTE

C3

Column Row

When copying/cutting/pasting or filling, we may want the column and/or row to stay the same for the new cell location. We can "lock" our references so that this can happen:

`$C$3`	"Absolute" reference – i.e. the reference will always be C3
`C$3`	The row is locked – i.e. the reference can change columns, but the row will always refer to 3
`$C3`	The column is locked – i.e. the reference can change rows, but the column will always refer to C
`C3`	"Local" reference – i.e. nothing is locked and it will adjust

F4

When editing the formula, click on the cell reference you want to change and press **F4** once for absolute reference, twice to lock the row, three times to lock the column, and four times for local reference.

Excel: Functions Part 2

Functions Part 2 ∼ Functions

Excel has hundreds of built-in functions that you can use in your calculations and data wrangling. You provide the name of the function and the required (and/or optional) inputs and Excel will run the code behind the scenes to provide your output.

You will follow this structure:

NAME of FUNCTION (*necessary input, [optional input]*)

You can also nest functions inside functions. For example, if you wanted to use a particular function to calculate an output that would be used as an input into another function, you could do it all in one step by nesting the functions:

NAME of FUNCTION (*NAME of FUNCTION (necessary input, [optional input]), [optional input]*)

For example:

```
=SUM(AVERAGE(D3:G3), AVERAGE(A3:C3))
```

Functions Part 2 ∼ VLOOKUP

VLOOKUP(*lookup_value, table_array, col_index_num, [range_lookup]*)

`lookup_value`	What are you looking up?
`table_array`	What is the range of cells where your data lives for the lookup?
`col_index_num`	Column number of the ranged data that you want to return when the lookup value is found for that row
`[range_lookup]`	Do you want an exact match (`FALSE`) or do you want Excel to guess (`TRUE`, approximate match)?

Important: *Remember that the lookup value should always be in the* **first column** *of the range for VLOOKUP to work correctly.*

e.g. `=VLOOKUP(A2,B:C,2,FALSE)`

Functions Part 2 ∼ IF

IF(*logical_test, [value_if_true], [value_if_false]*)

`logical_test`	The requirement that leads to the THEN and ELSE steps
`[value_if_true]`	What happens if the logical test is true?
`[value_if_false]`	What happens if the logical test is false?

i.e. *If something is true, then do something, otherwise, do a different thing. . .*

Nested IFs are frequently used. For example, if something is true, then do something, otherwise, if something else is true, then do something, otherwise. . .

IF (*logical test, [value if true],* IF (*logical test, [value if true],* IF (*logical test, [value if true], [value if false]*)))


Functions Part 2 ∼ Named Ranges

To make writing functions and referencing data sets in general easier, Excel allows you to name selected data ranges so that you don't have to list the cell references every time they are used.


For example, if you have data in cells A1:G23, you can name the range "my_data" and simply refer to it by its name. Easy-peasy!

Two ways to name a range:

- Highlight the region and enter the name in the **Name Box** located in the top left corner of the worksheet, just below the ribbon, and then press Enter.




- Go to the Formulas tab of the ribbon and click on **Name Manager**. Select New, name the range and define the range in the pop-up. You can refer back to the Name Manager to update, add, or delete your named ranges.



Functions Part 2 ∼ Data Validation

Not sure why they call it Data Validation...
If you would like to use a dropdown to make things a bit easier for yourself and any user of your Excel file, follow the steps below. There are other really cool options with Data Validation as well.

- Make a list of your desired selections somewhere within your workbook.
- Select the cell for which you would like a dropdown.
- On the Data tab of the ribbon, select **Data Validation**.



- Select **List** and put the range of cells where your desired selections live, and then select OK.

Functions Part 2 ∼ INDIRECT

INDIRECT(*ref_text, [a1]*)

The INDIRECT function allows you to use the *contents* of a cell as a reference, rather than the cell itself.

- i.e. When used as a nested function, it can grab the contents of a cell and use it as an input into another function.

This can be particularly useful when referring to worksheet tab names, file names, and named ranges.

e.g. if cell A1 contains the text `my_data`, then `=SUM(INDIRECT(A1))` sums the named range `my_data`.

Excel: Functions Part 3

Functions Part 3 ∼ INDEX

INDEX(*array, row_num, [column_num]*)

`array`	Range of data you are using
`row_num`	Relative row number within the grid of selected data that you are trying to identify
`[column_num]`	Relative column number within the grid of selected data that you are trying to identify

The INDEX function is very useful for larger datasets and in conjunction with other functions. Usually, you'll be using other functions as inputs into the INDEX function.

Most of the time, you'll use VLOOKUP instead because it is more efficient from a memory usage perspective, but there will be times when INDEX is necessary when VLOOKUP is less handy.

Functions Part 3 ∼ OFFSET and MATCH

OFFSET(*reference, rows, columns*)

`reference`	Starting (origin) cell
`rows`	How many rows down from the origin?
`columns`	How many columns to the right from the origin?

MATCH(*lookup_value, lookup_array, [match_type]*)

`lookup_value`	What am I trying to match?
`lookup_array`	What range of cells am I looking into for my lookup value?
`[match_type]`	Do I want an exact match `0` or an approximate match `1`?


MATCH will return the reference *position number*. Super useful within other functions, like VLOOKUP, INDEX, and OFFSET, e.g.

```
=INDEX(B2:E20, MATCH("Bako",A2:A20,0), 3)
```

Functions Part 3 ∼ Text to Columns


Many times, to save on space, databases will store data in simpler formats, like comma separated values (csv). In order to take the raw data and translate it into a grid format like we have in Excel, we can use the **Text to Columns** tool.

- After pasting (or inserting) your data into the worksheet, oftentimes all in column A, highlight the data.
- After highlighting, go to the Data tab on the ribbon and select *Text to Columns*.




Functions Part 3 ∼ Text to Columns (cont.)

- If your data is separated with special characters, like commas, choose "Delimited". If you want to manually select how the data is split, choose "Fixed width". Click Next.



- Select the special character that separates your data. You'll see a preview of how the data will be split below. Click Next. On the next screen, you will almost always select "General" and then Finish.





- If you want to manually select how the data is split, after choosing "Fixed width", the next screen will allow you to make your column split selections.

Functions Part 3 ∼ Goal Seek

Sometimes, you'll have several pieces of data, but you need to find another piece by converging on an answer by allowing some other variable to fluctuate. This situation comes up quite frequently in Finance and as an Actuary. We can use the **Goal Seek** tool to do this.

- Go to the Data tab on the ribbon and select *What-If Analysis*. In the dropdown, select *Goal Seek*.





Set cell: Which cell am I fixing to a certain value?

To value: What value am I aiming for? Note that this is usually zero because we are often using Goal Seek for convergence purposes. It can be anything you want, though.

By changing cell: Which cell is allowed to fluctuate?

Excel: Loan Calculator

Amortization

- When you have a large expense (such as a home or car purchase), it would be quite rare that you purchase it only with cash, so we rely on available loans to enable such purchases.
- Once a loan is initiated, it should be repaid within the pre-determined term by making periodic payments (weekly, bi-weekly, or monthly).
- Such a process is called 'Amortization' – killing off the loan over time (recall the Latin root word 'mort' – which means death; it also appears in mortgage).


Amortization Schedule

- There are four main factors that interact and determine the amortization schedule:
  - Annual percentage rate (APR)
  - Length of the term
  - Loan principal
  - Periodic payment amount
- If any three of the above are given, then the remaining item is also determined by the amortization schedule (this requires Goal Seek to solve for it).

Interactions among the factors

- All else being equal, the periodic payment amount would increase if
  - the APR increases,
  - the loan principal increases, and
  - the length of the term decreases.
- Other than Excel, there are many available online calculators that offer an amortization schedule: https://www.calculator.net/finance-calculator.html
- More details are available in ACMA 201 (time value of money, mortgages, bonds, etc.)

Example: Himchan's mortgage


View: Mortgage Loan – Details

Mortgage Loan Balance	Next Payment Date	Payment Frequency	Payment Amount	Interest Rate
$394,879.25	Sep 20, 2024	Bi-Weekly	$1,500.00	3.14% Fixed

Maturity Date: May 28, 2027
Maturity Balance: $318,763.72
Remaining Amortization: 12 Years 2 Months
Principal and Interest Amount: $1,500.00
Tax Payment: $0.00

Remaining Prepayment Privilege Amount or Excess
Prepayment of: $33,981.52

Pay with points

Use your Aventura® points to help make payments. Learn more about paying with points.

Make a payment with points

A mortgage needs to be renewed every 3 or 5 years in Canada!
(mine is 5 years fixed-rate – see the **Maturity Date** and **Maturity Balance**)

Excel: Functions Part 4

Functions Part 4 ∼ IFERROR

IFERROR(*value, value_if_error*)

`value`	Doing something, usually a function (e.g. VLOOKUP)
`value_if_error`	What you want the output to be if there is an error with the function (e.g. set equal to zero)

i.e. *"If this action results in an error, then use this as the output, otherwise, use the output from the action"*

e.g. `=IFERROR(VLOOKUP(A2,B:C,2,FALSE),0)`

Functions Part 4 ∼ SUMIF

SUMIF(*range, criteria, sum_range*)

`range`	Define the range to which the criteria applies
`criteria`	Define the criteria that triggers items to be included in the sum
`sum_range`	Define the range of data to be summed if the criteria is met in the given range for the first input


i.e. *"If the criteria is true for cells in a given range, then sum the values in the same rows in another (or the same) given range"*

e.g. `=SUMIF(A2:A100,"CA",C2:C100)`

Functions Part 4 ∼ Filtering and Sorting

Filtering


Select any cell in the column header of your desired table, then use your keyboard shortcut (Ctrl+Shift+L) or click on "Filter" in the Data ribbon tab. To use the filter, open the dropdowns.



Sorting

There are several ways to get to sorting capabilities: using the dropdown of the filter in your table, using the "Sort" buttons on the Data ribbon tab, or highlighting a range of cells, right-clicking and selecting "Sort".

Usually, you will want to sort where the rest of a table adjusts accordingly (keeping the rows the same, but in a different order). Sometimes, however, you may want to only adjust a portion of the data, leaving everything else in the row the same. You would use **custom sort** for this.



Functions Part 4 ∼ VALUE, TEXT, LEFT, RIGHT, MID

VALUE(*text*)

Turns the given text-filled cell into a value, if possible.

TEXT(*value, format_text*)

Turns the given value-filled cell into text, given the specific text format desired. There are A LOT of different text formats (e.g. `"0,000.00"` or `"mm/dd/yyyy"`); see Excel's help page for TEXT for further examples.

LEFT(*text, num_chars*)

Returns the given number of characters from a cell, counting from the left (be careful of leading spaces!)

RIGHT(*text, num_chars*)

Returns the given number of characters from a cell, counting from the right (be careful of trailing spaces!)

MID(*text, start_num, num_chars*)

Returns the given number of characters from a cell, counting from a given starting position. (e.g. if A5 contains 1234567, then `MID(A5,3,2)` = 34)

Functions Part 4 ∼ DATE, YEAR, MONTH, and DAY

DATE(*year, month, day*)

Creates a value in date format, given year, month, and day values. These could be manually given or pulled from other portions of cell values using other functions.

YEAR(*serial_number*)

Returns the year from a date format, which is stored in the Excel metadata as a serial number (i.e. the date format displays this serial number in a format we are used to seeing).

MONTH(*serial_number*)

Returns the month number from a date format.

DAY(*serial_number*)

Returns the day number from a date format.

Functions Part 4 ∼ FIND and LEN

FIND(*find_text, within_text, [start_num]*)

`find_text`	What you are looking for in the string – the FIND function will return its position number
`within_text`	Location of the string
`[start_num]`	Starting position in the string from which to search (most of the time you will not enter this because you most often start at the beginning of the string)

i.e. *"The FIND function will return the position number of a particular text you are looking for in a given text string"*

LEN(*text*) Returns the numerical length of a given string.

Excel: Pivot Tables

Pivot Tables


Pivot tables are a fast, flexible, and user-friendly way to summarize and analyze data in Excel. They are particularly efficient for ad-hoc analysis.


- Reference data should be organized as a list or table
- All columns should have headers
- Can't have any empty rows or columns

Row Labels	**Count of PolNum**	**Sum of Face Amt**
Alfonzo	26	5236448
Bako	40	5492664
Barajas	44	6289588
Barrett	53	7846295
Bennett	37	5132155
Betts	40	4893288
Blanco	46	5784722
Bowen	40	6246566
Grand Total	**326**	**46921726**

Pivot Tables ∼ Getting started

To get started, select the starting cell where you want the pivot table to be placed (i.e. where the top left corner of the pivot will be placed on the sheet). Then, click the **PivotTable** button on the "Insert" ribbon tab.






Click on the arrow button (at the right of *Table/Range*) and select the data you would like your pivot table to be based on, making sure that the column headers of the data are the first row in your selected data range. Click the arrow again and select OK. *(e.g. Sales Data 2)*

Pivot Tables ∼ The Field List

The **PivotTable Field List** is where you build the structure of the pivot.

- **Field list:** the column headers from your data source will be listed here.
- **Rows:** the desired rows for your pivot. Just drag a column header from the list and place it in this box. You can have more than one category here as well, but this may complicate your pivot table. *(e.g. Gender and Class)*
- **Values:** what data do you want to aggregate by the row splits? Examples could be things like aggregated premiums or claim counts. *(e.g. Face Amt)*
- **Columns:** you may want to split the data into even finer groupings. You can add additional columns by dragging column headers from the list and placing them in this box. You can have more than one here, but this may complicate your pivot table. *(e.g. PremMode)*
- **Filters:** you can also add one or many filters by dragging column headers here. *(e.g. drag Gender from the Rows box to the Filters box)*





Pivot Tables ∼ Value Field Settings

We can choose many different aggregation methods (Sum, Count, Average, Max, Min, Product, . . .) for the data in the body of our Pivot Table, by the different column content.

Either right-click on the Pivot Table column or click on the field in the Field List, and select "Value Field Settings". You can see that we have MANY choices here.


If you click on "Number Format", you can also select the way the data is displayed in the Pivot Table.





Pivot Tables ∼ PivotTable Tools: Analyze

When clicking anywhere in your Pivot Table, not only do we see the Field List, but the ribbon adds a new tab for **PivotTable Tools**.




The **Analyze** tab contains many capabilities.

- All the way to the left, you can name your Pivot Table.
- You can also access the PivotTable Options, which have MANY different choices of settings for your table.
- The Analyze tab also has the ability to make **PivotCharts**, which are built directly off of your Pivot Table and will refresh when you refresh your table.
- Within "Fields, Items, & Sets", you can create **calculated fields**, which are often helpful.
- You can make the Field List disappear and reappear by clicking on the button located on the right of the Analyze tab.


Pivot Tables ∼ Refresh

When you set the data source for your Pivot Table, a copy of that data source is created in the metadata (i.e. "behind the scenes"). The Pivot Table is actually pulling from this **Pivot Table Cache**. This allows you to make changes in the data without directly affecting your Pivot Tables until you desire.

As such, if you make changes to your data and you want those changes reflected in the Pivot Table, you will need to click on the **Refresh** button, which updates the Pivot Table Cache with the new data.




or



Pivot Tables ∼ Change Data Source

You may also want to change the data used for your Pivot Table (e.g. maybe you like the structure of the Pivot and have another data source with the same column headers, but newer data).


Use **Change Data Source** on the Analyze tab:



(e.g. Change the data to Sales Data 1)

Pivot Tables ∼ PivotTable Tools: Design

When clicking anywhere in your Pivot Table, not only do we see the Field List, but the ribbon adds a new tab for **PivotTable Tools**.



On the **Design** tab, you can change the colour and format of your Pivot Table. You can also decide whether or not to have row and/or column headers, and how/whether to display subtotals and/or grand totals.

(e.g. Change our Pivot Table to another colour without Grand Totals)

Pivot Tables $\sim$ Drilling down

If you would like to view the specific underlying data for a particular value seen in your Pivot Table, simply **double-click** on the value and a new worksheet will be created with the rows associated with this value.

For example, maybe you noticed in your Pivot Table that for Males in the state of California, the premiums look a little strange for Territory 5. You can double-click on this value in the Pivot Table and it will supply all the rows of data for California Males in Territory 5 from your data source. Super helpful for deep dive analysis!

(e.g. Try it out on our table by double-clicking on any chosen value)

Excel: Charts and Conditional Formatting

Charts

Charts (graphs) are another way to summarize data in Excel. The advantage of using charts is that they allow you to present information graphically, which can help you or your audience visualize trends or comparisons.

There are many different types of charts built into Excel. We will focus on the following most common types:


- Bar Charts
- Line Charts
- Pie Charts

Components of a Chart:

- Vertical and Horizontal Axes
- Data Series
- Legend
- Chart Title
- Axis Titles


Charts ∼ Building a chart

To build charts, go to the **Insert** tab on the ribbon and look for the Charts section in the middle of the ribbon. The first row of icons holds the **bar charts**, the second row the **line charts**, and below them the **pie charts**.



Select the type of chart you would like, then select "Select Data" on the ribbon tab that shows.

Select the data desired. It should populate the axes properly, but if not, you can change your selections here or later.



Charts ∼ Chart buttons

By clicking in the chart, you will see the following buttons show to the right of the chart:



+ Click on this to add items to the chart. For example, you may want to add a legend, axis titles, or other items.

Brush Click on this to change the formatting of your chart. There are many options here to make your chart look any way you'd like.


Filter Click on this to filter the data you'd like to see in your chart.

Also note that you can easily change the data ranges underlying your chart by adjusting the coloured sections showing on your data when clicking in the chart.

State	Premium	Losses	Loss Ratio
CA	$ 57,362,931	$ 45,890,345	80%
CT	$ 38,347,793	$ 30,142,638	79%
CO	$ 19,294,598	$ 16,938,474	88%
AZ	$ 25,682,978	$ 19,647,389	76%
AL	$ 12,341,970	$ 9,873,576	80%
AR	$ 10,809,066	$ 8,647,253	80%
Totals	**$ 163,839,335**	**$131,139,675**	**80%**

Charts ∼ Chart Tools

By clicking in the chart, you will also see a **Chart Tools** tab added to the ribbon with the following sub-tabs:



- The **Design** tab will allow you to change the chart type, change the way the chart looks, change the data, among other things.
- The **Format** tab allows you to change the chart titles, fonts, colours, etc.
- You can also get to formatting by double-clicking on the chart – a side window will appear with many formatting options.

Conditional Formatting


In the Home tab of the ribbon, there is a choice for **Conditional Formatting**, which will give you the option of formatting cells based on their contents and other possible rules.

Just highlight the cells you want to be conditionally formatted and then select the type of formatting and criteria desired.

You can also manage existing rules for previously assigned formatting. A *rule* is the criteria given and the resultant formatting.

There are other cool things you can do, like small data bars or heat mapping the cells.

Cool stuff!



Excel: Functions Part 5

Functions Part 5 ∼ PMT, RATE, and NPER

PMT(*rate, nper, pv, [fv], [type]*)
i.e. *"Calculates the payment for a loan (or annuity) based on constant payments and a constant interest rate"*


RATE(*nper, pmt, pv, [fv], [type], [guess]*)
i.e. *"Returns the interest rate per period of a loan or an investment"*

- `guess`: giving Excel a "starting point" to figure out the interest rate. You can usually just enter a ballpark number, like 0.01.


NPER(*rate, pmt, pv, [fv], [type]*)
i.e. *"Returns the number of periods for an investment based on periodic, constant payments and a constant interest rate"*

Functions Part 5 ∼ Print Preparation

View tab → **Page Break Preview**




Page Layout tab → **Margins**, **Orientation**, **Print Area**, and the **Page Setup** dialog launcher (bottom-right corner)




Functions Part 5 ∼ Print Preparation: Page Setup

Page Layout → Page Setup dialog launcher → **Page** tab (orientation, scaling, paper size)




Functions Part 5 ∼ Print Preparation: Page Setup (cont.)

Page Layout → Page Setup dialog launcher → **Margins** tab




Functions Part 5 ∼ Print Preparation: Page Setup (cont.)

Page Layout → Page Setup dialog launcher → **Header/Footer** tab



Functions Part 5 ∼ Print Preparation: Page Setup (cont.)

Page Layout → Page Setup dialog launcher → **Sheet** tab (print area, rows to repeat at top, page order)




Functions Part 5 ∼ Print Preparation: Print Preview

Print Preview

- File → Print

  Or


- Page Layout → Page Setup → Print Preview




Functions Part 5 ∼ Some Additional Formatting

Wrap Text: *wrap extra long text into multiple lines within the same cell so that you can see all of it.*

Merge & Center: *combine and centre the contents of the selected cells in a new larger cell. This is a great way to create a label that spans multiple columns.*



Format Painter: *lets you copy all of the formatting from one group of cells and apply it to another group. Think of it as copying and pasting for formatting.*



Column Widths: *you can change the widths of multiple columns uniformly by highlighting the desired columns and then adjusting the width of the first column in your selection with your mouse. This will update all selected columns to be the same width.*

