빅데이터 머신러닝(BigData ML) 평가

15장

<모델 학습 - tmp.pth>





<content 폴더 파일 삽입>



<predict.ipynb 구동>

Practical Exercise with MNIST Example

[1]
```
import torch
import torch.nn
```

[2]
```
!ls
```

```
model.pth  model.py  sample_data  tmp.pth  trainer.py  train.py  utils.py
```

[3]
```
!python model.py
```

[4]
```
!python utils.py
```

[5]
```
import sys
import numpy as np
import matplotlib.pyplot as plt

from model import ImageClassifier

from utils import load_mnist
from utils import split_data
from utils import get_hidden_sizes
```

[6]
```
model_fn = "./tmp.pth"
```

[7]
```
device = torch.device('cuda') if torch.cuda.is_available() else torch.device('cpu')
```

[8]
```
def load(fn, device):
    d = torch.load(fn, map_location=device)

    return d['model'], d['config']
```

```
[9]  def plot(x, y_hat):
         for i in range(x.size(0)):
             img = (np.array(x[i].detach().cpu(), dtype='float')).reshape(28,28)

             plt.imshow(img, cmap='gray')
             plt.show()
             print("Predict:", float(torch.argmax(y_hat[i], dim=-1)))
```

```
[10] def test(model, x, y, to_be_shown=True):
         model.eval()

         with torch.no_grad():
             y_hat = model(x)

             correct_cnt = (y.squeeze() == torch.argmax(y_hat, dim=-1)).sum()
             total_cnt = float(x.size(0))

             accuracy = correct_cnt / total_cnt
             print("Accuracy: %.4f" % accuracy)

             if to_be_shown:
                 plot(x, y_hat)
```

```
[11] model_dict, train_config = load(model_fn, device)

     # Load MNIST test set.
     x, y = load_mnist(is_train=False)
     x, y = x.to(device), y.to(device)

     input_size = int(x.shape[-1])
     output_size = int(max(y)) + 1

     model = ImageClassifier(
         input_size=input_size,
         output_size=output_size,
         hidden_sizes=get_hidden_sizes(input_size,
                                       output_size,
                                       train_config.n_layers),
         use_batch_norm=not train_config.use_dropout,
         dropout_p=train_config.dropout_p,
     ).to(device)
```

```
[11] input_size = int(x.shape[-1])
     output_size = int(max(y)) + 1

     model = ImageClassifier(
         input_size=input_size,
         output_size=output_size,
         hidden_sizes=get_hidden_sizes(input_size,
                                       output_size,
                                       train_config.n_layers),
         use_batch_norm=not train_config.use_dropout,
         dropout_p=train_config.dropout_p,
     ).to(device)

     model.load_state_dict(model_dict)

     test(model, x, y, to_be_shown=False)
```

```
Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz to ../data/MNIST/raw/train-images-idx3-ubyte.gz
100%|██████████| 9912422/9912422 [00:00<00:00, 106161774.87it/s]
Extracting ../data/MNIST/raw/train-images-idx3-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz to ../data/MNIST/raw/train-labels-idx1-ubyte.gz
100%|██████████| 28881/28881 [00:00<00:00, 16975293.42it/s]Extracting ../data/MNIST/raw/train-labels-idx1-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw/t10k-images-idx3-ubyte.gz

100%|██████████| 1648877/1648877 [00:00<00:00, 26845528.64it/s]
Extracting ../data/MNIST/raw/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz
100%|██████████| 4542/4542 [00:00<00:00, 1838854.13it/s]
Extracting ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw

Accuracy: 0.9805
```

```
[12] n_test = 20
     test(model, x[:n_test], y[:n_test], to_be_shown=True)
```

Accuracy: 0.9500



Predict: 7.0



Predict: 2.0



Predict: 1.0



Predict: 0.0



Predict: 4.0



Predict: 1.0



Predict: 4.0



Predict: 9.0



Predict: 5.0



Predict: 9.0



Predict: 0.0



Predict: 6.0



Predict: 9.0



Predict: 0.0



Predict: 1.0



Predict: 3.0



Predict: 9.0



Predict: 7.0



Predict: 3.0



Predict: 4.0

<작업폴더 캡처화면>


15-practical_exercise
파일
홈
공유
보기
즐겨찾기에 고정
복사
붙여넣기
잘라내기
경로 복사
바로 가기 붙여넣기
클립보드
이동 위치
복사 위치
삭제
이름 바꾸기
구성
새 폴더
새 항목
빠른 연결
새로 만들기
속성
열기
편집
히스토리
열기
모두 선택
선택 안 함
선택 영역 반전
선택
ML평가 › 15-practical_exercise ›
15-practical_exercise 검색
즐겨찾기
바탕 화면
다운로드
문서
사진
DataScience(ML
ML평가
Python BigData
실습
OneDrive
내 PC
3D 개체
다운로드
동영상
문서
바탕 화면
9개 항목
이름
수정한 날짜
유형
크기
.ipynb_checkpoints 2023-10-11 오전 9:12 파일 폴더
__pycache__ 2023-10-11 오전 9:12 파일 폴더
model.pth 2022-06-19 오후 9:34 PTH 파일 6,562KB
model.py 2022-06-19 오후 9:34 Python File 2KB
predict.ipynb 2023-10-11 오전 9:57 Jupyter 원본 파일 202KB
tmp.pth 2023-10-11 오전 9:34 PTH 파일 11,843KB
train.py 2022-06-19 오후 9:34 Python File 3KB
trainer.py 2022-06-19 오후 9:34 Python File 3KB
utils.py 2022-06-19 오후 9:34 Python File 2KB

18장

<모델 학습 - model.pth>

```
Anaconda Prompt - train.py

(base) C:\Users\admin\Desktop\ML평가>cd C:\Users\admin\Desktop\ML평가\18-cnn

(base) C:\Users\admin\Desktop\ML평가\18-cnn>train.py --model_fn ./model.pth --model cnn
Train: torch.Size([48000, 28, 28]) torch.Size([48000])
Valid: torch.Size([12000, 28, 28]) torch.Size([12000])
ConvolutionalClassifier(
  (blocks): Sequential(
    (0): ConvolutionBlock(
      (layers): Sequential(
        (0): Conv2d(1, 32, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1))
        (1): ReLU()
        (2): BatchNorm2d(32, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
        (3): Conv2d(32, 32, kernel_size=(3, 3), stride=(2, 2), padding=(1, 1))
        (4): ReLU()
        (5): BatchNorm2d(32, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
      )
    )
    (1): ConvolutionBlock(
      (layers): Sequential(
        (0): Conv2d(32, 64, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1))
        (1): ReLU()
        (2): BatchNorm2d(64, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
        (3): Conv2d(64, 64, kernel_size=(3, 3), stride=(2, 2), padding=(1, 1))
        (4): ReLU()
        (5): BatchNorm2d(64, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
      )
    )
    (2): ConvolutionBlock(
      (layers): Sequential(
        (0): Conv2d(64, 128, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1))
        (1): ReLU()
        (2): BatchNorm2d(128, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
        (3): Conv2d(128, 128, kernel_size=(3, 3), stride=(2, 2), padding=(1, 1))
        (4): ReLU()
        (5): BatchNorm2d(128, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
      )
    )
    (3): ConvolutionBlock(
      (layers): Sequential(
        (0): Conv2d(128, 256, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1))
        (1): ReLU()
        (2): BatchNorm2d(256, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
        (3): Conv2d(256, 256, kernel_size=(3, 3), stride=(2, 2), padding=(1, 1))
        (4): ReLU()
        (5): BatchNorm2d(256, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
      )
    )
    (4): ConvolutionBlock(
      (layers): Sequential(
        (0): Conv2d(256, 512, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1))
        (1): ReLU()
```

```
Anaconda Prompt

        (2): BatchNorm2d(512, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
        (3): Conv2d(512, 512, kernel_size=(3, 3), stride=(2, 2), padding=(1, 1))
        (4): ReLU()
        (5): BatchNorm2d(512, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
      )
    )
  )
  (layers): Sequential(
    (0): Linear(in_features=512, out_features=50, bias=True)
    (1): ReLU()
    (2): BatchNorm1d(50, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
    (3): Linear(in_features=50, out_features=10, bias=True)
    (4): LogSoftmax(dim=-1)
  )
)
Adam (
Parameter Group 0
    amsgrad: False
    betas: (0.9, 0.999)
    capturable: False
    differentiable: False
    eps: 1e-08
    foreach: None
    fused: None
    lr: 0.001
    maximize: False
    weight_decay: 0
)
NLLLoss()
Epoch(1/10): train_loss=1.8694e-01  valid_loss=8.3969e-02  lowest_loss=8.3969e-02
Epoch(2/10): train_loss=5.6469e-02  valid_loss=6.1908e-02  lowest_loss=6.1908e-02
Epoch(3/10): train_loss=3.7544e-02  valid_loss=4.8925e-02  lowest_loss=4.8925e-02
Epoch(4/10): train_loss=2.6027e-02  valid_loss=4.9738e-02  lowest_loss=4.8925e-02
Epoch(5/10): train_loss=2.5003e-02  valid_loss=5.2975e-02  lowest_loss=4.8925e-02
Epoch(6/10): train_loss=1.8812e-02  valid_loss=3.9463e-02  lowest_loss=3.9463e-02
Epoch(7/10): train_loss=1.5661e-02  valid_loss=3.8647e-02  lowest_loss=3.8647e-02
Epoch(8/10): train_loss=1.4080e-02  valid_loss=3.9921e-02  lowest_loss=3.8647e-02
Epoch(9/10): train_loss=1.2788e-02  valid_loss=4.4536e-02  lowest_loss=3.8647e-02
Epoch(10/10): train_loss=1.2824e-02  valid_loss=4.0151e-02  lowest_loss=3.8647e-02

(base) C:\Users\admin\Desktop\ML평가\18-cnn>
```

<content 파일 삽입 및 폴더 생성 - mnist_classifier 폴더, models 폴더>



<predict.ipynb 구동>

Practical Exercise with MNIST Example

```
import torch
import torch.nn
```

```
import sys
import numpy as np
import matplotlib.pyplot as plt

from mnist_classifier.utils import load_mnist
from mnist_classifier.utils import get_model
```

```
model_fn = "./model.pth"
```

```
device = torch.device('cuda') if torch.cuda.is_available() else torch.device('cpu')
```

```
def load(fn, device):
    d = torch.load(fn, map_location=device)

    return d['model'], d['config']
```

```
def plot(x, y_hat):
    for i in range(x.size(0)):
        img = (np.array(x[i].detach().cpu(), dtype='float')).reshape(28,28)

        plt.imshow(img, cmap='gray')
        plt.show()
        print("Predict:", float(torch.argmax(y_hat[i], dim=-1)))
```

```
[7]  def test(model, x, y, to_be_shown=True):
         model.eval()

         with torch.no_grad():
             y_hat = model(x)

             correct_cnt = (y.squeeze() == torch.argmax(y_hat, dim=-1)).sum()
             total_cnt = float(x.size(0))

             accuracy = correct_cnt / total_cnt
             print("Accuracy: %.4f" % accuracy)

             if to_be_shown:
                 plot(x, y_hat)
```

```
[8]  model_dict, train_config = load(model_fn, device)

     print(train_config)

     Namespace(model_fn='./model.pth', gpu_id=-1, train_ratio=0.8, batch_size=256, n_epochs=10, model='cnn', n_layers=5, use_dropout=False, dropout_p=0.3, verbose=1)
```

```
[9]  # Load MNIST test set.
     x, y = load_mnist(is_train=False, flatten=(train_config.model == "fc"))
     x, y = x.to(device), y.to(device)

     print(x.shape, y.shape)

     input_size = int(x.shape[-1])
     output_size = int(max(y)) + 1

     model = get_model(
         input_size,
         output_size,
         train_config,
         device,
     )

     model.load_state_dict(model_dict)

     test(model, x, y, to_be_shown=False)
```

```
[9]  Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz
     Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz to ../data/MNIST/raw/train-images-idx3-ubyte.gz
     100%|██████████| 9912422/9912422 [00:00<00:00, 88257470.17it/s]
     Extracting ../data/MNIST/raw/train-images-idx3-ubyte.gz to ../data/MNIST/raw

     Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz
     Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz to ../data/MNIST/raw/train-labels-idx1-ubyte.gz
     100%|██████████| 28881/28881 [00:00<00:00, 69738453.55it/s]Extracting ../data/MNIST/raw/train-labels-idx1-ubyte.gz to ../data/MNIST/raw

     Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz
     Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw/t10k-images-idx3-ubyte.gz

     100%|██████████| 1648877/1648877 [00:00<00:00, 21644424.33it/s]
     Extracting ../data/MNIST/raw/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw

     Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz
     Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz
     100%|██████████| 4542/4542 [00:00<00:00, 13331370.73it/s]
     Extracting ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw

     torch.Size([10000, 28, 28]) torch.Size([10000])
     Accuracy: 0.9912
```

```
[10] n_test = 20
     test(model, x[:n_test], y[:n_test], to_be_shown=True)
```

Accuracy: 1.0000



Predict: 7.0



Predict: 2.0



Predict: 1.0



Predict: 0.0



Predict: 4.0



Predict: 1.0



Predict: 4.0



Predict: 9.0



Predict: 5.0



Predict: 9.0



Predict: 0.0



Predict: 6.0



Predict: 9.0



Predict: 0.0



Predict: 1.0



Predict: 5.0



Predict: 9.0



Predict: 7.0



Predict: 3.0



Predict: 4.0

<작업폴더 화면 캡처>


18-cnn
파일
홈
공유
보기
즐겨찾기에 고정
복사
붙여넣기
잘라내기
경로 복사
바로 가기 붙여넣기
클립보드
이동 위치
복사 위치
삭제
이름 바꾸기
구성
새 폴더
새 항목
빠른 연결
새로 만들기
속성
열기
편집
히스토리
열기
모두 선택
선택 안 함
선택 영역 반전
선택
ML평가 › 18-cnn ›
18-cnn 검색
즐겨찾기
바탕 화면
다운로드
문서
사진
DataScience(ML
ML평가
Python BigData
실습
OneDrive
내 PC
3D 개체
다운로드
동영상
문서
바탕 화면
4개 항목
이름
수정한 날짜
유형
크기
mnist_classifier 2023-10-11 오전 9:11 파일 폴더
model.pth 2023-10-11 오전 10:29 PTH 파일 55,637KB
predict.ipynb 2023-10-11 오전 10:44 Jupyter 원본 파일 201KB
train.py 2022-06-19 오후 9:34 Python File 3KB

19장

<모델 학습 - model.pth>

```
Anaconda Prompt

(base) C:\Users\admin\Desktop\ML평가\19-rnn>python train.py --model_fn ./model.pth --n_epochs 20 --model rnn --n_layers 4 --hidden_size 256
Train: torch.Size([48000, 28, 28]) torch.Size([48000])
Valid: torch.Size([12000, 28, 28]) torch.Size([12000])
SequenceClassifier(
  (rnn): LSTM(28, 256, num_layers=4, batch_first=True, dropout=0.3, bidirectional=True)
  (layers): Sequential(
    (0): ReLU()
    (1): BatchNorm1d(512, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)
    (2): Linear(in_features=512, out_features=10, bias=True)
    (3): LogSoftmax(dim=-1)
  )
)
Adam (
Parameter Group 0
    amsgrad: False
    betas: (0.9, 0.999)
    capturable: False
    differentiable: False
    eps: 1e-08
    foreach: None
    fused: None
    lr: 0.001
    maximize: False
    weight_decay: 0
)
NLLLoss()
Epoch(1/20): train_loss=4.6549e-01  valid_loss=1.5341e-01  lowest_loss=1.5341e-01
Epoch(2/20): train_loss=1.1963e-01  valid_loss=1.1099e-01  lowest_loss=1.1099e-01
Epoch(3/20): train_loss=8.1929e-02  valid_loss=8.9789e-02  lowest_loss=8.9789e-02
Epoch(4/20): train_loss=6.2243e-02  valid_loss=6.6419e-02  lowest_loss=6.6419e-02
Epoch(5/20): train_loss=4.9685e-02  valid_loss=6.4782e-02  lowest_loss=6.4782e-02
Epoch(6/20): train_loss=4.3195e-02  valid_loss=6.0246e-02  lowest_loss=6.0246e-02
Epoch(7/20): train_loss=3.8296e-02  valid_loss=5.7668e-02  lowest_loss=5.7668e-02
Epoch(8/20): train_loss=3.7030e-02  valid_loss=5.4396e-02  lowest_loss=5.4396e-02
Epoch(9/20): train_loss=2.6883e-02  valid_loss=5.2819e-02  lowest_loss=5.2819e-02
Epoch(10/20): train_loss=2.8868e-02  valid_loss=5.4157e-02  lowest_loss=5.2819e-02
Epoch(11/20): train_loss=2.7425e-02  valid_loss=4.5960e-02  lowest_loss=4.5960e-02
Epoch(12/20): train_loss=2.4818e-02  valid_loss=5.3231e-02  lowest_loss=4.5960e-02
Epoch(13/20): train_loss=2.2021e-02  valid_loss=4.7131e-02  lowest_loss=4.5960e-02
Epoch(14/20): train_loss=2.0553e-02  valid_loss=4.1273e-02  lowest_loss=4.1273e-02
Epoch(15/20): train_loss=1.9586e-02  valid_loss=4.4488e-02  lowest_loss=4.1273e-02
Epoch(16/20): train_loss=2.0785e-02  valid_loss=4.8733e-02  lowest_loss=4.1273e-02
Epoch(17/20): train_loss=1.4070e-02  valid_loss=3.5072e-02  lowest_loss=3.5072e-02
Epoch(18/20): train_loss=1.4947e-02  valid_loss=4.4207e-02  lowest_loss=3.5072e-02
Epoch(19/20): train_loss=1.6159e-02  valid_loss=4.1948e-02  lowest_loss=3.5072e-02
Epoch(20/20): train_loss=1.7059e-02  valid_loss=4.4369e-02  lowest_loss=3.5072e-02

(base) C:\Users\admin\Desktop\ML평가\19-rnn>
```

<content 파일 삽입 및 폴더 생성 - mnist_classifier 폴더, models 폴더>



<predict.ipynb 구동>

Practical Exercise with MNIST Example

[1]
```
import torch
import torch.nn
```

```
import sys
import numpy as np
import matplotlib.pyplot as plt

from mnist_classifier.utils import load_mnist
from mnist_classifier.utils import get_hidden_sizes
from mnist_classifier.utils import get_model
```

[3]
```
model_fn = "./model.pth"
```

[4]
```
device = torch.device('cuda') if torch.cuda.is_available() else torch.device('cpu')
```

[5]
```
def load(fn, device):
    d = torch.load(fn, map_location=device)

    return d['model'], d['config']
```

[6]
```
def plot(x, y_hat):
    for i in range(x.size(0)):
        img = (np.array(x[i].detach().cpu(), dtype='float')).reshape(28,28)

        plt.imshow(img, cmap='gray')
        plt.show()
        print("Predict:", float(torch.argmax(y_hat[i], dim=-1)))
```

[7]
```
def test(model, x, y, to_be_shown=True):
    model.eval()

    with torch.no_grad():
        y_hat = model(x)

        correct_cnt = (y.squeeze() == torch.argmax(y_hat, dim=-1)).sum()
        total_cnt = float(x.size(0))

        accuracy = correct_cnt / total_cnt
        print("Accuracy: %.4f" % accuracy)
```

[7]
```
        if to_be_shown:
            plot(x, y_hat)
```

[8]
```
model_dict, train_config = load(model_fn, device)

print(train_config)
```

```
Namespace(model_fn='./model.pth', gpu_id=-1, train_ratio=0.8, batch_size=256, n_epochs=20, model='rnn', n_layers=4, use_dropout=False, dropout_p=0.3, hidden_size=256, verbose=1)
```

[9]
```
# Load MNIST test set.
x, y = load_mnist(is_train=False, flatten=(train_config.model == "fc"))
x, y = x.to(device), y.to(device)

print(x.shape, y.shape)

input_size = int(x.shape[-1])
output_size = int(max(y)) + 1

model = get_model(
    input_size,
    output_size,
    train_config,
    device,
)

model.load_state_dict(model_dict)

test(model, x, y, to_be_shown=False)
```

```
Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/train-images-idx3-ubyte.gz to ../data/MNIST/raw/train-images-idx3-ubyte.gz
100%|██████████| 9912422/9912422 [00:00<00:00, 116121594.60it/s]
Extracting ../data/MNIST/raw/train-images-idx3-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/train-labels-idx1-ubyte.gz to ../data/MNIST/raw/train-labels-idx1-ubyte.gz
100%|██████████| 28881/28881 [00:00<00:00, 44898329.81it/s]
Extracting ../data/MNIST/raw/train-labels-idx1-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw/t10k-images-idx3-ubyte.gz
100%|██████████| 1648877/1648877 [00:00<00:00, 25443844.58it/s]
Extracting ../data/MNIST/raw/t10k-images-idx3-ubyte.gz to ../data/MNIST/raw

Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz
Downloading http://yann.lecun.com/exdb/mnist/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz
100%|██████████| 4542/4542 [00:00<00:00, 12742828.61it/s]
Extracting ../data/MNIST/raw/t10k-labels-idx1-ubyte.gz to ../data/MNIST/raw

torch.Size([10000, 28, 28]) torch.Size([10000])
Accuracy: 0.9887
```

✓ 5초 [10]
```
n_test = 20
test(model, x[:n_test], y[:n_test], to_be_shown=True)
```

```
Accuracy: 0.9500
```




```
Predict: 7.0
```



Predict: 2.0



Predict: 1.0



Predict: 0.0



Predict: 4.0



Predict: 1.0



Predict: 4.0



Predict: 9.0



Predict: 8.0



Predict: 9.0



Predict: 0.0



Predict: 6.0



Predict: 9.0



Predict: 0.0



Predict: 1.0



Predict: 5.0



Predict: 9.0



Predict: 7.0



Predict: 3.0



Predict: 4.0

<작업폴더 화면 캡처>


19-rnn
파일
홈
공유
보기
즐겨찾기에 고정
복사
붙여넣기
잘라내기
경로 복사
바로 가기 붙여넣기
클립보드
이동 위치
복사 위치
삭제
이름 바꾸기
구성
새 항목
빠른 연결
새 폴더
새로 만들기
속성
열기
편집
히스토리
열기
모두 선택
선택 안 함
선택 영역 반전
선택
ML평가 › 19-rnn
19-rnn 검색
즐겨찾기
바탕 화면
다운로드
문서
사진
DataScience(ML
ML평가
Python BigData
실습
OneDrive
내 PC
3D 개체
다운로드
동영상
문서
바탕 화면
4개 항목
이름
수정한 날짜
유형
크기
mnist_classifier
2023-10-11 오전 9:11
파일 폴더
model.pth
2023-10-11 오후 12:11
PTH 파일
62,414KB
predict.ipynb
2022-06-19 오후 9:34
Jupyter 원본 파일
104KB
train.py
2022-06-19 오후 9:34
Python File
3KB