

FARRELL

Equipment & Supply Co., Inc.

MEASURING & MARKING BOOK

**Lasers, Levels,
Measuring Wheels,
Tape Measures, Marking
Paint & Much More!**



www.FarrellEquipment.com

*Serving the Construction
Industry Since 1968!*

Marking, Measuring & Lasers

ROTARY LASER KIT

SL100-2

LL100 Laser Kit

A complete system is contained in a single hard-shelled, portable carrying case - the laser, receiver, clamp, tripod, and grade rod - for easy transportation, storage, and use. Automatic, self-leveling ensures fast,

accurate setups. Easy, one-button operation requires minimal training. The LL100 laser is capable of handling a wide variety of elevation control applications.



ROTARY LASER

SL300

LL300 Self-Leveling Laser with Detector & Bracket

Our most rugged laser level. The Spectra Precision® Laser LL300 is rugged enough to survive drops of up to 3 feet onto concrete and can be tipped on a tripod up to 5 feet and keep working. Includes HR350 detector and bracket.



ROTARY LASER KIT

SL300-2

LL300 Laser Kit with HL450 Receiver, Tripod & Grade Rod

Rugged enough for tough job-site use, the Spectra Precision Laser LL300 Level delivers automatic self-leveling performance to help you get work done quickly, accurately, and efficiently.

Bundled with a 10 Foot Grade Rod (inches) and Tripod, the LL300 is a perfect choice for tackling elevation-control applications and handling concrete and other general construction jobs.

LASER LEVELING SYSTEM



SL500C

Laserplane Leveling System

The world's best selling laser level: the Spectra Precision laser LL500 is a one-person leveling system designed for the most rugged environment. Accurate, stable and reliable, the LL500 is ideal

for longer range measurements across your entire site. It comes complete with a hand held or rod-mounted receiver and is also compatible with machine control receivers.

- 1600 ft. Operating Diameter.
- Battery Operated - uses Alkaline or NiCad batteries.
- Includes HR500 Laser Receiver.



ROTARY LASER KIT

SLHV101GC2

HV101 Horizontal/Vertical Laser Package

The automatic, self-leveling Spectra Precision Laser HV101 Laser is a professional tool with an economical price tag. The HV101 laser is capable of handling a wide variety of horizontal, vertical and plumb applications. It is rugged enough for the toughest jobsite and designed to survive a 3 foot drop onto concrete. Backed by the industry's only 3-year instant over the counter exchange.

Includes HV101 laser, GR151 Grade Rod, HR320 Receiver, C59 Rod Clamp, carrying case, tripod, RC601 remote control, wall mount, ceiling target and glasses.



ROTARY LASER

SLGL422 Grade Lasers

Cost-effective, automatic self-leveling lasers that do three jobs—level, grade and vertical alignment with plumb. Both lasers feature a 2-way, full-function remote control so you can make grade changes from anywhere on the jobsite for reduced setup time and faster operation.



ROTARY LASER

GREEN BEAM LASER INCLUDES WALL MOUNT!



SLHV301G Green Beam Laser with Wall Mount

The automatic, self-leveling horizontal and vertical laser offers exceptional versatility and superior green beam visibility for increased productivity in a wide variety of horizontal, vertical and plumb applications.



UNIVERSAL LASER



SLUL633 Universal Pipe/Grade Laser

The first construction laser allowing total automatic control of all three axes (X/Y/Z). Can provide precise automatic axes alignments to two desired points without positioning the receivers 90 degrees perpendicular. This allows contractors to perform easily dual axis alignments for applications such as grade work on sports fields, parking lots, tennis courts and driveways.



Marking, Measuring & Lasers


ROTARY LASER

PLS-60569

PLS HLE 1000 Exterior Laser System

Horizontal Layout Laser With Slope For Exterior

Applications. HLE 1000 Exterior System includes: detector, remote control, two battery packs (NiMH & Alkaline), NiMH battery charger, carrying case, & operating manual. Also comes available as a kit with tripod and grade rod.



LASER LINE TOOL

PLS3 and PLS5

Provides Point-To-Point Alignment Information. Lay out reference points faster than traditional, labor intensive methods. Plumb instantly from floor to ceiling or from 50 feet off the ground! Use PLS as your partner on the jobsite. Self-leveling: no time wasted with bubble vials. Turn it on and go to work. Take clear, stable reference points indoors and outdoors.



PLS
Pacific Laser Systems
The Professional Standard

PLS-60523 PLS3 3-Point Laser (1/4-Inch at 100-Feet)

PLS-60541 PLS5 5-Point Laser (1/8-Inch at 100-Feet)

LASER POINTER



SL5.2XL

5.2XL Crossline Laser Pointer with Universal Mount, Adapter, Ceiling Plate & Target

An automatic self-leveling multi-purpose tool that can be used in a wide variety of construction applications. For interior building and remodeling, the laser is used for horizontal and vertical alignment, wall layout, acoustical ceiling installation, point transfer up and down, wall and floor tiles, finish carpentry, and 90 degree squaring. Can replace a level, square, plumb bob, chalk line and optical instrument.



PIPE LASER



SLDG711 Pipe Laser with RC502 Remote

Completely waterproof and designed to ensure easy cleanup. Setup is fast with a full range of mounting accessories available, and easy to use with straightforward, "no-instructions-required" controls.

Featuring a very rugged design and a variety of unique technological capabilities. Applications: Installation of gravity flow sanitary and storm sewer pipelines, pipe jacking and tunnel boring.



LASER LINE TOOL

PLS-60574 PLS 4 Tool

A hybrid point and line laser that combines all the features of the PLS180 and adds point to point plumb. Ideal for any contractor in the commercial and remodeling trades looking for maximum versatility. Brighter, less bulky, and cheaper than most rotary lasers.



PLS
Pacific Laser Systems
The Professional Standard

LASER LINE TOOL

PLS-60534

PLS 90 System with SLD Detector

The fully-automatic PLS90 laser line tool from Pacific Laser Systems is designed specifically to make it simple for you to lay out perfect 90-degree angles without the use of time-consuming calculations or sagging, error-prone string lines. Relies on easy-to-see laser lines and advanced features to deliver consistent, effort- and money-saving layout performance prized by construction professionals.



LASER LINE TOOL



PLS180 Hand held Laser Line Tool



Fast, accurate and portable, this plumb, level, and square laser line tool will be such a time saver, your bubble vial level or rotary laser will become obsolete. Weighs less than 10 ounces, and has a self-leveling range of 6 degrees. Comes complete with carrying case, wall bracket, PLS180 pouch, batteries, operating manual and a 1 year warranty. The PLS180 system also includes a SLD laser detector.


LASER LINE TOOL



PLS-60561 HVL 100 Multi-purpose Laser Line Tool System with Detector

Ideal for laying out kitchen cabinets, bath or shower tile, wallpaper, electrical, and HVAC jobs. Sets up easily and provides a 360 degree line of reference three times – horizontal and vertical with 90 degree layout. That means ceiling, walls and floor are all aligned with one easy-to-use tool

and with the PLS SLD detector, its utility is enhanced for exterior layouts too. Accurate to within an +/- 1/8 of an inch at 60 feet, and effective at up to a 100 feet, the HVL 100 is versatile and dependable for a variety of layout tasks.



Marking, Measuring & Lasers

AUTO LEVELS



Optical Auto Levels

Featuring metal housings and high-quality optics, the Spectra Precision Optical Auto Levels are built to last. These optical levels are the ideal tools for daily leveling work.

- Air damped compensator provides superior accuracy and stability.
- Plastic/rubber controls allows easier control in wet or cold conditions.
- Built-in angle circle enables basic short-range alignments.
- Metal housing increases durability.
- Built-in bubble mirror makes the level easy to see regardless of auto-level position.
- Rugged optical levels withstand the most challenging jobsite conditions for many years of reliable performance.

SLAL224 24 Power Auto Level (AL24A)
SLAL228 28 Power Auto Level (AL28A)

DIGITAL THEODOLITE



SLHRA73100

Nikon NE-101 Digital Theodolite

Gives you accurate measurements in an affordable, easy-to-use platform. Nikon NE-101 theodolites can run 48 hours under normal operating conditions on a set of six AA alkaline batteries. Ergonomic keypad with one-touch keys for all functions and a large, backlit LCD display help you work productively in the field.

- 7-Inch (2.0 mgon) DIN Accuracy.
- 5-Inch/10-Inch unit display. Water and Dust resistant.
- Backlight and scope illumination and single-sided display.



DIGITAL THEODOLITE



SLDET-2

DET-2 Spectra Precision Theodolite

Full featured digital theodolite for general construction applications. A rugged, cost-effective theodolite designed to give accurate angle measurements in general construction applications. The affordable, versatile, easy to use instrument and accessories will increase your productivity when turning angles and setting elevations and lines. Fully customizable for your preferred operating style or job, with programmable settings for the horizontal angle resolution, 90 degree angle beep, vertical degrees or %, and more.



SIGHTING LEVELS **CST/berger™**



17-630 5x Magnifying Hand Level

5x magnification of objective and 2x magnification of level bubble. Solid brass construction with durable yellow finish.

Also Available:

- 17-621** Locke Hand Level with Fixed Eye Piece
17-622 Square 6" Hand Level with Fixed Eye Piece
17-623 6" Hand Level with Fixed Eye Piece
17-624 6" Round Hand Level with Fixed Eye Piece
17-631 6" Hand Level with 2x Magnification
17-632 K & E Type Hand Level with 2x Magnification

SIGHTING LEVEL

David White®

5502 Hand Level

2-1/2 power magnification for more precise checking and greater range of applications. Vial is magnified six times. Sturdy brass construction. Includes case.



LADDERS



Fiberglass Step Ladders

Designed for professional contractors and industrial users. With a duty rating of 300 pounds, this series features HolsterTop®s with Lock-In System.



- WER01-6204** 4 Ft. Fiberglass Stepladder Type 1A
WER01-6205 5 Ft. Fiberglass Stepladder Type 1A
WER01-6206 6 Ft. Fiberglass Stepladder Type 1A
WER01-6208 8 Ft. Fiberglass Stepladder Type 1A
WER01-6210 10 Ft. Fiberglass Stepladder Type 1A
WER01-6212 12 Ft. Fiberglass Stepladder Type 1A



Fiberglass Twin Step Ladders

Allow 300 pounds per side making them ideal for one or two person jobs. The EDGE® molded brace and foot pad combination provide bracing strength and increased protection against damage. Fiberglass rails are non-conductive for working near electricity.



- WER02-T6204** 4 Ft. Twin Stepladder Type 1A 300 Lbs.
WER02-T6206 6 Ft. Twin Stepladder Type 1A 300 Lbs.
WER02-T6208 8 Ft. Twin Stepladder Type 1A 300 Lbs.
WER02-T6210 10 Ft. Twin Stepladder Type 1A 300 Lbs.
WER02-T6212 12 Ft. Twin Stepladder Type 1A 300 Lbs.

Fiberglass Extension Ladders

Have non-conductive rails making these ladders ideal for working near electricity. With a duty rating of 300 pounds, this series is durable and long lasting. The exclusive ALFLO® rung joint means TWIST-PROOF® performance on the job.

- WER03-D6220-2** 20 Ft. Extension Ladder Type 1A
WER03-D6224-2 24 Ft. Extension Ladder Type 1A
WER03-D6228-2 28 Ft. Extension Ladder Type 1A
WER03-D6232-2 32 Ft. Extension Ladder Type 1A
WER03-D6240-2 40 Ft. Extension Ladder Type 1A

Marking, Measuring & Lasers

LASER RECEIVER

SLHR320

HR320 Receiver with Clamp

A durable laser receiver for exterior leveling applications. LCDs on the front and back display a 5 segment grade arrow that indicates grade position. A loud beeper is designed to be heard on noisy job sites. Fine and medium accuracies are selectable to meet various applications and conditions.



LASER RECEIVER

SLHL450

Laserometer with Clamp

Features a digital readout of elevation that provides a numeric display of ± 40 mm or ± 1.5 inches. The readout is displayed on the large front and rear LCD's and shows exactly how far the elevation is from on-grade. Accurate measurements can be made without moving the rod clamp, saving time and increasing productivity.



LASER RECEIVER

SLHR550

HR550 Receiver with Clamp

Highly versatile receiver for basic and advanced leveling and aligning applications. It is an easy-to-use tool that accurately measures elevations across the site, and is ideal for use with any rotating transmitter. The 15-channel linear display allows fast, accurate reading and easy fixed offsets.



ROD CLAMPS



SLC45

Rod Clamp For #HL450

SLC50

Rod Fast Clamp for LL500

SLC57

Rod Clamp for HR550

SLC59

Rod Clamp for HR350

LASER TARGET



SL1176 Magnetic Visiline Target

Optically enhanced, patented – increases beam visibility by 2.5 times. Half translucent, half reflective. Mounts magnetically.



**Farrell Equipment &
Supply Is Your Laser
Repair Shop!**

We can repair,
clean and calibrate
ALL brands of
lasers and transits.

TRIPOD



CS60-ALQRI20


Quick Clamp Aluminum Tripods

Lightweight, heavy gauge aluminum and the added stability of double banded legs put this extension leg tripod "head and shoulders" above other aluminum tripods. Outstanding features include positive locking clamps, powder coated wear-resistant metal parts and shoulder strap. 65" open, 42" closed, 5/8" x 11 thread, flat head.

GRADE RODS

Telescoping Fiberglass and Aluminum Rods

CST/berger™



CS06-816 16', 5 Section, feet/10ths Aluminum

CS06-816C 16', 5 Section, feet/inches Aluminum

CE903001 / SVR-16 16' Oval Fiberglass Rod in 10ths & Inches

CE903002 / SVR-25 25' Oval Fiberglass Rod 10ths & Inches

CE920041 / CR-16 16' Rectangle Fiberglass Rod in 10ths

CE920042 / CR-16 16' Rectangle Fiberglass Rod in Inches

CE91411 Carrying Case for CR16

CS06-925 25' Fiberglass Rod 10ths w/ Case

CS06-925C 25' Fiberglass Rod Inches w/ Case

LASER DISTANCE METER

BOSCH

BOS01-GLR255

Laser Distance Measurer

Compact unit with increased distance. Fast, easy, accurate measuring. Accuracy: $\pm 1/16$ ". For distances up to 230 feet.



LASER DISTANCE METER

SH06300

LD300 Laser Distance Measuring Kit

Range up to 100 ft. Fast and accurate measuring. Compact as a cell phone. Bright backlit screen. Length, area, volume & Pythagorean. Continuous measure function. Belt pouch included

STABILA ...sets standards



Marking, Measuring & Lasers

LEVELS



Type 196 Level

Crystal clear vials readable in any direction with no change in accuracy tolerance. Spring steel hairline indicators in vials. Best frame strength-to-weight ratio. Removable rubber end caps for scribing in corners and for reading tight header and sill openings. Vials are guaranteed for life.



Also Available to Order in 22", 36", 59", and 78" Lengths.

SH37416 16" Model 196 Level
SH37424 24" Model 196 Level

SH37448 48" Model 196 Level
SH37472 72" Model 196 Level

SH37532 Jamber Set: 78" Model 196 Level w/ Free 32" Level

MAGNETIC LEVELS




Type 96M Magnetic Level

Spring steel hairline indicators inside the vials. Certified Level Accuracy in top read position: 1/32" over 72". Removable rubber end caps for flush measuring in corners. Level accuracy guaranteed for life; vials will never fog, leak or require adjustment. Readable in every direction with no change in accuracy tolerance.



SH38624 24" Model 96M Magnetic Level
SH38648 48" Model 96M Magnetic Level
SH38672 72" Model 96M Magnetic Level

Also Available to Order in 16", 32", 36", 59", and 78" Lengths.



Strongest Magnets,
flush mounted
- Work Hands-Free.

SH38532 Jamber Set: 78" Magnetic Level w/ Free 32" Level

DIGITAL LEVEL



360° Digital Measuring.

Display always reads upright. Select from degrees, % slope, or audio (beep) alert. Certified Vial Accuracy; in top read position: (.029°) 1/32" over 72". Digital accuracy tolerance: at 0°, 90° = ± .1°, Between 1° & 89° = ± .2° Audible tone signals plumb and level condition for eye-free installations. Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.



Also Available to Order in 14", 59", and 78" Lengths.

SH26940 24" Electronic Level
SH26960 48" Electronic Level

LEVEL



Stabila R Beam Levels

Ergonomic and easy to grip. R shaped design allows to have minimal contact with the surface making clean up a breeze. Flip the level over and it's concave end can be used to hold PVC/ABS pipe to prevent it from rolling away. Makes cutting PVC/ABS easy and efficient. Flat edges may be used as a screed as well.



SH41048 48" R-Beam Level
SH41072 72" R-Beam Level
SH41096 96" R-Beam Level


TORPEDO LEVEL



The Stabila Rare Earth Magnetic Torpedo Level is built with a heavy-duty, 10-inch die-cast metal frame and two acrylic vials (one horizontal, one vertical) that are crystal-clear, non-fogging, unbreakable, and monoblock for durability and ease of use.

SH25100M-WC 10" Die-Cast Torpedo Level w/ Mag

MASON LEVELS



Stabila 34570

48-Inch Trowel-Proof Masons Level

The 48-inch Mason's Level is designed to be hit with a trowel. One third lighter than laminated wood levels. Centered hand holes optimize balance. Top reading horizontal vial - no more bending over. Stands up to thousands of drops, will not warp or twist. Vials guaranteed for life never to fog, leak, or require adjustment. Water and brush clean-up.



Stabila 36448 - 48-Inch Mason Level with Dead-Blow Shield

Has strike zone shields that are meant to be hit with a trowel. This level is ideal for long wall work and is the ultimate level for the professional brick and block layer. Solid acrylic vials features the ultimate durability and precision. Easy to read on any course, one vertical vial located on one end and the other vertical vial located near the center of the level, also a center horizontal vial.

Marking, Measuring & Lasers

LEVELS

The Crick Level A premium grade level made in the United States. The quality is unmatched. Precision-built for accuracy and durability. Over 50 different machines are used in production to ensure precision and dependability. The materials used have been selected for their individual reliability and are assembled by craftsmen dedicated to quality.



- CRK24010** 24" Level with Green Vial
- CRK36010** 36" Level with Green Vial
- CRK42010** 42" Level with Green Vial
- CRK48010** 48" Level with Green Vial
- CRK10002** Hanging Hook for Crick Levels
- CRK10004** Spring Clip for Crick Levels
- CRK10006** Replacement Lens for Crick Levels

LEVELS



Contractor Series Levels

Lightweight, top reading, aluminum box beam levels can stand up to any job. Solid-set acrylic, barrel-shaped vials enable an accurate level reading, regardless of the horizontal orientation of the level—a full 360° read. Shock-absorbing end caps and ribbed-wall design.

- LVL243HH** 24" Level with 3 Vials
- LVL363HH** 36" Level with 3 Vials
- LVL483HH** 48" Level with 3 Vials
- LVL724HH** 72" Level with 4 Vials
- LVL784HH** 78" Level with 4 Vials

PLATE LEVEL



Plate Level - Type 106T

Designed for the residential stick framer that needs fast and accurate wall installations (Plumb Plate to Plate). Fully sealed solid rail (six sided) extension eliminates deflection, and delivers the smoothest extension movement available.

- Top plumb vial is permanently positioned at eye level.
- Frame side opposite the stand-offs is a level measuring surface and straight edge.
- Vials are guaranteed for life never to fog, leak or require adjustment.

- SH33610** 6' - 10' Plate Level
- SH33712** 7' - 12' Plate Level

LEVELS

Sola BIG RED High Profile Aluminum Box Levels

Rugged 6063 aluminum alloy for the highest accuracy for perfect measuring results. Shockproof acrylic block-vials. Vials will neither crack nor break when used at the jobsite. Easy to read vials: 30% larger vial bubbles reduce reading errors.



- SOABR24** 24" Sola Level #BR24
- SOABR48** 48" Sola Level #BR48

MEASURING TAPES



NR - Nylon-Reinforced Steel Blade

Tough, double nylon-coated steel. Break-resistant under severe use in the field. 3/8-inch wide blade reduces wind drift and tape weight. Metal-reinforced crank handle for durability.



Model	length	units.	zero pt.	attachment
NR18100	100 ft.	ft., in., 1/8	hook end	hook
NR10100	100 ft.	ft., 1/10, 1/100	tape end + 1 ft.	ring
NR10100E	100 ft.	ft., 1/10, 1/100	tape end	ring
NR10100H	100 ft.	ft., 1/10, 1/100	hook end	hook
NR10200H	200 ft.	ft., 1/10, 1/100	hook end	hook
NR18200	200 ft.	ft., in., 1/8	hook end	hook

MEASURING TAPES



SNR - Steel Housing, Nylon-Reinforced Steel Blade

The world's best steel long tape in a housing that's built to last! The strongest housing (stainless steel!) on the market. Tough, double nylon-coated steel blade assures long life under field abuse. Rubber-grip shovel handle for comfortable, rapid reeling. Metal-reinforced crank handle for durability.



Model	Length	Units.	Zero Pt.	Attachment
SNR10200	200 ft.	ft., 1/10, 1/100	tape end + 1 ft	ring
SNR10200H	200 ft.	ft., 1/10, 1/100	hook end	hook
SNR18300	300 ft.	ft., in., 1/8	hook end	hook
SNR10300	300 ft.	ft., 1/10, 1/100	tape end + 1 ft	ring
SNR10300E	300 ft.	ft., 1/10, 1/100	tape end	ring
SNR10300H	300 ft.	ft., 1/10, 1/100	hook end	hook

MEASURING TAPE



KSNRS18300 300' Steel Tape with Nylon Coating - Inches

Nylon-Reinforced Steel Blade, Speed Rewind. 3 x 1 rewind, high-visibility housing! Metal, planetary gearing for super-fast rewind.



Marking, Measuring & Lasers

MEASURING TAPE

KSS181003X

100' Steel Tape Measure - Inches

3 to 1 gearing for quick rewinding. High-impact-resistant case with a full rubber, non-slip grip. Folding steel hook for a great hold on measuring surfaces.



MEASURING TAPE

KSPG25FAR

25' Tape Measure

Features sturdy construction and rubber grip.



MEASURING TAPES



25' Tape Measure

Extra wide blade. Magnetic hook. True zero hook. Positive locking button. Chrome plated case.

KSPG1025

25 Ft. Tape Measure (10ths & 100ths)

KSPG181025

25 Ft. Tape Measure (Inches & 10ths)

KSPG1825

25 Ft. Tape Measure (Feet & Inches)

KSPG1825AL

25 ft. Tape Measure w/ Automatic Lock (Feet & Inches)

KSPG1825WIDE

25 ft. "WIDE" Tape Measure (Feet & Inches)

MEASURING TAPE



KSPG1835RG

35' Tape Measure

Power Glide, Rubber Grip. Great feel and the rubber boot protects the tape!

MEASURING RULES



BL167 Wood Spacing Rule

Lists ten course spacing on one side; inches, eighths and sixteenths on the other. Made of thick hardwood.

BL512 Wood Modular Rule

Lists modular spacing on one side; feet, inches, eighths and sixteenths on the other. Made of thick hardwood.

BL169 Brick Mason's Rule

This spacing rule is for oversized brick. Spacings at 2-7/8" and go to 3-1/2" in 1/16" increments. Made of thick hardwood.

GG-318 Extension Folding Rule

Graduated brass slide on first section extends 6". Brass plated, riveted lock joints eliminate end play. Markings embedded in wood to 16ths with red stud markings on 16" centers.

GG-320 Engineer Folding Rule

Red end folding rule is the finest engineer rule made. Graduations: inside markings in feet, 10ths and 100ths. Finest hardwood selected hard rock maple.

SQUARE

KSKS80

7" Swanson Speed® Square

Heavy-duty aluminum alloy, stronger than standard aluminum squares.



DRYWALL T-SQUARE



Our silver anodized 48" T-square with black easy-to-read markings will outwear all others. Has stud locator markings, a notched head and is reverse ruled to read from either edge. Blade is 2".

DW-221

1/8" thickness

DW-221M

Metric-1/8" thickness

DW-222

3/16" thickness

CALCULATOR


CAL4065-BB

Construction Master Pro 4065

Advanced Feet-Inch-Fraction Construction-Math Calculator

The Construction Master Pro sets the industry standard for advanced construction-math calculators. It provides powerful built-in solutions and expanded preference settings. It's easy to use in the field or office and perfect for completing plans, layouts, bids and estimates – saves time, money, materials and frustration. Work smarter, build better and improve your bottom line with the Construction Master Pro!

- Work in and convert between building dimensions, including Metric.
- Built-in Right-Angle solutions.
- Areas, Volumes, Square-ups.
- Complete Stair Layouts.



CALCULATOR

CAL4220


ConcreteCalc Pro 4225

Advanced Yard, Feet-Inch-Fraction Concrete Construction-Math Calculator.

The easy-to-use ConcreteCalc Pro helps reduce material waste, improve design accuracy and cut estimating time. Increase efficiency in the field or in the office with fast, accurate solutions for Square-ups, Loads, Area, Volume, Rebar, Drop, Stairs and much more.

It helps you:

- Work in Yards, Feet-Inch-Fractions.
- Calculate Area, Volume and Weight per Volume.
- Automatic Square-ups and Drops.
- Rebar solutions for total Linear Feet and Weight per size.
- Complete Stair Layouts; set Riser Height and Tread Width.



Marking, Measuring & Lasers

MEASURING WHEELS



MP401

Our best selling metal wheel. The 4-foot circumference wheel levels out uneven ground by spanning divets that smaller wheels would dip into.

MP301

Not far behind the MP401 in popularity, this slightly more compact wheel (11-1/2") is a little lower in price without compromising any durability.



KSMP401 15-1/2" Metal Professional Measuring Wheel - Feet

KSMP301 11-1/2" Metal Professional Measuring Wheel - Feet

MEASURING WHEELS



RRT6/RRT12 Top Reading, Center-Line

Enhanced grip pistol-type handle increases control and comfort. Re-set on the handle AND on the unit housing. Brake on pistol grip — stops counting instantly. Stop adding lengths accidentally by putting the brake on exactly when you need it. Center-line handle design with counter on top of wheel — center of gravity aligned for perfect balance. This makes measuring easier and more accurate.

KSRRT12 12" Measuring Wheel - Feet / Inches

KSRRT6 6" Measuring Wheel - Feet / Inches



MEASURING WHEELS

Measuring Wheels

Lightweight materials and quality construction makes the RT104 and RT204 the perfect choice for interior design, home remodeling, crime scenes, construction, and real estate appraisals. Gives accurate measurements on any smooth, hard surface from counter tops to sidewalks.



RLRT104 4" Single Measuring Wheel - Feet / Inches

RLRT104 4" Dual Measuring Wheel - Feet / Inches

MEASURING WHEELS

300 Series

Standards of versatility and portability are set by the Rolatape 300 Series measuring wheels. Professionals rely on the smooth rolling, accurate 300 Series to perform on pavement, dirt and rough surfaces. Transport and storage is easy with the unique, Insert-and-Lock handle.



300 Feet
300Y Yards
300M Meters



MAGNETIC LOCATOR



CS19-558 Magna-Trak® - 102 Magnetic Locator

Provides excellent field performance at a value price. It detects ferrous metals from 6in. to 15ft. in depth, depending on signal strength.

SAFETY GLASSES



Nemesis Safety Glasses

Sleek, sporty style. Soft touch temples. Lightweight construction.

Single lens wrap-around protection. Includes free neck cord. 99.9% UV Protection. Meets ANSI Z87.1+ Impact Standard. Many frame and lens options available!

MEASURING WHEELS



400 Series

When a tough, all-purpose measuring wheel is needed, nothing fills the order like the Rolatape 400 Series. Its 4-foot circumference handles the toughest measuring needs for heavy construction, large commercial operations, utility companies, land surveying and other critical measuring applications. When measuring demands are tough, the 400 Series gets the job done.



400 Feet / Inches
400E Extended Handle
400D Dual Counters, Feet
400M Meters
400MD Dual Counters, Meters

Marking, Measuring & Lasers

STRIPING MACHINES

Engineered and designed for easy operation and durability. 18-gauge all-steel construction. 12-can storage. Stripes widths of 2" to 4".

K08350 Athletic Field Striping Machine

10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces. Ideal for grass, dirt, gravel or any uneven surface.



K08340 Pavement Striping Machine

7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal. Excellent for use in parking lots, warehouses, plants, factories, etc.

MARKING WAND



SPLW40

Long Wand Spray Can Holder

Constructed of durable, rugged plastic and lightweight steel. Comfortable pistol grip for easy handling and marking. Apply a uniform, 1" to 1-1/2" width of paint.



STRIPING PAINTS



Solvent-Based Pavement Striping Paints

Fast drying. Long-lasting durability on outdoor pavement and indoor surfaces. Non-clogging spray tip. VOC compliant, free-of-lead hazards.

Uses: Warehouse aisles, parking lots, school grounds, construction and excavation sites, road surfaces, nurseries, apartment complexes, fairgrounds. 18-oz. cans. Case Pack: 12.



K08300 Highway White
K08301 Highway Yellow
K08302 Handicap Blue

K08303 Firelane Red
K08304 Cover-Up Black

Water-Based Athletic Field Striping Paints

Fast drying. Ideal for grass and fields or short-term striping. Non-clogging spray tip. VOC compliant, free-of-lead hazards. Uses: Athletic fields, golf courses, football, soccer and baseball fields. 18-oz. cans. Case Pack: 12.

K08305 Athletic White
K08306 Athletic Yellow

K08307 Athletic Orange

INVERTED MARKING PAINTS



Krylon® Industrial Quik-Mark™ Inverted Marking Paints

High solids formulation for bold, bright, visible markings. Fast-drying, high-solids formula penetrates and adheres to hot surfaces. Convenient Spray-Thru™ cap and non-clogging spray tip. VOC compliant, free-of-lead hazards.



APWA Solvent-Based Marking Paints - 17 oz.

S03611 Red
S03621 Blue
S03631 Green
S03712 Light Blue

S03731 Bright Orange
S03821 High Visibility Yellow
S03823 Safety Yellow
S03900 Utility White

FLUORESCENT Solvent-Based Marking Paints - 17 oz.

S03613 Fluor. Safety Red
S03614 Fluor. Neon Green
S03615 Fluor. Purple
S03622 Fluor. Hot Pink

AT3701 Fluor. Red/Orange
S03702 Fluor. Orange
S03722 Fluor. Blue

GENERAL PURPOSE Solvent-Based Marking Paints

S03550 Asphalt Black
S03600 Clear (15-oz. net wt.)

S03640 Silver (16-oz. net wt.)

APWA Water-Based Marking Paints - 17 oz.

S03500 Clear (extends wear and impedes fading)
S03801 Utility Yellow
S03901 Brilliant White

S03903 Blue
S03904 Green
S03905 Orange
S03911 Brilliant Red

FLUORESCENT Water-Based Marking Paints - 17 oz.

S03610 Fluor. Safety Red
S03612 Fluor. Pink
S03620 Fluor. Caution Blue
S03630 Fluor. Safety Green

S03650 Fluor. Red/Orange
S03700 Fluor. Orange
S03715 Fluor. Purple

APWA Water-Based Marking Paints - 12 oz.

S03401 Brilliant White
S03402 Brilliant Yellow
S03403 Brilliant Orange
S03404 Brilliant Red

S03406 Brilliant Blue
S03407 Brilliant Green
S03411 Light Blue

FLUORESCENT Water-Based Marking Paints - 12 oz.

S03405 Fluor. Pink
S03408 Fluor. Orange

S03409 Fluor. Red
S03410 Fluor. Red/Orange

PRIMERS



Sandable Primers

Use Industrial Sandable Primer to build up repaired metal areas to smooth, even surface. Dries to the touch in 5 minutes and may be recoated in one hour.



SP0342 12 oz. Can Red Primer
SP1314 12 oz. Can Platinum Primer

Marking, Measuring & Lasers

REBAR GREEN EPOXY



Tough Coat® Rebar Green Epoxy

Features a high-solids formula that resists rust stains in concrete. Adheres to most substrates.

SP1732* 12 oz. Can Rebar Green Paint



UTILI-COAT PAINT



Rust Tough® Utili-Coat™

A rust-preventative acrylic alkyd enamel that offers state-of-the-art corrosion protection. Provides excellent gloss and color retention, superior durability and one-coat coverage.

K20879 15 oz. Can Utility Meter Gray



GALVANIZING COMPOUND



Sprayon® Silver Galv

A sacrificial coating that inhibits rust and corrosion to ferrous metals. An excellent fast drying touch-up for repair of galvanized substrates. Has the bright finish of hot-dip galvanized coating.

SP739 14 oz. Can Metallic Silver Galv. Compound



GALVANIZING COMPOUND



Zinc-Rich Cold Galvanizing Compound

A fast-drying, high-solids coating that provides maximum protection to steel exposed to severe corrosive environment. This high performance epoxy-based coating fuses zinc to the metal substrate to protect against corrosion.

SP740 14 oz. Aerosol Can
74000 1 Quart Container
74001 1 Gallon Container
74005 3-1/2 Gallon Container



ACRYLIC ENAMEL PAINTS



Tough Coat® Acrylic Enamel

Features a high-solids formula that ensures maximum coverage and performance. Delivers the ultimate in protection, durability, high gloss and color retention. Specially formulated for a variety of industrial applications.



SP1760 12 oz. Can Aluminum Spray Paint
SP3727 12 oz. Can Flat Black Spray Paint
SP1770 12 oz. Can Gloss Black Spray Paint - OSHA
SP1800 12 oz. Can Gloss White Spray Paint - OSHA
SP1310 12 oz. Can Gloss Yellow Spray Paint - OSHA

MARKING PENS



PM-16 Mighty Marker® Paint Marker

Indoor & Outdoors use. Marks on Metal. Works on most surfaces. Permanent. Quick drying. Water proof. Highly visible. Oil based opaque paint.



- | | |
|----------------|------------------------|
| AG84002 | Black Mark & Code Pen |
| AG84003 | White Mark & Code Pen |
| AG84004 | Yellow Mark & Code Pen |
| AG84005 | Orange Mark & Code Pen |
| AG84006 | Red Mark & Code Pen |

MARKERS



Sharpie® Permanent Markers

Industrial strength for tough marking jobs! Marks on wet and oily surfaces.

- | | |
|--------------------|------------------------------|
| QL801S3000 | Fine Point Magic Marker |
| QL972-15001 | King Size Black Magic Marker |

CARPENTER PENCILS



Industrial Grade Pencils with Flat Lead

Environmentally friendly pencils, made from natural base wood. 3/16" wide lead resists breakage and lasts longer. Also sold in 72 count box.

- | | |
|----------------|----------------------|
| KSLP72 | 72 count box - Black |
| KSLP72R | 72 count box - Red |

LUMBER CRAYONS



Fade and Weather Resistant Lumber Crayons

These unique marking crayons can be used on cardboard, ceramics, concrete, lumber, metal, paper... practically anywhere! Special lead-free formulation provides permanent water-proof marking. Also sold in boxes of 12 or 108 count.

- | | |
|-----------------|-----------------------|
| LCRed | Red Lumber Crayons |
| LCWhite | White Lumber Crayons |
| LCBlue | Blue Lumber Crayons |
| LCBlack | Black Lumber Crayons |
| LCYellow | Yellow Lumber Crayons |



- | | |
|-----------------|---|
| LCHolder | Aluminum Crayon Holder |
| LCH100 | Carded Aluminum Crayon Holder with Crayon |
| PS100 | Walnut Wood |
| PS100C | Carded Wooden Holder |

Lumber Crayon Holders

Uniquely designed lumber crayon holder permits advancement of crayon to any desired length, and then retracts to prevent breakage.

Marking, Measuring & Lasers

MARKING CHALK

ProChalk & Glo Marking Chalks

Ultra-Fine chalk is formulated to achieve a perfect line every time. Brilliant color tones provide strong, sharp lines. From the brightest pigments in the industry, we produce standard colors plus our unique, fluorescent "Glo-Orange" for improved visibility. There's no way to miss a line like this.



KS8B	8 oz. Blue
KS8GO	8 oz. Glo-Orange
KS8R	8 oz. Red
KS105B	5 lb. Blue
KS105GO	5 lb. Glo-Orange

KS105R	5 lb. Red
KS105W	5 lb. White
KS105Y	5 lb. Yellow
KSPM105	5 lb. Black
	Permanent Chalk

SNAP LINE

TAJIMA
Since 1909

TJMCR201R-0

Chalk-Rite™ GearDrive Extra Bold

Contractor-grade chalk snap-line with 100 ft. (30M) of extra bold premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



SNAP LINE

TAJIMA
Since 1909

TJMCR202B-0

Chalk-Rite™ GearDrive Ultra Thin

Contractor-grade chalk snap-line with 100 ft. (30M) of ultra thin premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



SNAP LINE

TAJIMA
Since 1909

TJMIR101S-1 Ink-Rite™

Auto-Rewind Ink Snap-Line

Unique ink-based snap-line tool that makes a thin, bold easy-to-follow marking line that won't smudge or wash away. Auto rewind up to 25 feet.



SNAP LINE INK

TAJIMA
Since 1909

TJMPSB3-180 Ink-Rite™ Ink Wet Weather

High-grade snap-line inks that produce a bold, easy-to-follow marking line that won't smudge or wash away. 6oz. bottle. (Black)



SNAP LINE DYE

TAJIMA
Since 1909

TJMPLC3-BK300 Black Snap Line Dye

Semi-Permanent Snap-Line Chalk. Wind resistant, water repellent, extra-strong chalk for long lasting marking lines. Fade resistant, makes a sharp and extremely bold marking line. Easy-pour, moisture-proof bottles. 10.5 oz.



LITTLE GIANT CHALK LINE REEL

BEST SELLER!

KESON
MAKE YOUR MARK

G100 Little Giant Chalk Line

Long 100 ft heavy duty cord and pull ring. Hooks easily to a utility belt and holds almost 1 lb. of chalk. One-piece steel crank for extra long life. 15 oz. capacity.



GIANT CHALK LINE REEL

KESON
MAKE YOUR MARK

G130 Proline® Giant Chalk Line Reel

Extra long 130 ft. heavy duty cord and pull ring. Holds 1 lb. of chalk for less refills.



HIGH SPEED CHALK LINE REEL

KESON
MAKE YOUR MARK

GB1 Proline®


100' polyester line rewinds 3 1/2 times faster. Quick fill rubber grommet. Free wheeling disengage gear for ease of use. ABS case.




GAUGE BLOCKS




Holds with just one nail.



Aline-set offers multiple offsets for different applications.



Notch to aid in setting a tight line.



Easy to remove with the claw of your hammer.

ALINE-SET
The Perfect Gauge Block



SMIAL106 6-Pack Aline-Set

The most effective gauge block on the market today. Perfect for straightening, plumbing, & leveling walls, floors, beams, and concrete forms. Residential, Multi-Family, Commercial, Industrial, Road Construction, Pole Buildings, Ag Buildings, Decks, Fences, and more.

MAGNETIC FLASHLIGHT



Put light exactly where you need it with

this Extendable LED Flashlight with magnetic ends.

Sensible Products®

SENEMF-1
SENFB-1

Extendable Magnetic Flashlight
Replacement Batteries For Flashlight

Marking, Measuring & Lasers

MASON'S NYLON LINE



Bonded Braided Nylon Line. This ultra strong bonded line is longer wearing. The extra elasticity helps eliminate sagging. The nylon has a black flecked braid.

- BC353** 500' Tube Orange & Black
- BC354** 500' Tube Green & Black
- BC352** 500' Tube White & Black
- BC351** 250' Winder White & Black

REPLACEMENT LINE



Replacement Reel Line

Spun cotton poly line on card or reel.

- RL100** 100 ft. Replacement Line
- RL100R** 100 ft. Replacement Line (with Reel)
- RL130RH** 130 ft. Giant Replacement Line (with Reel and Handle)
- RLG100RH** G100 Replacement Line (with Reel and Handle)

STRING REELS

Stringliner® Company

Stringliner® Pro Reloadable Reels

This reloadable nylon line reel is extremely easy to reload and has a handy rewind crank and auto-rewind with power driver capability.



- WP25459** Reloadable Reel w/ 500' Neon Orange Mason Line
- WP25462** Reloadable Reel w/ 500' Neon Pink Mason Line
- WP25465** Reloadable Reel w/ 500' Neon Yellow Mason Line
- WP35790** 1000 Ft. Black & White Braided Mason Line
- WP480NG** 500 Ft. Neon Green Braided Mason Line
- WP480NO** 500 Ft. Neon Orange Braided Mason Line
- WP480NP** 500 Ft. Neon Pink Braided Mason Line
- WP480NY** 500 Ft. Neon Yellow Braided Mason Line
- WP960NG** 1000 Ft. Neon Green Braided Mason Line
- WP960NO** 1000 Ft. Neon Orange Braided Mason Line
- WP960NP** 1000 Ft. Neon Pink Braided Mason Line
- WP960NY** 1000 Ft. Neon Yellow Braided Mason Line

PLUMB BOB SETTER

TAJIMA
Since 1909

TJMPZB-400 PLUMB-RITE™

Plumb Bob Setter

Universal plumb bob setter with commercial-grade 14 oz. bob. Setting pin for wood and drywall surfaces, strong magnet for steel frames. Adjustable hook ratchets to cinch onto beams or hook onto nails or studs. Braided nylon line extends and holds at lengths up to 14 1/2 ft., retracts into case automatically.



CO DETECTORS



CO71A CO Detector

- Extended sensor life
- Detects CO levels from 0 to 999 ppm
- Tri-color LED warning indicates
- 3 concentration levels
- LED blinks GREEN when CO is 2-9 ppm
- LED blinks AMBER when CO is 10-35 ppm
- LED blinks RED with an Audible Alert at 34 ppm indicating dangerous CO levels
- MAX/CAPTURE continually updates highest CO reading
- Auto Zero activates upon turn on
- Backlit display

SAFETY LABELS

Meets OSHA Requirements.



- | | |
|----------------|--------------------------|
| LS1000 | Gasoline Label |
| LS2000 | Gasoline Mixture Label |
| LS3000 | Diesel Fuel Label |
| LSCL51L | Danger Gasoline Label |
| LSCL86L | Danger Diesel Fuel Label |



SAFETY SIGNS



OSHA and ANSI Industrial 14" x 20" Safety Signs

We provide quality products that keep you in compliance with OSHA & ANSI standards.

- | | |
|-----------------|--|
| LSD151B | Danger Hard Hat Area Sign |
| LSD1873B | Danger Construction Site- Authorized Personnel Only Sign |
| LSD200RC | Do Not Enter - Authorized Personnel Only Sign |
| LSD59RC | Keep Out Sign |

FLOOR SIGNS

Cortina
Safety Products Group

- Plain
- Caution, Wet Floor
- Wet Floor, Walk Right/Left
- Wet Floor, Cuidada Piso Mojado
- No Entry, Rest Room Closed
- Caution, Watch Your Step
- Caution
- Out Of Service

2' x 4' Safety Floor Signs



Bright yellow plastic signs stand up and stay up when needed, fold up when not in use. Message displayed clearly on all four sides provides clear warning from every angle.

HIGHWAY WARNING KIT

COR-95-03-009 Triangle Safety Kit

Acrylic plastic strip reflectors, hermetically sealed and impervious to dust and moisture, unfolds to a triangular shape and are held firmly in place with a sturdy locking device.

Cortina
Safety Products Group



Marking, Measuring & Lasers

MESH FLAGS



18" x 18" Mesh Flag

are made of fluorescent knitted vinyl mesh material. Recommended to be used on fast moving vehicles. These flags will overcome the problems from "whipping", such as cracking, peeling, or fraying. Available with or without staff.

SFKV18

Flag Only
With Staff

AIRPORT FLAG



SAAPF Airport Flag

A heavy nylon 36" x 36" flag made of alternating 12" x 12" orange and white squares. Heavy-duty stitching and reinforced pocket make for easy mounting. Required by FAA and OSHA for all construction equipment and contractor vehicles in airports and on cranes.

PERIMETER MARKER



MU1000 OSHA Perimeter Marker

This marker is required by OSHA for perimeter marking of any above ground construction area, flat roof jobs, and open upper-level construction. 60 ft in length. Available in Red or Yellow.


LOAD BANNERS



COR-03-11-000 Load Combo Banner

Measures 18" x 7' and have heavy-duty grommets sewn in. Made of a super-tough, 12 oz yellow vinyl-coated nylon material and have bold black letters which say either "Wide Load", or "Oversized Load".

PADDLE SIGNS



IN15SS24 "Stop/Slow" with Staff

24" Aluminum sign with wood handle. Durable ABS Stop/Slow paddles have an 81" high staff for easy handling and are highly visible to motorists on the road.

PADDLE SIGNS



INSTSL "Stop/Slow" Paddle

18" diameter traffic control paddles are available lettered with "STOP" on one side and "SLOW" on the other side, or "STOP" on both sides. Made of lightweight non-corrosive and weather-proof material with no sharp edges, They are available with 10" handles.

MARKING FLAGS



These marking flags will stand up to sun, wind and inclement weather. The plastic will stay on the staffs and the colors won't fade. 4" x 5" Flag with 30" Wire Staff.

- BB0500** Red Flag -100/Bundle
- BB1000** Orange Flag -100/Bundle
- BB2000** Blue Flag -100/Bundle
- BB3000** Yellow Flag -100/Bundle
- BB4000** Pink Flag -100/Bundle
- BB5000** Lime Flag -100/Bundle
- BB6000** White Flag -100/Bundle

STAKE CHASER WHISKERS



Easily attach to wooden stakes or 16-penny nails. Each whisker is 6". Ideal for Road Construction and Grading. Additional Uses include reference points, forestry markers, exploration, and more.

- MU15900-025** Blue - 500 pc. Box
- MU15900-079** Red - 500 pc. Box
- MU15900-145** Glo Orange - 500 pc. Box
- MU15900-75** Glo Pink - 500 pc. Box

DANGER FLAGS



PYFLAG Danger Flags

Convenient disposable danger flags come 1000 to a roll. These heavy, 4-mil, polyethylene flags are 18" x 18". They easily tear off at the perforations and are suited for use in lumberyards.

FLAGGING TAPES



Ribbon Marker Flagging Tape

Highly visible flagging tape made from extruded P.V.C., which is preferred by professional tradesmen, surveyors and sportsmen. In fluorescent and standard colors. Available box packed, bulk packed, and economy size.

Fluorescent (150 ft. x 1-3/16")

- | | |
|-------------|------------|
| FTGO | Glo-Orange |
| FTGR | Glo-Red |
| FTGL | Glo-Lime |
| FTGP | Glo-Pink |

Standard (300 ft. x 1-3/16")


- | | |
|------------|--------|
| FTR | Red |
| FTO | Orange |
| FTY | Yellow |
| FTB | Blue |
| FTW | White |
| FTG | Green |
| FTP | Pink |

Marking, Measuring & Lasers

TRAFFIC CONES

Offers outstanding visibility. "Slim line" construction which decreases wind lift, teamed with rubber base (for underslung center of gravity) adds up to the most stable cone on the road.

INTC18	18" Safety Cones
INTC28	28" Safety Cones
INT2825-5-MM	28" Safety Cone w/ 6" & 4" Reflective Stripes
INTC36	36" Safety Cones



SAFETY DIVERTERS

Grip and Go Channelizer

42" High. Meets MUTCD and NCHRP-350 requirements with or without barricade lights. Large grip on the handle allows workers to easily pick up the channelizer and base.

INTC4200LP16	Divertor, 15 lb Base
INTC4294-LP-16	Divertor, 16 Lb. Base & H.I. Stripes



BARRICADE TAPE

More Styles Available!



Non-pressure sensitive vinyl barricade ribbon. High visibility 3" wide. Variety of stock and special order legends available. Rolls are 3" x 1000'. Available in Heavy Duty 4 Mil or Standard Grade (2 mil).

RI1000	"Caution" Tape 4 mil.
RI1002	"Caution" Tape Standard Grade
RI2000	"Keep Out" Tape 4 mil.
RI3000	"Danger" Tape 4 mil.
RI4000	"Caution Wet Concrete" Tape 4 mil.

Harris Industries

WOOD STAKES

Special Order Sizes Available!



Available in bundles of 50 or by the Pallet.



WS1318	1" x 3" x 18" Wood Stakes 50 Pcs. Bundle
WS1324	1" x 3" x 24" Wood Stakes 50 Pcs. Bundle
WS1336	1" x 3" x 36" Batter Board Stakes 30 Pcs. Bundle

WOOD LATHE



WS2025	Wood Lathe 50 Pcs. Bundle
---------------	---------------------------

CHAMFER STRIPS



WS3000	3/4" X 3/4" X 8' Chamfer Strip - 1000 L.F. Bundle
WS3100	8' Piece 3/4" x 3/4" Chamfer Strip

BARRICADE

Plastic A-Frame Barricade

Cordon off hazardous areas with a highly visible barrier system consisting of two A-Frame Legs and one or two I-Beams. Injection-molded, structural foam A-Frame Leg is extremely durable. Standard size mounting holes accommodate a wide variety of boards. ADA compliant to MUTCD standards.



Cortina
Safety Products Group



COR-97-01-004-02	Plastic A-Frame Barricade Leg (One End Only)
COR-97-01-029-02	Plastic Barricade 2" X 8' Top Rail with Reflective Stickers

BARRICADE

Cortina
Safety Products Group

COR-97-01-001-05

24" Plastic Barricade Type 1 with Reflective Stickers

Type I Plastic Barricade 8" Length x 24" Width x 8" Height. Closed-hinge feature prevents pinched fingers during placement and retrieval.



COR-03-10-WAYDC L.E.D. Barricade Light

Operates with 4 D-cell batteries; 3-Way (flashing, steady burn, off); L.E.D lights located in the strongest area of the case for protection; Made in the U.S.A.; Sold by box of 10

COLORED ELECTRICAL TAPE



A 7 mil colored vinyl tape. U.L. approved. Used primarily for color coding electrical wiring. 3/4" x 66'.

UT34-W 66	White Tape
UT34-GR 66	Green Tape

UT34-R 66	Red Tape
UT34-OR 66	Orange Tape

Assured Equipment Grounding Color Coding Scheme

<input type="checkbox"/>	January, February & March
<input type="checkbox"/>	April, May, June
<input type="checkbox"/>	July, August & September
<input type="checkbox"/>	October, November & December

ELECTRICAL TAPE

3M

3M01-69764

3/4" x 60' #1700 Black Electrical Tape

3M™ Temflex™ General Use Vinyl Electrical Tape 1700 is used for protective jacketing and harnessing.



Farrell Equipment & Supply Co., Inc. - Trade Customs

The compilation and checking of a general catalog of supplies and machinery is complicated, involving many thousands of product numbers, dimensions, etc. and absolute perfection is not a commercial possibility. Every endeavor has been made to have the latest lists, dimensions, descriptions and designs throughout this catalog, but we do not guarantee accuracy. If any errors or misprints have escaped our checkers and printers, we are not responsible for them, and they are subject to our correction. All information contained in this catalog, pertaining to strengths and proper working loads of material, tools or machines is derived from information compiled by the manufacturers for the convenience of the buyer. We assume no responsibility for the accuracy of this information.


Manufacturers are constantly changing designs, specifications and accessories on many items and these are subject to change without notice. Illustrations are subject to modification.

All references in this catalog are for description only and are not representations or warranties of any kind or nature.

Copyright © 2014 by Farrell Equipment & Supply, Inc.

Printed in U.S.A. 2500-0202714


Other Available Farrell Catalogs:



Blade & Fastener Book




Decorative Concrete Book




Concrete Book




Concrete Repair Book




Masonry Book




Road & Highway Book




Safety Book



Winter Jobsite Book



Rental Book



Rental Concrete Stamps



FARRELL

Equipment & Supply Co., Inc.

Visit us at any of our
5 Locations!

*Serving the
Construction
Industry
Since 1968!*



ROCHESTER
507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904



LA CROSSE
608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

EAU CLAIRE
715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

WAUSAU
715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

MADISON
608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713

www.FarrellEquipment.com

For Your Convenience We Accept:

