

# Material Safety Data Sheet

Farrell Texture Coat

Farrell Equipment & Supply Co., Inc.  
1510 N. Hastings Way Eau Claire, WI 54703  
715-835-4334



## SECTION I: PRODUCT IDENTIFICATION

**Akona Manufacturing, LLC.**  
2025 Centre Pointe Boulevard, Suite 300  
Mendota Heights, MN 55120-1221

**Emergency Telephone Number:**  
651-905-8137  
**Information Telephone Number:**  
651-905-8137

**Revision Date:**  
July 2008

**Product Types:** Technically advanced epoxy concrete finish coating  
**AKONA Product Name:** Akonakote Vertical Concrete Surface Finisher

## SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

### Hazardous Components

Portland Cement  
Crystalline Silica

### TLV (ACGIH)

10 mg/m<sup>3</sup>  
10 mg/m<sup>3</sup>

## SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

**Physical Appearance and Odor:** White Powder - no odor  
**Specific Gravity:** 2.85  
**Boiling Point:** NA  
**Freezing Point:** NA  
**Vapor Pressure:** NA

**Vapor Density:** NA  
**Evaporation Rate:** NA  
(Butyl Acetate = 1)  
**Solubility in Water:** 2.2%  
**Melting Point:** NA

## SECTION IV: FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** NA  
**Fire Extinguishing Media:** Non-combustible  
**Unusual Fire and Explosion Hazards:** NA

**Flammable Limits:** NA  
**Special Fire Fighting Procedures:** NA

## SECTION V: REACTIVITY DATA

**Stability:** Stable if confined in watertight containers

**Incompatibility:**  
**Hazardous Polymerization:** Will not occur.

## SECTION VI: HEALTH HAZARD DATA

**Route(s) of Entry:**      **Inhalation?** Yes      **Skin?** Yes      **Ingestion?** Yes

# Material Safety Data Sheet

Farrell Texture Coat

Farrell Equipment & Supply Co., Inc.  
1510 N. Hastings Way Eau Claire, WI 54703  
715-835-4334



**Health Hazards (Acute and Chronic)** Inhalation, eye contact, skin contact, ingestion

**Carcinogenicity:**

Not classified as a carcinogenic

**FTP?**

No

**IARC Monographs?**

No

**OSHA Regulated?**

No

## EXPOSURE

**Inhalation:** Product dust can irritate nose, throat and mucous membrane

**Eye Contact:** Irritation, redness, itching.

**Skin Contact:** Slurry can dry the skin and cause alkali burn.

**Ingestion:** May cause nausea and vomiting.

## FIRST AID

**Inhalation:** Remove to fresh air if effects occur. Consult physician. AVOID SKIN AND EYE CONTACT AND AVOID BREATHING VAPORS.

**Eye Contact:** Flush with large amounts of water, lifting the upper and lower lids occasionally. Get medical attention.

**Skin Contact:** Thoroughly wash affected area with soap and water. Remove contaminated clothing.

**Ingestion:** Seek medical attention immediately

## SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

**Steps to be taken in case material is released or spilled:** Sweep floor area. Avoid creating excessive dust.

**Waste Disposal Method:** In accordance with local, state and federal regulations.

**Precautions to be taken in handling and storing:** Wear gloves for manual handling. Avoid breathing dust. High humidity or liquid water during storage will harden gypsum cement.

**Other Precautions:** Chronic inhalation of cement

## SECTION VIII: CONTROL MEASURES

**Respiratory Protection:** Protective (filter) mask in dusty environment

**Ventilation:**

**Local Exhaust:** Yes

**Mechanical:** Yes

**Eye Protection:** Safety goggles

# Material Safety Data Sheet

Farrell Texture Coat

Farrell Equipment & Supply Co., Inc.

1510 N. Hastings Way Eau Claire, WI 54703

715-835-4334



**Special Protection:** Clean protective clothing in well ventilated work area

NOTE: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects