Galaxy Introduction

Sebastian Schmeier

2 May 2015

Contents

Galaxy Introduction

1.1 Overview

In this brief tutorial we will learn how to use the excellent tool Galaxy to analyze biological data. We will see how it Galaxy allows you to make use of a number of tools in a simple to use graphical interface (more on that in a moment). A user is thus not required to use any of the tools on the command-line (even though many of the integrated tools were developed for the command-line in the first place) but can fully use and control the integrated tools with the mouse pointer. In addition, it also allows developers of tools to easily integrate them into a graphical user interface system that is already known to many scientists and thus make the tools available for the research community.

Another big advantage of Galaxy is that every step of the analysis is monitored and accessibly via a history. This makes reproducible research not only a possibility but also easy to facilitate. Steps from the history can be packaged into work-flows, which can be reused with different data or shared with other scientists.

Galaxy enjoys a large and growing user and developer base, which is evident by its own yearly conference and participation in Google Summer of Code. It is relatively easy to find help should one need it, e.g. through their mailing list or wiki. Also, many commercial companies that provide next-generation sequencing services, provide Galaxy instances to analyze your data (e.g. we at New Zealand Genomics Limited have a full fledged installation on our infrastructure ready for scientist to be used).

1.1.1 Important links

- **Wiki**
- **Mailing lists**
- **Other learning material**

1.2 How to get access to Galaxy

There many option available to either give Galaxy a test run or do a full analysis with it. There is a ever growing list of public servers available, some of which might have certain restrictions, e.g. maximum data-file size, etc. The standard server is accessible at: `https://usegalaxy.org/`

You can start your own Galaxy instances on Cloud infrastructure, e.g. Amazon Cloud Services, should you have bigger analysis needs that you want to perform in the cloud.

You can download and install Galaxy on you own machine or server, even integrating a computer cluster on the back-end.

You can install BioLinux on you own machine or run BioLinux as a virtual machine and you are set as well, as Galaxy comes pre-installed on BioLinux 8.

1.3 The user interface

1.3.1 Basics



Hint! Click on the Galaxy screenshots to get a bigger version!

There are 3 areas of interest for now:

1. The links to the tools that the Galaxy installation contains (this can very from Galaxy instance to instance).
2. The working area, where we can change parameters of the tools that we want to use for some of our data.
3. The history panel that contains all the data and steps we performed on the data.



1.3.2 User accounts

If you plan to use the public available Galaxy instance at `https://usegalaxy.org/`, it is a good idea to create a user account. This is relatively straight forward, just click on **User** in the top panel and then **Register** (1). This will allow you, amongst other things, to save histories, but more on this in later (2.7).



1.4 A word on tools

The tools that you find in the tools area of the Galaxy instance are nothing else than programs that were originally written for the command-line. As lon as you have/write a program that excepts a input-file and out-put-file as command-line arguments, it is quite easy to integrate a tool into an local Galaxy installation.

Attention! The tools that you find in your Galaxy instance might differ depending on where you access the particular Galaxy installation/instance., e.g. you might find a different toolset at the standard online Galaxy instance at `https://usegalaxy.org/`, than on your local installation.

2.1 A simple example

The purpose in this example is not to find anything of biological relevance but rather to:

1. Understand the Galaxy system
2. Understand how to get your data of interest into the system
3. Understand how to do simple data manipulation tasks
4. Understand how the Galaxy History system works
5. Understand how to set up a workflow and run your data through it

I order to develop the understanding of the five points above, we are going through a simple example:

"We want to find the mouse chromosome X genes that have single nucleotide polymorphism in their upstream regions"

The tasks required to find those mutations are:

1. Get single nucleotide polymorphism (SNP) data for chromosome X
2. Get all gene locations on chromosome X
3. Get upstream regions of the genes
4. Overlap the SNPs with the genic upstream regions
5. Visualise results in a genome browser

2.2 Loading your own data

Download the following file to your computer: *mm9_chrX_SNP128_set.bed*. The file is in bed-format, a simple tab-separated format containing 6 columns: **chromosome, start, stop, name, score, strand**.

Hint! Bed-format files can have more or less columns. However, the first three columns are the bare minimum.

1. On you Galaxy window go to the upper left in the tools area and click on **Get Data**. A subsection of **Get Data** will open and show available option for you to get data into the Galaxy system.
2. Choose **Upload File from your computer**.



1. An additional window should open that allows you to select the your file.
2. You can specify the species, given that we are looking at mouse data from mm9 set it to the same.



Once you hit the **Start** button, your data/analysis will be uploaded. In your history your data goes through three stages indicated by three different colors:

1. Grey: Scheduled for uploading/running

2. Yellow: Currently running
3. Green: Dataset/analysis is ready



1. Click on the filename and you get some information about the data.
2. Here you will see information like how many regions (lines) are in the file, the format and genome
3. Here you can download the data, get even more information about the data and run the job again (here it would reload the data)



Within the history panel and your data set there are several buttons of importance. The first one which looks like an eye will display you data in the working area.



1. The second button will allow you to edit your data
2. You can change the file-name
3. Change the assignment of column numbers to particular properties
4. and finally save your changes.



The last button can delete your data/analysis again from the history panel.



2.3 Loading data from the web

Now we are focusing on getting some data from the UCSC table browser. Many people UCSC were quite busy integrating lots of data and there is plenty of data available especially for mammalian model systems.

1. On you Galaxy window go to the upper left in the tools area and click on **Get Data**. A subsection of **Get Data** will open and show available option for you to get data into the Galaxy system.

2. Click on **UCSC Main table browser**. This will open the UCSC table browser in your Galaxy working area.
3. Here you can choose the genome that you want the data from, we will choose mm9
4. Here you can choose the kind of data that you which to download from the particular genome, we will choose here the **Genes and Gene Prediction group** and the **UCSC Genes** as well as the **knownGene** table. The **describe table schema** button will get you to aanother webpage that describes the data within the **knownGene** table. Feel free to explore.
5. Here you can chose if you which to download data from the whole genome or a subportion of it. We will choose here only data from ***chrX*** type this in the field and hit **lookup** button which will complete the start and stop coordinates of the genome.
6. Here we can specify the output-format. It is important here to make sure that the **Send output to Galaxy** choice is selected . Also, we want BED-format again.
7. After we are finsihed we can hit the **get output** button, after which our requested data will be loaded into the Galaxy interface.



Finally, your data should appear in the right hand side history panel.

2.4 Loading shared data

Another way of loading data into your history panel is by loading data that was shared with you through Galaxy. On the upper panel click on **Shared Data** and then on **Data Libraries**.



Here you will find a search field to search for available datasets. Search for mouse becasue currently we are working with mouse data.



Choose the **ChIP-Seq Mouse Example** dataset from the ENCODE project. This is data of of chromatin immunoprecipitation followed by sequencing to find regions in the genome where transcription factors bind.

Here you see an overview of the datasets available. You can choose the dataset, select **Import to current history**, and hit **Go**.



Once the data is loaded in your history Galaxy will inform you. You can get back to your working area by clicking on **Analyze Data**.



You can get rid of the dataset again in your history as it will not be used anymore in theis tutorial.

2.5 Working with data

The aim here is to get understand how Galaxy can help you to prepare your data to be able to analyze it further. We will perform some easy tasks like removing redundant information, renaming new datasets, sub-selecting regions of interest, extending our genomic regions to look at promoters upstream of genes, finding the SNPs from our set that overlap the promtoer regions.

2.5.1 Renaming files

You should aim at nameing your files ina manner that they are easy recognizable. This is especially important once we manipulate them and create new files. You should make it a habit of renaming a file after it was created to keep track of what they are.

1. Click on the **edit icon** of the file you wish to change.
2. Type a new filename in the **Name** field.
3. Click on the **Safe** button



Attention! I also renamed the data ***Mouse ChIP-Seq example Control Data, chr19, mm9*** to –> ***mm9_ChIP_chr19_control*** and the data ***mm9_chrX_SNP128_set.bed*** to –> ***mm9_chrX_SNP128***.



Attention! The numbering of the datasets here might be different from yours depending on how many datasets you have been working on before. The image above shows ***24: mm9_knownGene_chrX***, however, this may vary for you (and might vary in what follows here as I might have done this tutorial in multiple sessions.). This is one reason why it is a good idea to rename the dataset.

2.5.2 Removing unwanted information

Our gene BED-file that we retrieved from UCSC table browser is in BED 12 format, e.g. it contains 12 columns, but only the first 6 are necessary for our purposes. Thus, we aim at removing the extra columns to make the file more readable. Let's do this by

1. Clicking on the **Text manipulation** tools section
2. Selecting the **Cut** tool.
3. Insert the columns you want to retain. We want the first 6 columns.
4. Choose the right file to do the manipulation on
5. **Execute** the tool



You should see a new file in the history. Here it is being scheduled for execution and should be green once the job is finished. Please rename the resulting dataset to –> ***mm9_knownGene_chrX_short***.



2.5.3 Creating flanking regions

Because we are interested to look in the promoter regions of our genes we need to extract those. We here define the promoter as upstream regions from the transcription start site.

1. Find the **Operate on Genomic Intervals** sections
2. Select the **Get flanks** tool
3. Choose the right dataset: ***mm9_knownGene_chrX_short***
4. The region we are interested in is **Around Start**
5. We want the **Upstream** region
6. We want **5000** bases upstream
7. **Execute**



Attention! I renamed the resulting dataset –> ***mm9_chrX_promoter***

2.5.4 Filter data

Filtering data can be done in many different ways, however, here we use the **filter** tool.

1. Find the **Filter and Sort** tool section
2. Select the **Filter** tool
3. Select our promoter dataset: ***mm9_chrX_promoter***
4. We only want promoter within the first **8000000** bases, the start positionof genes is specified in the second column (**c2**)
5. **Execute**



Attention! I renamed the resulting dataset –> ***mm9_chrX_promoter_8000000***

Hint! If you click on the dataset name it will also tell you how many lines where extracted from the original dataset.

2.5.5 Joining/intersecting data sets

Lets find those mutations that overlap our promoter subset.

1. Find the **Operate on genomic Intervals** tool section
2. Select the **Join** tool
3. Select our SNP data ***mm9_chrX_SNP128*** and the promoter dataset ***mm9_chrX_promoter_8000000***
4. **INNER JOIN**
5. **Execute**



Attention! I renamed the resulting dataset –> ***SNPs_at_promoter***.

If you temporarily close the history tab we can have a closer look at the resulting dataset.



We see that we have 2,218 SNPs overlapping promoter regions in the genes in the first 8,000,000 base pairs. The **Join** tool put the overlapping elements right next to each other.

Note! that for one particular promoter we can have several SNPs (1).

2.6 Visualising data sets

Now that we basically have what we are looking for we want to visualise our found SNPs and the promoter that have mutations in an intuitive manner. Here, Genome Bowsers come in that are helpful in getting an overview. In this section we prepare the data we would like to visualise and prepare a custom track for the UCSC Genome Browser. First, what data do we want to visualise:

1. All SNPs
2. The SNPs that overlap our promoter regions
3. The promoter regions

To create a new track that we can visualise in USCS, do the following:

1. Find the **Graph/Display Data** tool section
2. Select the **Build custom track** tool
3. Click on insert track and select our promoter data ***mm9_chrX_promtoer_8000000***.
4. Give it a unique name
5. Insert more tracks for data like ***SNPs_at_promoter*** and ***mm9_chrX_SNP128***.
6. **Execute**

Attention! Make sure to use **unique names** for each track, because if you use the same name twice the last track overwrites the one from before.



Once you hit the **Execute** button you should have a new track created which is visible in the history panel (1). Click on the name of that track and click **display at UCSC main** (2).



If you do so, a new window at the UCSC Genome browser will open. Put **chrX:3,237,911-3,249,163** in the search bar (1) and you will see a postion that shows what is going on. Right on top should be your three tracks located (2). You can scroll left and right, zoom in and out to get to other promoter regions. You can also change the resolution at which your features will be shown. Many other tracks from UCSC are also shown automatically and ad the bottom of the page you can chose to show or hide other tracks of interest.



2.7 Another word on the history

2.7.1 Saved histories

You are able to create an account on the public Galaxy web-server. Once done, you will be able to save histories and fetch you old histories back. In this manner you are also able to save whole work-flows but more on that later.

For now you can look at your **Saved Histories** by clicking the config button in the upper right.



You will see only one history the one we are currently working on. You can rename the history by clicking the name in the history panel or by doing a rename in the working area.



2.7.2 Sharing a history

It is easy to share a saved history with colleagues or make them public (1). Several options are available.





2.8 Workflows

2.8.1 Creating workflows

It is possible to create workflows out of histories to analyse similar type of data again with the same procedure and minimal costs. If you look into the history you can see that we still have all the steps present that were needed to come to our final result. Thus, you can convert this history into a workflow by clicking the history **Options** button (1) and choosing the **Extract Workflow** option (2)



We focus on the center pane in the next screenshot. Here, we are able to choose which steps to include/exclude and how to name the newly created workflow. Do not focus on the namoing of the individual datasets, we need to edit this afterwards in any case. The importance is that all of the analysis steps are included, we can shuffle them around later.

1. You want to give the workflow a proper name
2. We need to realise that the data upload can unfortunately not be part of the workflow, the workflow can only on datasets already in our history. However, we only need two datasets, so deselect the third.
3. We do not include the filter step as we are really interested in finding all SNPs in **all** promoter regions not only in the first 8,000,000 base pairs.
4. Once this is done we can click **Create Workflow**.



2.8.2 Editing workflows

Now we can see that Galaxy created our workflow. Click on the **Workflow** button in the top pane (1) to get to the workflow overview page.



On the workflow overview page click on the workflow and on the **Edit** option (1).



The next window will show you the workflow editor. You will see two areas that are of importance: 1 is the graphical representation of our workflow in form of a flow-diagram, and 2 is the area where we can see/change attributes of individual steps.



In the next picture I pulled appart the two input data fields to disentangle the view a bit. We recognise that our workflow is a bit messed up and we need to fix it, e.g. the two input datasets are not connected at the **Join** tool.

In 1 we find the **knownGenes** input dataset as we remember it needs to be **cut** and we need to extract flanking regions for the genes (**Get flanks**). The first thing to do is to rename this dataset to **knownGenes UCSC** (2), so that we later know what this dataset is. We realise that the results of the flanking regions from 3 (**out_file_1 (interval)**) is not joined to the SNP data in 4.



We connect the output of **Get flanks** (**out_file_1 (interval)**) (1) to the input of the **Join** tool 2 by dragging a connector from 1 to 2.



We also want to show our promoters in the output UCSC track that we create as a result, but it is not connected to it either. We fix that by dragging a connector file from the output dataset of the **Get flanks** step 1 to the **Build custom track** input 2.



Next we rename the second input dataset into the workflow in 1 to **SNPs** in the **Details** pane (2).



Finally, we save the workflow (1)



2.8.3 Applying workflows to your data

Now that we have the workflow lets run it. First go to the **Workflow** panel and select the workflow and hit **Run** (1).



Now we see the workflow and we can expand each section by clicking on the headers. We choose an appropriate dataset for the **knownGenes UCSC** (1) and the **SNPs** (2). We can see in that the dataset of **Step 1** (knownGenes) is used in **Step 3** and that the output from **Step3** is used in **Step 4**, exactly what we want (3). We also see that we join the results from **Step 4** with our **SNPs** input dataset from **Step 2** (4). Just specify your geneset and SNPs and click the **Run workflow** button.



This concludes the introduction. You can find more advanced bioinformatics tutorials here.