**splunk_source_type:**


```
splunk_source_type
        ::= tower '_' env_name '_' ( cluster_name '_' )? zone '_' application '_' component '_' artifact
```

no references

splunk_class_name:


```
splunk_class_name
        ::= tower '_' env_name '_' ( cluster_name '_' )? zone '_' application '_' component
```

no references

new_relic_group_names:


```
new_relic_group_names
        ::= tower '_' env_name '_' ( cluster_name '_' )? zone '_' application '_' component
```

no references

tower:


```
tower     ::= 'ee'
            | 'fm'
            | 'pm'
            | 'shop'
            | 'mcr'
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

env_name:


```
env_name ::= ( 'dev' | 'test' ) env_identifier
          | 'impl' env_impl_identifier ( '-' aws_region_identifier )?
          | 'prod' ( '-' ( env_prod_identifier | aws_region_identifier ) )?
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

aws_region_identifier:


```
aws_region_identifier
        ::= 'east'
          | 'west'
```

referenced by:

- env_name

env_identifier:



```
env_identifier
        ::= [s0-9]
```

referenced by:

- env_name

env_impl_identifier:

```
env_impl_identifier
        ::= '0'
         | '1a'
         | '1b'
         | '2'
```

referenced by:

- env_name

env_prod_identifier:



```
env_prod_identifier
        ::= 'dr'
         | 'q'
```

referenced by:

- env_name

cluster_name:

```
cluster_name
        ::= 'aqua'
          | 'batch'
          | 'batch1'
          | 'batch2'
          | 'firebrick'
          | 'gold'
          | 'magenta'
          | 'online'
          | 'rollup'
          | 'sapphire'
          | 'silver'
          | 'skyblue'
          | 'steelblue'
          | 'teal'
          | 'white'
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

zone:

```
zone    ::= 'dmz'
          | 'pz'
          | 'az'
          | 'dz'
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

application:


```
application
        ::= 'app'
          | 'batch'
          | 'online'
          | 'ses-online'
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

occbatch_type:


```
occbatch_type
        ::= ( 'all' | 'buu' | 'irsreporting' | 'moen' )?
```

referenced by:

- component

component_classifier:

```
component_classifier
        ::= 'en'
          | 'es'
          | 'ui'
          | 'svcs'
          | 'db'
```

referenced by:

- component

component:



```
component
        ::= 'app'
          | 'batch'
          | 'oocbatch' ( '-' occbatch_type )?
          | ( 'rp' | 'lb' | 'agigw' | 'cms' | 'db' ) ( '-' component_classifier )?
          | 'cache' ( '-' ( 'primary' | 'secondary' | 'batch' ) )?
```

referenced by:

- new_relic_group_names
- splunk_class_name
- splunk_source_type

artifact:

```
artifact ::= 'server-log'
           | ( [1-9] [0-9] [0-9] [0-9] '-' )? 'access-log'
           | 'error-log'
           | 'job-log'
           | 'stdout-log'
           | 'stderr-log'
           | 'oracle-log'
           | 'haproxy-log'
```

referenced by:

* splunk_source_type

... generated by Railroad Diagram Generator