Test Run Report

Test Run Overview

Started	24 Jul 2020, 13:44:06
Ended	24 Jul 2020, 13:45:00
Duration (mm:ss)	00:54.023

Test Results Summary

Passed	0
Failed	1
Skipped	0

1 Failed (100%)
0 Skipped (0%)
0 Passed (0%)

● Passed ● Failed ● Skipped

Test Case Summary

📁 tests — failed

   📁 Automationregressiontests — failed

      📄 CreateLead.testcase — failed

● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52000}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 736d2f1110ff3e65a7e57f86cca76d7f]

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● from unknown error: web view not found

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 2 milliseconds

● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221'

● Driver info: org.openqa.selenium.chrome.ChromeDriver

- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52000}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

- Session ID: 736d2f1110ff3e65a7e57f86cca76d7f

- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)

- at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:374)

- at com.provar.core.testapi.ProvarSeleniumDriver.getLocation(ProvarSeleniumDriver.java:1101)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.populateCreatedObjectId(SfUiHandler.java:3741)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3535)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)

- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)

- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:591)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

CreateLead.testcase

Output

● Salesforce Connect: Provarauto (Test)   ⓘ 13:44:06(00:00.013)
   Salesforce connection opened successfully. Connection name: Provarauto, ResultName: Provarauto, resultScope: Test

● On PricebookSelectNew page   ⓘ 13:44:09(00:02.628)
   ● Set the Username to smita.scindia@meraki.net.provarauto   ⓘ 13:44:23(00:16.672)
   ● Set the Password to Salesforce$7   ⓘ 13:44:23(00:17.057)
   ● Click the Log In To Sandbox   ⓘ 13:44:23(00:17.409)
   ● Click the Leads   ⓘ 13:44:24(00:17.629)

● On SF Lead Home screen   ⓘ 13:44:34(00:27.674)
   ● Click the New button   ⓘ 13:44:34(00:28.034)

● On SF Lead Record Type selection screen   ⓘ 13:44:36(00:30.460)
   ● Set the Record Type select to Meraki Lead   ⓘ 13:44:44(00:37.648)
   ● Click the Continue button   ⓘ 13:44:44(00:37.818)

● On SF Lead (Meraki Lead) New screen   ⓘ 13:44:48(00:42.249)
   ● Set the First Name field to James   ⓘ 13:44:48(00:42.501)
   ● Set the Last Name field to Storme   ⓘ 13:44:49(00:42.746)
   ● Set the Email field to smita.scindia@meraki.net   ⓘ 13:44:49(00:43.065)
   ● Set the Lead Status picklist to New   ⓘ 13:44:49(00:43.528)
   ● Set the Lead Source picklist to Event   ⓘ 13:44:50(00:43.690)
   ● Set the Lead Type picklist to CCW   ⓘ 13:44:50(00:44.094)
   ● Set the Rating picklist to B - Follow-up Expected   ⓘ 13:44:50(00:44.331)
   ● Set the Go Status picklist to Interested   ⓘ 13:44:50(00:44.556)
   ● Set the Company field to Meraki Inc   ⓘ 13:44:51(00:44.810)
   ● Set the Industry picklist to Other   ⓘ 13:44:51(00:45.070)
   ● Set the Company Size picklist to 100 to 999   ⓘ 13:44:52(00:45.727)
   ● Click the Save button   ⓘ 13:44:52(00:45.997)

   ● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52000}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 736d2f1110ff3e65a7e57f86cca76d7f]

   ● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

   ● from unknown error: web view not found

   ● (Session info: chrome=84.0.4147.89)

   ● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

   ● Command duration or timeout: 2 milliseconds

   ● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

   ● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221'

   ● Driver info: org.openqa.selenium.chrome.ChromeDriver

   ● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52000}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/

Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

● Session ID: 736d2f1110ff3e65a7e57f86cca76d7f

● at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

● at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)

● at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:374)

● at com.provar.core.testapi.ProvarSeleniumDriver.getLocation(ProvarSeleniumDriver.java:1101)

● at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.populateCreatedObjectId(SfUiHandler.java:3741)

● at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3535)

● at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)

● at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)

● at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

● at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)

● at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)

● at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

● at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

● at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

● at java.lang.reflect.Method.invoke(Method.java:498)

● at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:591)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)