Test Run Report

Test Run Overview

Started	24 Jul 2020, 13:54:06
Ended	24 Jul 2020, 13:54:19
Duration (mm:ss)	00:13.612

Test Results Summary

1 Failed (100%)

0 Skipped (0%)
0 Passed (0%)

Passed	0
Failed	1
Skipped	0

● Passed ● Failed ● Skipped

Test Case Summary

📁 tests   ● failed

   📁 Automationregressiontests   ● failed

      📄 CreateLead.testcase   ● failed

● Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: window was already closed (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 35 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 02ac4a8e3310049ff4ad8154076a8bd4 *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Log In to Sandbox'] | .//button[@value = 'Log In to Sandbox' or normalize-space(.) = 'Log In to Sandbox']}]

● org.openqa.selenium.NoSuchWindowException: no such window: window was already closed

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 35 milliseconds

● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221'

● Driver info: org.openqa.selenium.chrome.ChromeDriver

● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

● Session ID: 02ac4a8e3310049ff4ad8154076a8bd4

● *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Log In to Sandbox'] | .//button[@value = 'Log In to Sandbox' or normalize-space(.) = 'Log In to Sandbox']}

● at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

● at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)

● at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)

● at org.openqa.selenium.By$ByXPath.findElement(By.java:361)

● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)

● at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:109)

● at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

● at com.sun.proxy.$Proxy80.getText(Unknown Source)

● at com.provar.core.testapi.ProvarSeleniumDriver.toString(ProvarSeleniumDriver.java:2750)

● at com.provar.core.testapi.ProvarSeleniumDriver$ClickerThread.run(ProvarSeleniumDriver.java:1637)

● Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 02ac4a8e3310049ff4ad8154076a8bd4]

● One or more Sub-Test Steps failed.

● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 02ac4a8e3310049ff4ad8154076a8bd4]

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● from unknown error: web view not found

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 3 milliseconds

- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221'

- Driver info: org.openqa.selenium.chrome.ChromeDriver

- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

- Session ID: 02ac4a8e3310049ff4ad8154076a8bd4

- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)

- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)

- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)

- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)

- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:591)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

🔲 CreateLead.testcase

Output

● Salesforce Connect: Provarauto (Test)   ⓘ 13:54:06(00:00.014)
  Salesforce connection opened successfully. Connection name: Provarauto, ResultName: Provarauto, resultScope: Test

● On PricebookSelectNew page   ⓘ 13:54:08(00:02.292)
  ● Set the Username to smita.scindia@meraki.net.provarauto   ⓘ 13:54:17(00:11.606)
  ● Set the Password to Salesforce$7   ⓘ 13:54:18(00:11.921)
  ● Click the Log In To Sandbox   ⓘ 13:54:18(00:12.132)

    ● Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: window was already closed
    (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-
    heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command
    duration or timeout: 35 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX',
    ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver
    info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0,
    script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206},
    acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true,
    setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false,
    chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/
    Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal,
    strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false,
    proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session
    ID: 02ac4a8e3310049ff4ad8154076a8bd4 *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file')
    and @value = 'Log In to Sandbox'] | .//button[@value = 'Log In to Sandbox' or normalize-space(.) = 'Log In to Sandbox']}]

    ● org.openqa.selenium.NoSuchWindowException: no such window: window was already closed

    ● (Session info: chrome=84.0.4147.89)

    ● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS
    X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

    ● Command duration or timeout: 35 milliseconds

    ● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

    ● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version:
    '10.13.6', java.version: '1.8.0_221'

    ● Driver info: org.openqa.selenium.chrome.ChromeDriver

    ● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false,
    platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false,
    webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true,
    unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false,
    chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/
    Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal,
    strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false,
    proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

    ● Session ID: 02ac4a8e3310049ff4ad8154076a8bd4

    ● *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Log In to Sandbox'] | .//
    button[@value = 'Log In to Sandbox' or normalize-space(.) = 'Log In to Sandbox']}

    ● at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

    ● at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

    ● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

    ● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

    ● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

    ● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

    ● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

    ● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)

    ● at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)

    ● at org.openqa.selenium.By$ByXPath.findElement(By.java:361)

    ● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)

● at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:109)

● at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

● at com.sun.proxy.$Proxy80.getText(Unknown Source)

● at com.provar.core.testapi.ProvarSeleniumDriver.toString(ProvarSeleniumDriver.java:2750)

● at com.provar.core.testapi.ProvarSeleniumDriver$ClickerThread.run(ProvarSeleniumDriver.java:1637)

● Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 02ac4a8e3310049ff4ad8154076a8bd4]

⚠ Click the Leads

⊙ 13:54:19(00:13.416)

● One or more Sub-Test Steps failed.

● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 02ac4a8e3310049ff4ad8154076a8bd4]

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● from unknown error: web view not found

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 3 milliseconds

● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.13.6', java.version: '1.8.0_221'

● Driver info: org.openqa.selenium.chrome.ChromeDriver

● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52206}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/ Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

● Session ID: 02ac4a8e3310049ff4ad8154076a8bd4

● at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

● at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)

- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)

- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)

- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)

- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:591)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

⚠ On SF Lead Home screen   ⓘ 13:54:19(00:13.453)

⚠ On SF Lead Record Type selection screen   ⓘ 13:54:19(00:13.453)

⚠ On SF Lead (Meraki Lead) New screen   ⓘ 13:54:19(00:13.453)