

# Test Run Report




## Test Run Overview

Started 24 Jul 2020, 14:24:06  
Ended 24 Jul 2020, 14:24:17  
Duration (mm:ss) 00:10.895

## Test Results Summary

Passed 0  
Failed 1  
Skipped 0



## Test Case Summary

tests  
Automationregressiontests  
CreateLead.testcase

● failed  
● failed  
● failed

● Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: window was already closed (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 52 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbbed2511d2fa4d8 \*\*\* Element info: {Using=xpath, value=//\*[@id = //label[normalize-space(text()) = 'Username' or normalize-space(.) = 'Username']/@for]}}

● org.openqa.selenium.NoSuchWindowException: no such window: window was already closed

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 52 milliseconds

● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'

● Driver info: org.openqa.selenium.chrome.ChromeDriver

- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#416)}, userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: 9019c18b46415be07bbed2511d2fa4d8
- \*\*\* Element info: {Using=xpath, value=//\*[@id = //label[normalize-space(text()) = 'Username' or normalize-space(.) = 'Username']]@for}}
- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)
- at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)
- at org.openqa.selenium.By\$ByXPath.findElement(By.java:361)
- at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)
- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:109)
- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
- at com.sun.proxy.\$Proxy80.getCoordinates(Unknown Source)
- at org.openqa.selenium.interactions.internal.KeysRelatedAction.focusOnElement(KeysRelatedAction.java:50)
- at org.openqa.selenium.interactions.SendKeysAction.perform(SendKeysAction.java:51)
- at org.openqa.selenium.interactions.CompositeAction.perform(CompositeAction.java:36)
- at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:634)
- at org.openqa.selenium.interactions.Actions.perform(Actions.java:593)
- at com.provar.core.testapi.ProvarSeleniumDriver.doSetInteraction(ProvarSeleniumDriver.java:1310)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performSetInteraction(SeleniumUiHandler.java:2835)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2192)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4707)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1978)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4671)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:398)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:167)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

- Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbed2511d2fa4d8]
- One or more Sub-Test Steps failed.
- org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
- Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbed2511d2fa4d8]
- from unknown error: web view not found
- (Session info: chrome=84.0.4147.89)
- (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)
- Command duration or timeout: 3 milliseconds
- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
- Driver info: org.openqa.selenium.chrome.ChromeDriver
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: 9019c18b46415be07bbed2511d2fa4d8
- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)
- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)
- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

## Output

- **Salesforce Connect: Provarauto (Test)** ⌚ 14:24:06(00:00.012)  
Salesforce connection opened successfully. Connection name: Provarauto, ResultName: Provarauto, resultScope: Test
- **On PricebookSelectNew page** ⌚ 14:24:08(00:02.183)
  - **Set the Username to smita.scindia@meraki.net.provarauto** ⌚ 14:24:15(00:09.587)
    - Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: window was already closed (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@/#416)),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 52 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@/#416)), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbcd2511d2fa4d8 \*\*\* Element info: {Using=xpath, value=//\*[@id = //label[normalize-space(text()) = 'Username' or normalize-space(.) = 'Username']/@for]]
    - org.openqa.selenium.NoSuchWindowException: no such window: window was already closed
    - (Session info: chrome=84.0.4147.89)
    - (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@/#416)),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)
    - Command duration or timeout: 52 milliseconds
    - Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
    - System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
    - Driver info: org.openqa.selenium.chrome.ChromeDriver
    - Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@/#416)), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
    - Session ID: 9019c18b46415be07bbcd2511d2fa4d8
    - \*\*\* Element info: {Using=xpath, value=//\*[@id = //label[normalize-space(text()) = 'Username' or normalize-space(.) = 'Username']/@for]]
    - at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    - at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    - at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    - at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
    - at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
    - at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
    - at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
    - at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)
    - at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)
    - at org.openqa.selenium.By\$ByXPath.findElement(By.java:361)
    - at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)
    - at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:109)
    - at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    - at com.sun.proxy.\$Proxy80.getCoordinates(Unknown Source)

- at org.openqa.selenium.interactions.internal.KeysRelatedAction.focusOnElement(KeysRelatedAction.java:50)
- at org.openqa.selenium.interactions.SendKeysAction.perform(SendKeysAction.java:51)
- at org.openqa.selenium.interactions.CompositeAction.perform(CompositeAction.java:36)
- at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:634)
- at org.openqa.selenium.interactions.Actions.perform(Actions.java:593)
- at com.provar.core.testapi.ProvarSeleniumDriver.doSetInteraction(ProvarSeleniumDriver.java:1310)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performSetInteraction(SeleniumUiHandler.java:2835)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2192)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4707)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1978)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4671)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:398)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:167)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

● Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbcd2511d2fa4d8]

- ⚠ Set the Password to Salesforce\$7 14:24:16(00:10.733)
- ⚠ Click the Log In To Sandbox 14:24:16(00:10.733)
- ⚠ Click the Leads 14:24:16(00:10.733)

● One or more Sub-Test Steps failed.

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false,

databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 9019c18b46415be07bbd2511d2fa4d8]

- from unknown error: web view not found
- (Session info: chrome=84.0.4147.89)
- (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)
- Command duration or timeout: 3 milliseconds
- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
- Driver info: org.openqa.selenium.chrome.ChromeDriver
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52755}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: 9019c18b46415be07bbd2511d2fa4d8
- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)
- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)
- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

🚨 On SF Lead Home screen

🕒 14:24:16(00:10.768)

🚨 On SF Lead Record Type selection screen

🕒 14:24:16(00:10.768)

🚨 On SF Lead (Meraki Lead) New screen

🕒 14:24:16(00:10.768)