

# Test Run Report




## Test Run Overview

Started 24 Jul 2020, 14:49:06  
Ended 24 Jul 2020, 14:49:19  
Duration (mm:ss) 00:12.353

## Test Results Summary

Passed 0  
Failed 1  
Skipped 0



## Test Case Summary

### tests

#### Automationregressiontests

##### CreateLead.testcase

● failed  
● failed  
● failed

● Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● from unknown error: web view not found

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)

● Command duration or timeout: 3 milliseconds

● Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'

● System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'

● Driver info: org.openqa.selenium.chrome.ChromeDriver

● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0), hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#{416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0), takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

● Session ID: b77be31ebdbc8a610da5c1144d7fd638

● at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

● at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)

● at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)

● at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)

● at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1808)

● at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4671)

● at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:398)

● at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)

● at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

● at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)

● at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:167)

● at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

● at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

● at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

● at java.lang.reflect.Method.invoke(Method.java:498)

● at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)

● at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

● Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#{416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 4 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0), hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#{416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0), takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

● Failed to open the Page Object's Web Page. Page Object: pageobjects.PricebookSelectNew, Web Page: null, Cause: [NoSuchWindowException: no such window: window was already closed (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#{416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 7 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0), hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@#{416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0), takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89,

browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

- One or more Sub-Test Steps failed.
- org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
- Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]
- from unknown error: web view not found
- (Session info: chrome=84.0.4147.89)
- (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)
- Command duration or timeout: 3 milliseconds
- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
- Driver info: org.openqa.selenium.chrome.ChromeDriver
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: b77be31ebdbc8a610da5c1144d7fd638
- at sun.reflect.GeneratedConstructorAccessor56.newInstance(Unknown Source)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)
- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)
- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

## Output

### ● Salesforce Connect: Provarauto (Test)

14:49:06(00:00.012)

Salesforce connection opened successfully. Connection name: Provarauto, ResultName: Provarauto, resultScope: Test

### ● On PricebookSelectNew page

14:49:08(00:02.144)

● Failed to open the Page Object's Web Page. Page Object: pageobjects.PricebookSelectNew, Web Page: null, Cause: [NoSuchWindowException: no such window: window was already closed (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 7 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

### ● Set the Username to smita.scindia@meraki.net.provarauto

14:49:17(00:11.269)

- Error doing interaction. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]
- org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
- from unknown error: web view not found
- (Session info: chrome=84.0.4147.89)
- (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)
- Command duration or timeout: 3 milliseconds
- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
- Driver info: org.openqa.selenium.chrome.ChromeDriver
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d84400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: b77be31ebdbc8a610da5c1144d7fd638
- at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
- at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)
- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)
- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1808)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4671)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:398)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:167)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at  
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access  
\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

● Error capturing error screenshots. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 4 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

- 🚩 Set the Password to Salesforce\$7 14:49:18(00:12.216)
- 🚩 Click the Log In To Sandbox 14:49:18(00:12.216)
- 🚩 Click the Leads 14:49:18(00:12.216)

● One or more Sub-Test Steps failed.

● org.openqa.selenium.NoSuchWindowException: no such window: target window already closed

● Error opening Salesforce UI Connection. Connection Name: Provarauto, cause: [NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=84.0.4147.89) (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 3 milliseconds Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/.provarCaches/.chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b77be31ebdbc8a610da5c1144d7fd638]

● from unknown error: web view not found

● (Session info: chrome=84.0.4147.89)

● (Driver info: chromedriver=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}),platform=Mac OS X 10.13.6 x86\_64) (WARNING: The server did not provide any stacktrace information)

- Command duration or timeout: 3 milliseconds
- Build info: version: '3.4.0', revision: 'unknown', time: 'unknown'
- System info: host: 'SSCINDIA-M-73NX', ip: '2601:644:8502:ace0:0:0:0:2804%en0', os.name: 'Mac OS X', os.arch: 'x86\_64', os.version: '10.13.6', java.version: '1.8.0\_221'
- Driver info: org.openqa.selenium.chrome.ChromeDriver
- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=MAC, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53439}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=83.0.4103.39 (ccbf011cb2d2b19b506d844400483861342c20cd-refs/branch-heads/4103@{#416}), userDataDir=/Users/smita.scindia/Provar/Workspace2/provarCaches/chromeProfiles/profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=84.0.4147.89, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]
- Session ID: b77be31ebdbc8a610da5c1144d7fd638
- at sun.reflect.GeneratedConstructorAccessor56.newInstance(Unknown Source)
- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)
- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)
- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:694)
- at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:554)
- at com.provar.core.testapi.ProvarSeleniumDriver.switchToCurrentFrame(ProvarSeleniumDriver.java:1979)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:3617)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:374)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:366)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:848)
- at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:243)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:752)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:650)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$11(LocalTestExecutionContainerRunner.java:591)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1242)

🚨 On SF Lead Home screen	🕒 14:49:18(00:12.249)
🚨 On SF Lead Record Type selection screen	🕒 14:49:18(00:12.249)
🚨 On SF Lead (Meraki Lead) New screen	🕒 14:49:18(00:12.249)