

DSE ERP Excel Studio

Manual Mapping & Default Activation Guide - Version 10.0.25

Sales Invoice - Mapping Guide

Sales Invoice v1 Cell: A1

Back

Save

Save & Make Default

Undo

Redo

Worksheet

Sales Invoice

Cheat

Range

A1

Merge & Center

Not merged

Copy

Paste

Preview Sales Invoice

No live Sales Invoice re...

Reload

Preview Data

Download Template

Excel Mapping Guide PDF

Calibri

11

Bold

Italic

Underline

Left

Center

Right

Wrap

General

Font

Black Fill

No Fill

Border

None

Copy Format

Paste Format

Structure

Insert Row

Insert Column

Row

Column

Eraser

A1

{{company.Logo}}

Apply

ERP Field Palette

Search fields, images...

32 / 123 ERP fields mapped • Item block: OK

Company • Company Name ✓ Sales Invoice

Company • Company Address ✓ Sales Invo

Company • Company GSTIN ✓ Sales Invoic

Company • Company Phone ✓ Sales Invoic

Company • Company Email ✓ Sales Invoice

Company • Alternate Email ○ Not mapped

Company • Certification / ISO Text ○ Not m

Insert Selected Field

Fields show ✓ with mapped cell addresses or ○ when ...

Repeating Rows

Insert Full Item Row

Insert Charge Row

Use one {{item.*}} or {{charge.*}} template row; generated ...

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	{{company.Logo}}	{{company.name}}											
2		{{company.address}}											
3		GSTIN: {{company.gstin}} • {{company.phone}} • {{company.email}}											
4													
5		Sales Invoice No. {{sales.number}}					Date	{{sales.date}}					
6		Party {{customer.name}}					GSTIN	{{customer.gstin}}					
7		Address {{customer.address}}											
8													
9	#	Item / Description	HSN	Qty	Unit	Rate	GST %	Amount					
10	{{item.serial#}}	{{item.descriptionWithRemarks}}	{{item.hsn}}	{{item.quantity}}	{{item.unit}}	{{item.rate}}	{{item.gstPerc}}	{{item.taxable}}					
11													
12							{{charge.type}}	{{charge.gstPerc}} {{charge.total}}					
13													
14							Subtotal	{{totals.subtotal}}					
15							Additional Charges	{{totals.chargesAmo}}					
16							Gross Total Before	{{totals.grossBefore}}					
17							CGST	{{totals.cgstAmount}}					
18							SGST	{{totals.sgstAmount}}					
19							IGST	{{totals.igstAmount}}					
20							Round Off	{{totals.roundOff}}					
21							Gross Total	{{totals.grossTotal}}					
22													
23		Amount in word {{totals.amountInWords}}											
24													

Use this guide beside Excel Studio while creating or mapping an ERP workbook. It is written for users who do not need to know the internal code or formula engine.

The guide is built into Excel Studio. Click **Excel Mapping Guide PDF** to save/open the latest copy from the application.

1. What Excel Studio does

Excel Studio lets you use an .xlsx workbook as the visual template for an ERP document. The workbook keeps its own cell layout, formatting, merged cells, formulas, widths and heights. ERP values are inserted through mapping tokens such as `{{sales.number}}` or `{{item.quantity}}`.


The three mapping patterns

Pattern	How to use it
Single-value field	One ERP value goes into one selected cell, for example Sales Invoice No., Customer Name, GSTIN or Grand Total.
Repeating Item row	One mapped template row is repeated for every ERP item. Do not create one template row per ERP item.
Repeating Charge row	One mapped charge row is repeated for Freight, Packing or other invoice-level charges that exist on the record.

Safety rule


Save stores your workbook. Save & Make Default runs certification first. A broken or incomplete workbook cannot silently become the active Excel template.

2. Excel Studio screen - where to work



Control	Purpose
Preview Record	Choose a real ERP record for preview/default validation.
Preview Data	Generates a temporary workbook with the selected ERP record.
Download Template	Exports the current workbook as .xlsx.
Excel Mapping Guide PDF	Downloads/opens this guide.
Range / formula bar	Select a cell/range and edit a token, value or Excel formula.
Formatting tools	Font, size, alignment, wrap, fill, border, number format, row/column size.

3. ERP Field Palette



The left palette shows every ERP field allowed for the selected document type. A check mark means the field is already mapped and the cell address is shown. A circle means it is not mapped.

To map a normal field

- Click the target cell in the workbook.
- Search or select the ERP field in the palette.
- Click **Insert Selected Field** or drag the ERP field onto the cell.
- The cell receives the token. Save when your logical section is complete.

Do not type an approximate field name yourself when the palette already contains the field. Inserting from the palette prevents spelling mistakes and unsupported tokens.

4. Standard Sales template - header fields

For the standard Sales Invoice starter workbook, map/retain these main values:

Workbook meaning	ERP token
Sales Invoice No.	{{sales.number}}
Sales Invoice Date	{{sales.date}}
Customer Name	{{customer.name}}
Customer GSTIN	{{customer.gstin}}
Customer Address	{{customer.address}}
Company Name	{{company.name}}
Company Address	{{company.address}}
Company GSTIN	{{company.gstin}}
Company Phone	{{company.phone}}
Company Email	{{company.email}}
Company Logo	{{company.logo}}
Company Signature	{{company.signature}}

Minimum Sales default certification requires the Sales number, Sales date and Customer name, plus a complete repeating Items block. Your business template will normally map more than this minimum.

5. Address and other multi-line values

Excel Studio does not select multiple printed PDF lines because this is a workbook. You map the address into a **single cell or merged range** and let Excel formatting control how it displays.

Recommended address workflow

- Select the address cell or merged range.
- Insert **Customer Address** -> {{customer.address}}.
- Turn **Wrap** on.
- Increase the row height or use **AutoFit Row**.
- If you need more horizontal space, merge the address cells first, then insert the address field.

Do not split one ERP address into many hard-coded cells unless your workbook intentionally has separate address fields. One mapped address token can contain line breaks and will wrap inside the selected area.

6. Item table - the most important rule

	A	B	C	D	E	F	G	H
1	{{company.logo}}	{{company.name}}						
2		{{company.address}}						
3		GSTIN: {{company.gstin}} • {{company.phone}} • {{company.email}}						
4								
5	Sales Invoice No	{{sales.number}}			Date	{{sales.date}}		
6	Party	{{customer.name}}			GSTIN	{{customer.gstin}}		
7	Address	{{customer.address}}						
8								
9	#	Item / Description	HSN	Qty	Unit	Rate	GST %	Amount
10	{{item.serial}}	{{item.descriptionWithRemarks}}	{{item.hsn}}	{{item.quantity}}	{{item.unit}}	{{item.rate}}	{{item.gstPercent}}	{{item.taxable}}
11								
12					{{charge.type}}		{{charge.gstPercent}}	{{charge.total}}
13								
14						Subtotal		{{totals.subtotal}}

Map exactly one template row for line items. Excel Studio detects the contiguous row(s) containing item tokens and repeats that block for every ERP item.

Standard column	ERP token
# / Serial	{{item.serial}}
Item / Description	{{item.descriptionWithRemarks}}
HSN	{{item.hsn}}
Qty	{{item.quantity}}
Unit	{{item.unit}}
Rate	{{item.rate}}
GST %	{{item.gstPercent}}
Amount	{{item.taxable}}

Fast path: click the intended starting row and use Insert Full Item Row. Then adjust positions/formatting to match your workbook.

7. Multi-row item blocks

An item can occupy more than one workbook row. Excel Studio repeats a contiguous multi-row block as one unit.

Example

```
{{item.descriptionWithRemarks}} (merged across A:C)  
{{item.quantity}} {{item.rate}} =A12*B12
```

If both rows contain item tokens and are contiguous, they form one item block. When the second ERP item is rendered, both rows are copied together and relative formulas move like normal Excel formulas.

Avoid

- Do not put an unrelated spacer row between parts of one item block.
- Do not create separate item areas far apart and expect Excel Studio to combine them.
- Do not place a scalar item token outside the repeating item block.

8. Charges - Freight, Packing and other invoice charges

For Sales Invoice, Purchase Invoice and Purchase Order, Excel Studio supports a repeating charge row.

Meaning	Token
Charge name	{{charge.type}}
Charge GST %	{{charge.gstPercent}}
Charge total	{{charge.total}}

Use **Insert Charge Row** to create a safe starting row. It repeats only for charges present on the ERP record. An invoice with no charges does not need manually manufactured blank charge rows.

Charges and item rows are separate repeaters. Do not mix {{charge.*}} tokens into the item template row.

9. Formulas and relative references

You may keep normal Excel formulas inside a repeating item block. When rows repeat, relative formulas shift the same way Excel copy/paste shifts them.

Template item row

Qty in D11, Rate in E11, formula in F11: =D11*E11

Second generated item

Excel Studio copies the row and adjusts the formula to: =D12*E12

Use fixed references (\$A\$1) only when you deliberately need a value to remain anchored. Preserve formula cells instead of replacing every calculated cell with an ERP token.

— — — — —

CT/CCCT-1000

11. Formatting, merge, wrap and dimensions

Mapping does not require you to give up the workbook design. Format the workbook exactly as the business needs.

Tool	Use
Merge & Center / Merge Cells	Create wider title, address or signature areas.
Wrap	Allow long description/address/terms text to display on multiple lines.
AutoFit Row / Column	Resize from current cell content.
Row Height / Column Width	Set deliberate dimensions when AutoFit is not appropriate.
Number Format	Use General, number, currency, percent or date formats.
Borders / Fill / Font	Preserve the template visual identity.
Copy Format / Paste Format	Reuse styling without replacing mapped tokens.

Formatting changes are part of the workbook template; ERP data fills the mapped cells at render time.

12. Preview with a real ERP record

Before Default activation, always preview with real data.

Recommended preview matrix

- One-item invoice - verify header, customer, tax and totals.
- Many-item invoice - verify repeating rows and rows below the item block move correctly.
- GST invoice - verify CGST/SGST.
- IGST invoice - verify IGST.
- Invoice with charges - verify Freight/Packing repeat correctly.
- Long description/address - verify Wrap and row heights.

Click Preview Data. Excel Studio renders a temporary workbook; this preview does not activate the template.

13. Save versus Save & Make Default

Action	What happens
Save	Writes the edited workbook and keeps history. It does not automatically make this workbook the runtime default.
Save & Make Default	Runs Excel default certification, renders a validation workbook using a real ERP record, checks unresolved/unsupported tokens and verifies the source workbook was not mutated. Only then is the template activated.

If certification fails, the built-in Excel output remains active. Correct the mapping and preview again instead of forcing activation.

14. What Default certification checks

- The document type is eligible for automatic Excel output.
- Required fields for that document type are present.
- Line-item documents contain a complete repeating Items block.
- Every {{...}} token is a supported ERP field.
- Rendered output contains no unresolved ERP tokens.
- The workbook can be reopened after rendering.
- Activation does not mutate the saved token workbook.

For Sales Invoice the minimum required identities are {{sales.number}}, {{sales.date}} and {{customer.name}}, plus a complete Items block.

15. Common problems and fixes

Problem	Correction
Field shows "Not mapped"	Select the target cell and insert the field from ERP Field Palette.
Unsupported ERP field	Remove/re-map a manually typed token that is not in the palette.
Incomplete Items block	Use Insert Full Item Row or ensure required item identity/quantity/value fields are in one contiguous repeating block.
Items overwrite totals	Keep totals below the repeating block; the renderer shifts rows below as the item block expands.
Long text is cut off	Turn Wrap on and use a suitable row height/AutoFit.
Formula points to wrong row	Check whether the formula should be relative or absolute.
Default activation blocked	Select/reload a real Preview Record, correct missing tokens, Save, Preview Data, then retry Save & Make Default.

16. Printable final checklist

Before you make an Excel Studio template Default, confirm all of the following:

Done	Check
☐	Correct document type selected
☐	Sales/Purchase/other document number mapped
☐	Date mapped
☐	Customer/Supplier/Party name mapped
☐	Address and GSTIN mapped where required
☐	One complete contiguous Item block exists
☐	Charge row mapped if the workbook uses invoice-level charges
☐	Totals/tax cells mapped to intended fields
☐	Long fields use Wrap / suitable row height
☐	Formulas verified
☐	No unsupported manually typed {{...}} tokens
☐	One-item Preview Data checked
☐	Many-item Preview Data checked
☐	GST and/or IGST scenario checked
☐	Workbook saved
☐	Save & Make Default certification succeeds

If the generated workbook does not look correct, keep the template as a saved draft and correct it. Do not make it Default just because the required minimum is technically present.

17. One-minute workflow reference

1. Open or import the Excel template.
2. Select a real Preview Record.
3. Click a target cell.
4. Select the ERP field in the left palette.
5. Insert/drag the field.
6. Map one Item block, not many item rows.
7. Add one Charge row if required.
8. Keep formulas and formatting where appropriate.
9. Preview Data with single and multi-item records.
10. Save.
11. Only after preview is correct, use Save & Make Default.

Built-in help access

Excel Studio toolbar -> **Excel Mapping Guide PDF** -> the guide is saved to Downloads (or the ERP Documents fallback folder) and opened when the operating system supports opening PDFs.

Version 10.0.25