


A


Contact map · 5 models · sum of binarized contacts
115 residues · 285 contacts in ≥2 models
Chain B
Chain A
High
Medium
Low
Fraction of models in contact


B


Complex stability
model
Fraction buried
0.13
0.12
0.11
0.10
0.09
1800
2000
2200
2400
2600
dASA (Å²)


C


Burial vs occupancy · 5 models
115 residues · 285 contacts in ≥2 models
H-bond
Salt bridge
Hydrophobic
Mean relative dSASA
Contact occupancy (≤8 Å)
A949 LYS
A952 ALA
A944 TYR
B193 GLU
B190 ASP
A946 LYS
A950 LYS
A951 LEU
B235 ARG
B191 TYR
Models
2/5
4/5
5/5

D


Residue occupancy · 5 models
115 residues · 285 contacts in ≥2 models
H-bond
Salt bridge
Hydrophobic
Contact
A949 LYS 100% 100% · 100%
A952 ALA 100% · · 100%
A944 TYR 100% · 100% 100%
A946 LYS 100% · · 100%
A950 LYS 100% 100% · 100%
A951 LEU 100% · 100% 100%
A945 LYS 100% 20% · 100%
A948 GLN · · · 100%
B193 GLU 100% 100% · 100%
B190 ASP 20% 100% · 100%
B235 ARG 100% · · 100%
B191 TYR 100% · 100% 100%
B237 PHE 60% · 100% 100%
B153 GLU 100% 100% · 100%
B194 ASN 60% · · 100%
B208 ALA 100% · · 100%

E


Residue-pair occupancy · 5 models · 1/2
115 residues · 285 contacts in ≥2 models
A924 ARG – B193 GLU
A947 ARG – B190 ASP
A947 ARG – B153 GLU
A949 LYS – B153 GLU
A949 LYS – B142 ASP
A950 LYS – B190 ASP
100%
0.00
0.25
0.50
0.75
1.00
Contact occupancy (≤8 Å)
H-bond
Salt bridge
Hydrophobic
Contact ≤8 Å

Residue-pair occupancy · 5 models · 2/2
115 residues · 285 contacts in ≥2 models
A944 TYR – B152 PHE
A951 LEU – B278 PHE
A945 LYS – B190 ASP
A950 LYS – B189 ASP
A944 TYR – B191 TYR
A945 LYS – B191 TYR
100%
0.00
0.25
0.50
0.75
1.00
Contact occupancy (≤8 Å)