A

Contact map · 11 models · sum of binarized contacts
152 residues · 318 contacts in ≥2 models



B

Complex stability



C

Burial vs occupancy · 11 models
152 residues · 318 contacts in ≥2 models



E

Residue-pair occupancy · 11 models · 1/2
152 residues · 318 contacts in ≥2 models

Residue-pair occupancy · 11 models · 2/2
152 residues · 318 contacts in ≥2 models



D

Residue occupancy · 11 models
152 residues · 318 contacts in ≥2 models



	H-bond	Salt bridge	Hydrophobic	Contact
A194 HIS	73%	·	·	100%
A344 ASP	64%	·	·	100%
A348 GLU	36%	9%	·	100%
A191 TRP	9%	·	18%	100%
A200 ASP	82%	18%	·	91%
A138 TYR	64%	·	55%	91%
A195 LEU	55%	·	·	91%
A142 GLN	55%	·	·	91%
A197 GLY	36%	·	·	91%
A337 ASN	27%	·	·	91%
A196 SER	9%	·	·	91%
A201 LEU	9%	·	18%	91%
A352 ASN	9%	·	·	91%
A134 SER	9%	·	·	91%
A203 LEU	·	·	·	91%
A341 PHE	·	·	·	91%
A199 ASP	9%	9%	·	91%
A204 PHE	45%	·	36%	82%
A127 GLU	36%	18%	·	82%
A340 LEU	18%	·	9%	82%
A343 ARG	45%	9%	·	82%
A351 GLU	9%	·	·	82%
A193 ILE	·	·	·	82%
A198 LEU	·	·	·	82%
A135 GLU	9%	9%	·	73%
A141 LEU	18%	·	9%	73%
A139 GLU	18%	9%	·	73%
A345 PHE	·	·	·	73%
A347 SER	27%	·	·	64%
A131 GLY	9%	·	·	64%
B787 PRO	36%	·	36%	64%
B783 ASN	36%	·	·	64%
B780 THR	36%	·	·	64%
B784 GLN	18%	·	·	64%
B679 GLN	9%	·	·	64%
B683 LEU	9%	·	·	64%
B785 LEU	·	·	·	64%
B791 ASN	27%	·	·	55%
B788 GLY	27%	·	·	55%
B773 GLN	18%	·	·	55%
B779 GLN	·	·	·	55%
B686 GLU	9%	9%	·	55%
B781 VAL	·	·	·	55%
B786 PHE	·	·	·	55%
B789 TYR	·	·	·	55%
B776 GLN	36%	·	·	45%
B677 THR	18%	·	·	45%
B678 ALA	9%	·	·	45%
B790 GLY	9%	·	·	45%
B732 PHE	9%	·	·	45%
B680 GLN	·	·	·	45%
B777 PRO	·	·	·	45%
B782 LEU	·	·	·	45%
B708 GLY	36%	·	·	36%
B709 SER	27%	·	·	36%
B792 GLY	18%	·	·	36%
B688 LYS	·	·	·	36%
B712 GLN	27%	·	·	36%
B774 VAL	18%	·	18%	36%
B711 PHE	36%	·	·	36%