



Form1

Listbox 1 içindeki il seçildiğinde o ile ait ilçeler listBox2 ye gelecek

Amasya  
Samsun  
İstanbul

listBox2

Gönder


```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace WindowsFormsApp31
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        private void listBox1_SelectedIndexChanged(object sender, EventArgs e)
        {
            if(listBox1.Text=="Amasya")
            {
```

```
        listBox2.Items.Clear();
        listBox2.Items.Add("Merzifon");
        listBox2.Items.Add("Suluova");
        listBox2.Items.Add("Taşova");
    }
    if(listBox1.SelectedIndex==1)
    {
        listBox2.Items.Clear();
        listBox2.Items.Add("Atakum");
        listBox2.Items.Add("Bafra");
        listBox2.Items.Add("Çarşamba");
        listBox2.Items.Add("Vezirköprü");
    }
    if( listBox1.SelectedIndex==2)
    {
        listBox2.Items.Clear();
        listBox2.Items.Add("Kadıköy");
        listBox2.Items.Add("Beşiktaş");
        listBox2.Items.Add("Levent");

    }
}


private void button1_Click(object sender, EventArgs e)
{
    if (listBox1.SelectedIndex < 0 || listBox2.SelectedIndex < 0)
        MessageBox.Show("seçim yapınız");
    else
        MessageBox.Show(listBox1.Text+" "+listBox2.Text);
}
}
```

---



```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace WindowsFormsApp32
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        private void button1_Click(object sender, EventArgs e)
        {
            ///FORM2 GÖNDER
            Form2 form2 = new Form2();
            form2.Text="Form2";
            form2.textBox1.Text = textBox1.Text;
            form2.Show();
        }
    }
}
```

```
}  
}
```



//textbox modifiers özelliği "public" olmalı

```
using System;  
using System.Collections.Generic;  
using System.ComponentModel;  
using System.Data;  
using System.Drawing;  
using System.Linq;  
using System.Text;  
using System.Threading.Tasks;  
using System.Windows.Forms;  
namespace WindowsFormsApp32  
{  
    public partial class Form2 : Form  
    {  
        public Form2()  
        {  
            InitializeComponent();  
        }  
        Form1 frm1; //FORM1 türünde frm değişkeni oluşturduk  
        private void button1_Click(object sender, EventArgs e)  
        {  
            //FORM1 GÖNDER  
            frm1 = (Form1)Application.OpenForms["Form1"]; //uygulamanın açık olan  
            formlarından form1'i frm değişkenine bağladık  
            frm1.textBox1.Text = textBox1.Text;  
        }  
    }  
}
```

```

        this.Close();
        frm1.Show();
    }
}
}

```

---

The screenshot shows a standard Windows Forms application window. The title bar reads 'Form1'. The form itself is titled 'Form1' in the center. It features two text input fields stacked vertically. The first field is preceded by the label 'Kullanıcı adı' and the second by 'Şifre'. Below these fields is a single button with the text 'Giriş'.

```


using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace WindowsFormsApp32
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        private void button1_Click(object sender, EventArgs e)
        {
            //Giriş


```

```

string kAd = textBox1.Text;
string sifre = textBox2.Text;
if(kAd=="admin" && sifre=="123")
{
    Form2 form2 = new Form2();
    form2.Text="Ana Sayfa";
    form2.textBox1.Text = kAd + " " + sifre;
    form2.Show();
    this.Hide();
}
else
{
    MessageBox.Show("Kullanıcı Adı veya Şifre Hatalı");
}
}
private void Form1_Load(object sender, EventArgs e)
{
    textBox2.PasswordChar= '*';
}
}
}

```





```
namespace WinFormsApp26
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        private void button1_Click(object sender, EventArgs e)
        {
            listView1.Activation = ItemActivation.OneClick;
            listView1.Columns.Add("Ad");
            listView1.Columns.Add("Soyad");
            listView1.Items.Add("Serkan");
            listView1.Items[0].SubItems.Add("Armutlu");
            listView1.Items.Add("Doğukan");
            listView1.Items[1].SubItems.Add("Korkmaz");
            listView1.View = View.Details;
        }
    }
}
```

---

The screenshot shows a Windows Form titled 'Form1'. Inside the form, there is a 'Listview' control at the top. Below the listview, there are three text boxes labeled 'Adı', 'Soyadı', and 'Telefonu'. At the bottom of the form, there are two buttons labeled 'Ekle' and 'Sil'.

```
namespace WinFormsApp26
```

```
{  
    public partial class Form1 : Form  
    {  
        public Form1()  
        {  
            InitializeComponent();  
        }  
        private void button1_Click(object sender, EventArgs e)  
        {  
            //ekle  
            string[] satir = { textBox1.Text, textBox2.Text, textBox3.Text };  
            var row = new ListViewItem(satir);  
            listView1.Items.Add(row);  
        }  
        private void Form1_Load(object sender, EventArgs e)  
        {  
            listView1.View = View.Details;  
            listView1.Columns.Add("Ad", 100);  
            listView1.Columns.Add("Soyad", 100);  
            listView1.Columns.Add("Telefon", 100);  
            listView1.FullRowSelect = true;  
        }  
    }  
}
```



```

        listView1.GridLines = true;
    }
    private void button2_Click(object sender, EventArgs e)
    {
        //sil
        if(listView1.SelectedItems.Count>0)
            listView1.Items.Remove(listView1.SelectedItems[0]);
    }
}

```

---

The screenshot shows a Windows Forms application window titled "Form1". Inside the window, there is a "Listview" control at the top left. To its right is a button labeled "Gönder". Below the "Listview" and "Gönder" button, there are three text input fields stacked vertically, labeled "Adı", "Soyadı", and "Telefonu". At the bottom of the form, there are two buttons labeled "Ekle" and "Sil".

```


namespace WinFormsApp26
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        private void button1_Click(object sender, EventArgs e)
        {
            //ekle
            string[] satir = { textBox1.Text, textBox2.Text, textBox3.Text };
            var row = new ListViewItem(satir);

```

```

        listView1.Items.Add(row);
    }
    private void Form1_Load(object sender, EventArgs e)
    {
        listView1.View = View.Details;
        listView1.Columns.Add("Ad", 100);
        listView1.Columns.Add("Soyad", 100);
        listView1.Columns.Add("Telefon", 100);
        listView1.FullRowSelect = true;
        listView1.GridLines = true;
    }
    private void button2_Click(object sender, EventArgs e)
    {
        //sil
        if (listView1.SelectedItems.Count > 0)
            listView1.Items.Remove(listView1.SelectedItems[0]);
    }
    string ad, soyad, telefon;
    private void button3_Click(object sender, EventArgs e)
    {
        //gönder
        if(ad!=null && soyad!=null && telefon!=null)
        {
            Form2 frm = new Form2(ad,soyad,telefon);
            frm.Show();
        }
    }
    private void listView1_SelectedIndexChanged(object sender, EventArgs e)
    {
        if(listView1.SelectedItems.Count>=0)
        {
            int secim = listView1.SelectedItems[0].Index;
            ad = listView1.Items[secim].SubItems[0].Text;
            soyad = listView1.Items[secim].SubItems[1].Text;
            telefon = listView1.Items[secim].SubItems[2].Text;
        }
    }
}

```



```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
namespace WinFormsApp26
{
    public partial class Form2 : Form
    {
        string ad, soyad, telefon;
        public Form2(string gelenAd, string gelenSoyad, string gelenTelefon)
        {
            ad = gelenAd;
            soyad = gelenSoyad;
            telefon = gelenTelefon;
            InitializeComponent();
        }
        public Form2()
        {
            InitializeComponent();
        }
        private void Form2_Load(object sender, EventArgs e)
        {
            textBox1.Text = ad;
        }
    }
}
```

```
textBox2.Text = soyad;
```

```
textBox3.Text = telefon;
```

```
}
```

```
}
```

```
}
```