Your financial picture.
A coordinated next move.

Institution connections, account insights, subscription savings, debt and goal planning, agent workflows, scenario testing, security and mobile views in one reference.

47
product screens

24
task handoffs

12
calculator contracts

11
prototype journeys

Use the contents to find your task. Each task begins with its implementation handoff.

PDF pages are static. Use the linked Figma walkthrough for clickable journeys.

Open interactive walkthrough

Open editable Figma

Contents by task

Click a row to jump to that task. Backend and agent tasks document the screens they support.

FP-01	App scaffold and shared UI	3
FP-02	Login and email verification screens	6
FP-03	Institution catalog and simulated linking	10
FP-04	Overview transactions and cash calendar	18
FP-05	Subscription manager and offer comparison	25
FP-06	Debt goals assets and scenario UI	31
FP-07	Agent workspace and basic chatbot	45
FP-08	Frontend integration accessibility and demo polish	51
FP-09	Database adapter and validated seed	58
FP-10	Password email challenge and sessions	59
FP-11	Simulated institution connection backend	60
FP-12	Scoped finance read APIs and aggregates	61
FP-13	Calculation tool library	62
FP-14	Goals subscriptions plans and versioning APIs	63
FP-15	Agent run events chat routes and change trigger	64
FP-16	Backend security and integration verification	65
FP-17	Nemotron adapter and actual tool-call smoke test	66
FP-18	Bounded agent runtime integrity and cash agents	67
FP-19	Subscription and deal scout agents with source adapter	68
FP-20	Debt readiness and goal negotiation agents	69
FP-21	Stress-test specialist and comparisons	70
FP-22	Event-driven plan repair specialist	71
FP-23	Coordinator evidence gate and basic chat role	72
FP-24	Agent integration sponsor evidence and rehearsal	73
Calculator contracts	Calculator contracts - formulas, rounding and verified examples	74

FP-01 / FP-01 - Implementation handoff

Handoff | FP-01-handoff

FP-01 / App scaffold and shared UI

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Create Next.js TypeScript scaffold without overwriting planning files; add shared shell, navigation, cards, forms, tables and chart wrapper. Commit lockfile and dev/build/lint/test scripts.

Acceptance checks

01 App starts on localhost.

02 All navigation sections reachable.

03 Keyboard focus and mobile navigation work.

04 Build/lint pass.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1 hours
Depends on	None
Issue	#1

Supported product screens

Your financial command center

Shared interaction patterns

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-01 / Your financial command center

Screen | shell

FP-01 / Your financial command center

Design reference • Synthetic data • Shared UI primitives and route scaffolds

finpilot

- Financial command center
- Overview
- Institutions
- Accounts
- Transactions
- Cash & bills
- Subscriptions
- Debt & readiness
- Goals & plans
- Assets
- Agent workspace
- Scenario lab
- Settings

Personal workspace / Maya Chen

SIMULATED DATA

Your financial command center

A shared shell for every financial decision.

Open overview

Liquid cash

$5,400

Checking + savings

Debt

$17,600

Linked cards and loans

Net worth

$9,200

Assets - liabilities

Money pulse - next 30 days



Today 15 days 30 days

Illustrative forecast. Select a point to inspect that day.

Upcoming commitments

Date	Commitment	Amount
Nov 10	Planned card payment	$1,250
Nov 15	Expected paycheck	+$2,600

One clear next move

Findings turn account records into a decision you can inspect.

Explore your workspace

01 Connect institutions

02 Review financial picture

03 Compare a plan

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

A shared shell for every financial decision. • Primary action: Open overview. All displayed results are reference states, not live calculations.

FP-01 / Shared interaction patterns

Screen | components

Open editable Figma



FP-02 / FP-02 - Implementation handoff

Handoff | FP-02-handoff

FP-02 / Login and email verification screens

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement password login, pending email-code challenge, resend timer, errors and logout. Connect to B endpoints; no frontend auth bypass.

Acceptance checks

01 No financial page accessible before verification.

02 Wrong/expired codes show errors.

03 Logout returns to login.

04 Network failure is useful.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1.5 hours
Depends on	FP-01; FP-10 API contract
Issue	#2

Supported product screens

Welcome back

Check your email

That code has expired

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-02 / Welcome back

Screen | login


Open editable Figma



FP-02 / Check your email

Screen | verify


Open editable Figma



Open editable Figma

FP-02 / That code has expired

Screen | verify-error



FP-03 / FP-03 - Implementation handoff

Handoff | FP-03-handoff

FP-03 / Institution catalog and simulated linking

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Build category cards and provider grid; simulator warning, fake credentials form, consent, account selection, connected status, sync/ disconnect. Clear secrets from form memory after submit.

Acceptance checks

01 PNC/BoA/Chase discoverable by category.

02 Link only selected accounts.

03 Invalid fake login fails.

04 Reconnect does not duplicate.

05 Disconnect updates dashboard.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	2 hours
Depends on	FP-01; FP-11 API
Issue	#3

Supported product screens

Connect your financial picture

More financial institutions

Connect Chase

Choose the accounts to connect

Your accounts are connected

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-03 / Connect your financial picture


Screen | institutions



FP-03 / More financial institutions

Screen | provider-categories


Open editable Figma



FP-03 / Connect Chase

Screen | link-login


Open editable Figma



Open editable Figma

FP-03 / Choose the accounts to connect


Screen | consent



Open editable Figma

FP-03 / Your accounts are connected

Screen | connected



Open editable Figma

FP-03 / Bringing your records together

Screen | syncing

FP-03 / Bringing your records together

Design reference • Synthetic data • Validated result and recovery states

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

Bringing your records together

A truthful connection progress state with safe retry.

View completion reference

Selected accounts

2

Read-only consent

Status

Syncing

Actual server status

Data scope

30 months

Simulated history

Sync progress

Step	State
Validate ownership	Completed
Read selected account balances	Completed
Load transaction history	In progress
Reconcile snapshot	Queued

Progress policy

Progress comes from real server events. Do not animate a fabricated 100% success. Repeated sync must not duplicate records.

If partially complete

Show which accounts imported and which need retry. Preserve valid records.

Cancel / retry

Define server behavior before exposing a cancel control.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

A truthful connection progress state with safe retry. • Primary action: View completion reference. All displayed results are reference states, not live calculations.

Open editable Figma

FP-03 / The connection needs another try

Screen | connection-error



FP-04 / FP-04 - Implementation handoff

Handoff | FP-04-handoff

FP-04 / Overview transactions and cash calendar

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Render liquid cash/debt/net worth, three explained indicators, forecast, bills and 30-month searchable/paginated history. Investments shown separately from liquid cash.

Acceptance checks

01 Filters and pagination work.

02 Transfer exclusions match tools.

03 Empty/disconnected state helpful.

04 Account evidence drawer opens scoped records.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1.5 hours
Depends on	FP-01; FP-12 API
Issue	#4

Supported product screens

A clearer next move starts here

Accounts with context

Every transaction, in its place

Transaction evidence

Your month, before it happens

The timing conflict, explained

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-04 / A clearer next move starts here

Screen | overview



FP-04 / Accounts with context

Screen | accounts

Open editable Figma

FP-04 / Accounts with context

Design reference • Synthetic data • Backend #12–#13 • Agents #18, #23

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

Accounts with context

Separate available cash, liabilities and restricted assets.

View checking history

Liquid cash

$5,400

Checking + savings

Debt

$17,600

Linked cards and loans

Net worth

$9,200

Assets - liabilities

Linked accounts

Institution / account	Type	Balance
Chase / 1000	Checking	$350
Chase / 1001	Savings	$5,050
Amex / 1002	Credit card owed	$3,600
Demo Auto / 1003	Loan owed	$14,000

Available cash policy

Brokerage, retirement and CD balances are excluded from spendable cash by default.

Account actions

Open history, inspect connection scope or manage sync.

Privacy

Only the last four identifier digits are shown.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

Separate available cash, liabilities and restricted assets. • Primary action: View checking history. All displayed results are reference states, not live calculations.

FP-04 / Every transaction, in its place

Screen | transactions


Open editable Figma



FP-04 / Transaction evidence

Screen | transaction-detail


Open editable Figma



Open editable Figma

FP-04 / Your month, before it happens


Screen | cash-calendar



Open editable Figma

FP-04 / The timing conflict, explained

Screen | cash-collision



FP-05 / FP-05 - Implementation handoff

Handoff | FP-05-handoff

FP-05 / Subscription manager and offer comparison

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Show recurring candidates, confidence, price changes, preference confirmation and comparable offers. Distinguish fixture/live, promotional/renewal prices, annual upfront charges and intention vs confirmed change.

Acceptance checks

01 User can confirm preferences and save proposed action.

02 Sample offer badge visible.

03 No fabricated unused claim.

04 No cancellation/purchase performed.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1.5 hours
Depends on	FP-01; FP-13; FP-19
Issue	#5

Supported product screens

Your recurring costs, made visible

Tell us what you want to keep

Compare the full cost

Is the annual option worth it?

Review your subscription action

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-05 / Your recurring costs, made visible


Screen | subscriptions



Open editable Figma

FP-05 / Tell us what you want to keep


Screen | subscription-preferences



FP-05 / Compare the full cost

Screen | offers


Open editable Figma



Open editable Figma

FP-05 / Is the annual option worth it?


Screen | offer-detail



Open editable Figma

FP-05 / Review your subscription action

Screen | subscription-confirm



FP-06 / FP-06 - Implementation handoff

Handoff | FP-06-handoff

FP-06 / Debt goals assets and scenario UI

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement debt table/payment comparisons, goal create/edit, savings/CD/IRA/brokerage snapshots and scenario form/results. Connect accepted plan and version conflicts.

Acceptance checks

01 Create goal changes API.

02 Compare plan and scenario.

03 CD maturity visible.

04 Unsupported credit score prediction absent.

05 Handle 409 stale acceptance.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1.5 hours
Depends on	FP-01; FP-13/14/20/21
Issue	#6

Supported product screens

Give every payment a purpose

Payoff calculator

Make the goal concrete

Your priorities, coordinated

Set a goal that fits your life

Choose your next move

Review before accepting

Assets, with their limitations

Rehearse the unexpected

This plan needs more breathing room

Your situation changed. Your plan can adapt.

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-06 / Give every payment a purpose

Screen | debt-planner

FP-06 / Give every payment a purpose

Design reference • Synthetic data • Backend #13–#15 • Agents #20–#22

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

Give every payment a purpose

Compare payoff choices while reserving bills and a cash cushion.

Open payoff calculator

Debt owed

$17,600

Linked obligations

Monthly minimums

$300

Required payments

Extra budget

$200

User-selected

Debt inventory

Debt	APR / balance	Minimum
Amex card	24.99% / $3,600	$100
Auto loan	6.50% / $14,000	$200

Payment strategy

Strategy

Highest APR first / smallest balance first

Extra monthly amount

$200

Minimum cash buffer

$1,000

Exact conventions

Debt simulations need a payment date, rate basis, minimum-payment rule and rounding policy.

Interest vs credit readiness

Do not promise a credit score change or loan approval.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

Compare payoff choices while reserving bills and a cash cushion. • Primary action: Open payoff calculator. All displayed results are reference states, not live calculations.

FP-06 / Payoff calculator

Screen | loan-calculator


Open editable Figma



Open editable Figma

FP-06 / Make the goal concrete


Screen | savings-calculator



Open editable Figma

FP-06 / Your priorities, coordinated

Screen | goals




INTERACTION CONTRACT

Your goals share the same available dollars. • Primary action: Create or edit goal. All displayed results are reference states, not live calculations.

Open editable Figma

FP-06 / Set a goal that fits your life

Screen | goal-editor



Open editable Figma

FP-06 / Choose your next move

Screen | plan-compare

FP-06 / Choose your next move

Design reference • Synthetic data • Backend #13–#15 • Agents #20–#22

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

Choose your next move

Three coherent allocations; the same monthly budget.

Stress-test balanced

Available budget

$1,400

After commitments

Cash floor

$1,000

Protected in each option

Decision

Yours

Explicit acceptance

Plan alternatives

Strategy	Extra debt / goal	Monthly total
Debt first	$600 / $800	$1,400
Balanced	$400 / $1,000	$1,400
Car first	$200 / $1,200	$1,400

Timelines and assumptions

Show calculated goal completion, payoff timing and interest by option; never invent dates.

Try the plan

Stress-test an unexpected expense before accepting.

What changes?

Selection changes a proposed allocation only, not bank transactions.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

Three coherent allocations; the same monthly budget. • Primary action: Stress-test balanced. All displayed results are reference states, not live calculations.

FP-06 / Review before accepting

Screen | accept-plan


Open editable Figma



FP-06 / Assets, with their limitations

Screen | assets


Open editable Figma



FP-06 / Rehearse the unexpected

Screen | scenario-lab

Open editable Figma



Open editable Figma

FP-06 / This plan needs more breathing room

Screen | stress-result

FP-06 / This plan needs more breathing room

Design reference • Synthetic data • Backend #13–#15 • Agents #20–#22

finpilot

- Financial command center
- Overview
- Institutions
- Accounts
- Transactions
- Cash & bills
- Subscriptions
- Debt & readiness
- Goals & plans
- Assets
- Agent workspace
- Scenario lab
- Settings

Personal workspace / Maya Chen

SIMULATED DATA

This plan needs more breathing room

Review revised proposal

The tested scenario breaches your chosen cash floor.

Baseline minimum	Stress minimum	Buffer gap
$1,200	$300	$700
No breach	After $900 expense	$1,000 floor - $300

Scenario comparison

Measure	Baseline	Stress
Minimum balance	$1,200	$300
Cash floor breached	No	Yes
Actual cash below zero	No	No
Plan replaced	No	No

Distinct conditions

A buffer breach is different from an overdraft. Show both clearly.

Next step

01 Review smaller optional allocations

02 Keep required payments

03 Recalculate the candidate

04 Accept only if desired

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot


INTERACTION CONTRACT

The tested scenario breaches your chosen cash floor. • Primary action: Review revised proposal. All displayed results are reference states, not live calculations.

Open editable Figma

FP-06 / Your situation changed. Your plan can adapt.

Screen | plan-repair



Open editable Figma

FP-06 / Your payoff result, line by line

Screen | loan-result

FP-06 / Your payoff result, line by line

Design reference • Synthetic data • Validated result and recovery states

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

Your payoff result, line by line

A cent-rounded schedule with an adjusted final payment.

Edit calculation

Regular payment

$304.22

35 regular payments

Final payment

$304.18

Month 36

Total interest

$951.88

Monthly rate / rounded schedule

First three installments

Month	Interest / principal	Remaining
1	$50.00 / $254.22	$9,745.78
2	$48.73 / $255.49	$9,490.29
3	$47.45 / $256.77	$9,233.52

Result conventions

$10,000 principal; 6% nominal annual interest rate; 36 end-of-month payments; no fees; interest rounded half-up to cents per period. Last payment clears the balance.

Compare an extra payment

A $100 monthly extra should shorten the schedule and reduce total interest. Recalculate through the same schedule engine.

Rate is not fee-inclusive APR

The rate used for interest accrual must be explicit. Do not substitute a fee-inclusive advertised APR without disclosure.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot

INTERACTION CONTRACT

A cent-rounded schedule with an adjusted final payment. • Primary action: Edit calculation. All displayed results are reference states, not live calculations.

Open editable Figma

FP-06 / A savings contribution you can verify

Screen | savings-result

FP-06 / A savings contribution you can verify

Design reference • Synthetic data • Validated result and recovery states

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

A savings contribution you can verify

Show what is required and whether the current budget supports it.

Save goal details

Monthly target

$466.67

Ceiling to the next cent

Already saved

$2,400

Confirmed funds

Goal target

$8,000

12 months / 0% yield

Contribution plan

Period	Contribution	Goal balance
Start	Already saved	$2,400.00
Months 1–11	$466.67 each	$7,533.37
Month 12	$466.63 final	$8,000.00

Formula and final adjustment

($8,000 - $2,400) / 12 = $466.666... . Round the recurring amount up; cap the final contribution to the remaining target. Positive yield uses effective monthly APY conversion.

Feasibility is separate

Compare the required contribution against unallocated monthly income. Show a shortfall if it does not fit.

Already funded

When current savings already covers the target, required contribution is $0.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.

View supporting evidence

Ask FinPilot

INTERACTION CONTRACT

Show what is required and whether the current budget supports it. • Primary action: Save goal details. All displayed results are reference states, not live calculations.

Open editable Figma

FP-07 / FP-07 - Implementation handoff

Handoff | FP-07-handoff

FP-07 / Agent workspace and basic chatbot

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Display nine agent roles, true run events/tool activity, findings and evidence; poll status. Add basic Nemotron chat side panel with request-checkup and explain-finding interactions.

Acceptance checks

01 No fake typing/agent completion.

02 Failures/skips/stale results labeled.

03 Chat response from real endpoint.

04 Evidence opens correctly.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	1.5 hours
Depends on	FP-01; FP-15/23
Issue	#7

Supported product screens

Your financial team is at work

A plan, backed by evidence

Why this finding exists

Ask about your next move

Some results are ready

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-07 / Your financial team is at work


Screen | agent-running



Open editable Figma

FP-07 / A plan, backed by evidence


Screen | agent-results



Open editable Figma

FP-07 / Why this finding exists


Screen | finding-evidence



Open editable Figma

FP-07 / Ask about your next move


Screen | chat



FP-07 / Some results are ready

Screen | agent-partial

Open editable Figma



FP-08 / FP-08 - Implementation handoff

Handoff | FP-08-handoff

FP-08 / Frontend integration accessibility and demo polish

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Integrate all pages with real APIs, remove unintended response fixtures, fix error/loading/empty states, verify keyboard/responsive UI and rehearse demo.

Acceptance checks

01 Two user journeys complete.

02 No cross-user cached UI.

03 Demo simulator labels clear.

04 No dead primary action.

05 Build passes.

06 Screenshots captured.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	A
Estimate	3.5 hours
Depends on	FP-02..07; B/C integration
Issue	#8

Supported product screens

Your workspace, your access

Disconnect Chase?

Start with your first connection

The same decisions, on a smaller screen

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.


Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-08 / Your workspace, your access


Screen | settings



FP-08 / Disconnect Chase?

Screen | disconnect


Open editable Figma



Open editable Figma

FP-08 / Start with your first connection

Screen | empty-state



Open editable Figma

FP-08 / The same decisions, on a smaller screen

Screen | responsive

FP-08 / The same decisions, on a smaller screen

Design reference • Synthetic data • Backend #10–#12 • Integration #16, #24

finpilot

Financial command center

Overview

Institutions

Accounts

Transactions

Cash & bills

Subscriptions

Debt & readiness

Goals & plans

Assets

Agent workspace

Scenario lab

Settings

Personal workspace / Maya Chen

SIMULATED DATA

The same decisions, on a smaller screen

Back to overview

Responsive behavior and accessibility are part of the product.

Responsive rules

Element	Mobile behavior
Navigation	Menu drawer / current section visible
Metrics	Stack in reading order
Transactions	Scroll usable table; preserve headers
Calculators	Inputs then results; sticky compare action
Chat	Separate drawer, not over key controls

Review checklist

390px mobile and 1440px desktop screenshots; 200% zoom; keyboard focus; accessible labels; reduced motion.

Feedback states

Loading / empty / validation error / provider failure / stale data / success.

Charts

Provide text summaries and tabular values alongside color-coded charts.

Decision controls

Inspect the source, compare an alternative, then confirm your choice.


View supporting evidence

Ask FinPilot

INTERACTION CONTRACT

Responsive behavior and accessibility are part of the product. • Primary action: Back to overview. All displayed results are reference states, not live calculations.

Open editable Figma



finpilot Menu

Your financial team

SIMULATED DATA

Checkup status

01 Data integrity / completed

02 Cash collision / completed

03 Goal negotiator / running

04 Stress test / queued

Evidence first

Open the actual records behind a finding before accepting a plan.

View evidence

Back to overview

Open editable Figma

FP-09 / Database adapter and validated seed

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Review supplied schema/generator; add SQLite adapter, transactions, migration/bootstrap command, session-scoped query helpers and ledger access. Preserve generated local secret files outside git.

Acceptance checks

01 10 users and 30-month history validate.

02 Current balances reconcile.

03 Query helpers enforce ownership/connection selection.

04 One-command setup documented.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	1 hours
Depends on	None
Issue	#9

Supported product screens

Accounts with context

Every transaction, in its place

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-10 / FP-10 - Implementation handoff

Handoff | FP-10-handoff

FP-10 / Password email challenge and sessions

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement scrypt verification, random HMAC-protected email codes, Mailpit SMTP, throttling, pending cookie, authenticated session, CSRF/origin controls and logout.

Acceptance checks

01 Wrong/expired/replayed OTP tests.

02 No session before verification.

03 Cooldown and attempt limits.

04 Logout revokes.

05 No secrets in responses/logs.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	2 hours
Depends on	FP-09
Issue	#10

Supported product screens

Welcome back

Check your email

That code has expired

Your workspace, your access

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-11 / FP-11 - Implementation handoff

Handoff | FP-11-handoff

FP-11 / Simulated institution connection backend

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement fake-login preview token, owned-account selection/consent, connection/sync/revoke, idempotency and server-scoped account visibility. No bank network requests.

Acceptance checks

01 Wrong institution/user rejected.

02 Cannot link another person's account.

03 Only selected accounts visible.

04 Repeated sync safe.

05 Disconnect makes history and related evidence inaccessible.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	2 hours
Depends on	FP-09/10
Issue	#11

Supported product screens

Connect Chase

Choose the accounts to connect

Your accounts are connected

Disconnect Chase?

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-12 / FP-12 - Implementation handoff

Handoff | FP-12-handoff

FP-12 / Scoped finance read APIs and aggregates

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement filters/pagination and SQL aggregates excluding paired owned-account transfers from cash flow. Mask last four, handle absent linked data and separate assets/liabilities.

Acceptance checks

01 30 months queryable.

02 No leaked hashes/secrets.

03 All object identifiers ownership tested.

04 Overview matches ledger and indicator definitions.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	1.5 hours
Depends on	FP-09/10/11
Issue	#12

Supported product screens

A clearer next move starts here

Accounts with context

Every transaction, in its place

Your month, before it happens

Assets, with their limitations

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-13 / FP-13 - Implementation handoff

Handoff | FP-13-handoff

FP-13 / Calculation tool library

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Build pure integer-cent cash forecast, recurring detection/normalization, amortization, utilization and bounded stress calculations; provide stable evidence IDs and assumptions.

Acceptance checks

01 Known payment/interest examples verified.

02 No double-counted transfers or savings.

03 Zero/missing income handled.

04 Tools reject invalid ranges.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	1 hours
Depends on	FP-09; contracts/types.ts
Issue	#13

Supported product screens

Your month, before it happens

Compare the full cost

Payoff calculator

Make the goal concrete

Rehearse the unexpected

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-14 / FP-14 - Implementation handoff

Handoff | FP-14-handoff

FP-14 / Goals subscriptions plans and versioning APIs

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement scoped CRUD, preference/actions, proposal persistence, optimistic version acceptance and explicit confirmation. Atomic accepted-plan update; no real financial transactions.

Acceptance checks

01 Two simultaneous accepts return one success/one conflict.

02 Action intention not realized savings.

03 Accepted plan preserved on failed revision.

04 Ownership verified.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	1.5 hours
Depends on	FP-09/10/13
Issue	#14

Supported product screens

Review your subscription action

Set a goal that fits your life

Review before accepting

Your situation changed. Your plan can adapt.

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-15 / FP-15 - Implementation handoff

Handoff | FP-15-handoff

FP-15 / Agent run events chat routes and change trigger

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Connect C runner to authenticated routes, polling events, persisted run steps and request budgets. Demo event is idempotent/user-scoped, increments snapshot and triggers proposed repair.

Acceptance checks

01 Checkup returns 202 and status.

02 Cancellation stops new calls.

03 Duplicate event not applied twice.

04 Chatbot cannot supply user identity.

05 Stale snapshot visible.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	1.5 hours
Depends on	FP-10/12/14; C runtime
Issue	#15

Supported product screens

Your situation changed. Your plan can adapt.

Your financial team is at work

Ask about your next move

Some results are ready

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-16 / FP-16 - Implementation handoff

Handoff | FP-16-handoff

FP-16 / Backend security and integration verification

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Run mandatory SECURITY.md checks, end-to-end session/link/run/plan flows, provider missing/error cases; verify lockfile/build and local persistent data.

Acceptance checks

01 Auth/ownership/CSRF tests pass.

02 Secrets absent from client/logs/git.

03 Provider failures honest.

04 Reset/reseed documented.

05 Local demo reproducible.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	B
Estimate	3.5 hours
Depends on	FP-10..15
Issue	#16

Supported product screens

Welcome back

That code has expired

Disconnect Chase?

Start with your first connection

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Open editable Figma

FP-17 / Nemotron adapter and actual tool-call smoke test

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Build server-only configurable Nemotron adapter. Select model accessible to team, test a real allowed tool call and model consumption of returned value. Record model/config/latency without secrets.

Acceptance checks

01 Real provider tool round trip succeeds.

02 No fixture substituted.

03 Timeout/error path explicit.

04 Use supported model-specific protocol.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	1 hours
Depends on	NVIDIA key/model available later
Issue	#17

Supported product screens

Your financial team is at work

Ask about your next move

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-18 / FP-18 - Implementation handoff

Handoff | FP-18-handoff

FP-18 / Bounded agent runtime integrity and cash agents

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Implement shared validated tool loop, role allowlists, result validation, events and budgets. Wire Data Integrity and Cash Collision prompts to real tools.

Acceptance checks

01 Actual tool trace.

02 Integrity catches transfer/data issues.

03 Cash identifies a dated collision from tools.

04 Malformed result retry bounded.

05 Ownership context immutable.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	2 hours
Depends on	FP-17; FP-13 contract
Issue	#18

Supported product screens

The timing conflict, explained

Why this finding exists

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-19 / FP-19 - Implementation handoff

Handoff | FP-19-handoff

FP-19 / Subscription and deal scout agents with source adapter

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Wire recurring candidates and preferences into Subscription Detective, then Deal Scout. Implement one allowlisted external public offer retrieval with provenance; labeled fixture fallback; comparable cost tool.

Acceptance checks

01 Price/terms evidence attached.

02 Annual upfront/promo eligibility handled.

03 Unverified/no comparable offer returns uncertainty.

04 Failed fetch never labeled live.

05 No arbitrary URL or purchase tool.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	1.5 hours
Depends on	FP-17/18; merchant and offer tools
Issue	#19

Supported product screens

Your recurring costs, made visible

Tell us what you want to keep

Compare the full cost

Is the annual option worth it?

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-20 / FP-20 - Implementation handoff

Handoff | FP-20-handoff

FP-20 / Debt readiness and goal negotiation agents

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Wire payoff/utilization tools and shared budget constraints. Generate competing goal/debt allocations with reserved bills/buffer and only confirmed cost changes.

Acceptance checks

01 Distinct alternatives with calculated totals.

02 Same money not allocated twice.

03 No invented credit score or approval.

04 Missing APR/limit flagged.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	2 hours
Depends on	FP-18; FP-13/14
Issue	#20

Supported product screens

Give every payment a purpose

Your priorities, coordinated

Choose your next move

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-21 / FP-21 - Implementation handoff

Handoff | FP-21-handoff

Open editable Figma

FP-21 / Stress-test specialist and comparisons

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Run fixed delayed-income, surprise-expense and reduced-income scenarios on candidate plans; compare first shortfall, minimum balance and goal changes.

Acceptance checks

01 Baseline preserved.

02 Deterministic calculations and explicit assumptions.

03 Result identifies failure date or no failure within tested horizon.

04 No probability claim.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	1.5 hours
Depends on	FP-20; FP-13
Issue	#21

Supported product screens

Rehearse the unexpected

This plan needs more breathing room

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-22 / Event-driven plan repair specialist

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Consume changed-data event and current plan snapshot; rerun affected tools/roles and produce new proposed version/diff without accepting it automatically.

Acceptance checks

01 Injected expense triggers real run.

02 Idempotent event.

03 Previous accepted plan retained.

04 Revision has before/after evidence and requires confirmation.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	1.5 hours
Depends on	FP-20/21; FP-15 event contract
Issue	#22

Supported product screens

Your situation changed. Your plan can adapt.

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-23 / FP-23 - Implementation handoff

Handoff | FP-23-handoff

FP-23 / Coordinator evidence gate and basic chat role

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Constrained routing/DAG, merge conflict handling and deterministic evidence ownership/numeric checks. Basic Nemotron chat reads findings and requests runs; no extra chatbot features.

Acceptance checks

01 Dependency handoff visible.

02 Irrelevant specialist skipped with reason.

03 Unknown evidence rejected.

04 Chat grounded to same user.

05 Global call budget honored.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	1 hours
Depends on	FP-18..22; FP-15
Issue	#23

Supported product screens

A plan, backed by evidence

Why this finding exists

Ask about your next move

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

FP-24 / FP-24 - Implementation handoff

Handoff | FP-24-handoff

FP-24 / Agent integration sponsor evidence and rehearsal

IMPLEMENTATION HANDOFF - NOT A CUSTOMER SCREEN

Scope

Validate real run across seeded personas, partial failures, changed snapshot and repair; tune latency/budgets; capture sanitized tool trace and explain external integration.

Acceptance checks

01 Eight specialists + coordinator genuinely wired or limitations disclosed.

02 Live inference trace retained.

03 Fixture data labeled.

04 Three-minute rehearsal succeeds and backup is labeled replay.

Definition of ready for review

Feature branch → pull request → acceptance evidence → peer review → merge. Never claim completion from a placeholder or a scripted agent status. Preserve shared API contracts and server-side ownership checks.

Delivery

Field	Value
Workstream	C
Estimate	3.5 hours
Depends on	FP-17..23; A/B integration
Issue	#24

Supported product screens

A clearer next move starts here

Rehearse the unexpected

Your situation changed. Your plan can adapt.

A plan, backed by evidence

Backend and agent tasks implement the behavior behind these screens; they do not require separate customer pages.

Calculator and source integrity

Any displayed amount must come from a deterministic calculation or scoped source record. Use the Calculator Contract page and reference tests; no model-generated arithmetic as ground truth.

Calculator contracts / Net worth

Calculator | CALC-01

CALC-01 / Net worth

IMPLEMENTATION CONTRACT • #4, #12, #13

Inputs and units

Owned asset balances and liability balances in cents; linked scope and valuation timestamps.

Formula

sum(assets) - sum(liabilities)

Verified example

$26,800 assets - $17,600 liabilities = $9,200

Validation and edge cases

Preserve negative asset balances. Exclude duplicate imported accounts. Show missing/disconnected data and stale valuations.

Required output

Net worth, asset total, liability total, included-account evidence.

Open editable Figma

Calculator contracts / Cash buffer

Calculator | CALC-02

CALC-02 / Cash buffer

IMPLEMENTATION CONTRACT • #4, #12, #13

Inputs and units

Liquid cash; essential monthly spending. Same currency and observation window.

Formula

liquid_cash / essential_monthly_spending

Verified example

$5,400 / $3,000 = 1.80 months

Validation and edge cases

Missing or zero expenses ⇒ unavailable, not infinity. Negative cash produces a negative buffer. Investments/retirement/CD excluded by default.

Required output

Months of buffer, included cash, spending basis, calculation explanation.

Calculator contracts / Debt-to-income indicator

Calculator | CALC-03

CALC-03 / Debt-to-income indicator

IMPLEMENTATION CONTRACT • #4, #6, #13, #20

Inputs and units

Required monthly debt payments; monthly gross income. Explain whether income is observed or assumed.

Formula

required_debt_payments / gross_monthly_income x 100

Verified example

$900 / $5,000 × 100 = 18.00%

Validation and edge cases

Zero or unavailable income ⇒ unknown. Do not include optional extra payments in required-payment DTI or present a lender approval decision.

Required output

Percent, numerator, denominator, income assumptions.

Calculator contracts / Card utilization

Calculator | CALC-04

CALC-04 / Card utilization

IMPLEMENTATION CONTRACT • #6, #13, #20

Inputs and units

Positive revolving card balances and known credit limits; only eligible linked cards.

Formula

sum(card_balances) / sum(known_card_limits) x 100

Verified example

$3,600 / $11,250 = 32.00%; $1,250 / $1,000 = 125.00%

Validation and edge cases

Do not cap at 100%. Missing limits ⇒ incomplete/unknown. No predicted credit-score increase or bureau score.

Required output

Aggregate and per-card utilization with source limits.

Calculator contracts / Fixed-rate loan payment

Calculator | CALC-05

CALC-05 / Fixed-rate loan payment

IMPLEMENTATION CONTRACT • #6, #13, #20

Inputs and units

Principal P; nominal annual interest rate; whole months n; end-of-month payment timing. Fees financed into principal if included.

Formula

r = annual_rate / 12; A = P*r / (1-(1+r)^(-n)); at r=0, A=P/n

Verified example

$10,000 at 6% nominal annual rate over 36 months ⇒ $304.22 regular payment

Validation and edge cases

APR can include fees; do not confuse it with the interest accrual rate. Reject negative or non-finite values and invalid terms. Schedule convention is monthly, not actual daily-interest lender accounting.

Required output

Payment and clearly labeled schedule assumptions; no offer/approval.

Calculator contracts / Amortization and extra payments

Calculator | CALC-06

CALC-06 / Amortization and extra payments

IMPLEMENTATION CONTRACT • #6, #13, #20

Inputs and units

Loan inputs, extra monthly payment and rounding convention. This reference models one fixed-rate obligation; a portfolio strategy must also enforce minimums and shared cash limits.

Formula

interest_t = round(balance_(t-1)*r); principal_t=payment_t-interest_t; balance_t=balance_(t-1)-principal_t

Verified example

$10,000 / 6% / 36 months: month 1 interest $50, principal $254.22; final payment $304.18; total interest $951.88

Validation and edge cases

Round posted amounts half-up to cents. Cap final payment at balance plus interest; reject non-amortizing payment. Never overpay below zero. Document residual adjustment.

Required output

Principal/interest/payment/balance by period; payoff date; total interest; extra-payment comparison.

Calculator contracts / Savings goal contribution

Calculator | CALC-07

CALC-07 / Savings goal contribution

IMPLEMENTATION CONTRACT • #6, #13, #20

Inputs and units

Target T, current savings S, months n, APY a, end-of-month contributions. Separate required contribution from budget feasibility.

Formula

r=(1+a)^(1/12)-1; C=max(0,(T-S*(1+r)^n)*r/((1+r)^n-1)); at r=0, C=max(0,(T-S)/n)

Verified example

($8,000-$2,400)/12 ⇒ $466.67 recurring; $466.63 final contribution to hit exactly $8,000

Validation and edge cases

Round required recurring amount up to a cent. Already funded ⇒ $0. Reject nonpositive horizon. APY is a decimal in the formula (5%=0.05). Future yields are assumptions.

Required output

Required contribution, feasibility gap, contribution schedule and target timeline.

Calculator contracts / APY / CD illustration

Calculator | CALC-08

CALC-08 / APY / CD illustration

IMPLEMENTATION CONTRACT • #6, #13, #20

Inputs and units

Principal P, APY a, years t; maturity and withdrawal constraints shown separately.

Formula

future_value = P*(1+a)^t

Verified example

$1,000 at 5% APY for one year ⇒ $1,050 before taxes or penalties

Validation and edge cases

APY already incorporates compounding; do not divide APY by 12 as a nominal rate. This illustration excludes tiered/stepped rates, withdrawals, penalties and taxes unless explicitly supplied.

Required output

Projected value, interest amount, maturity context and restricted-cash warning.

Calculator contracts / Subscription normalization

Calculator | CALC-09

CALC-09 / Subscription normalization

IMPLEMENTATION CONTRACT • #5, #13, #19

Inputs and units

Charge amount, cadence and currency; distinguish monthly equivalent from actual payment due.

Formula

annual /12; quarterly /3; monthly unchanged; weekly *52/12 (explicit 52-week convention)

Verified example

$189.96 annual ⇒ $15.83/month equivalent, with $189.96 upfront

Validation and edge cases

Use observed billing cadence; weekly estimate is not exact calendar-year cash timing. Missing cadence/currency ⇒ needs confirmation. Do not infer usage from payments.

Required output

Monthly equivalent, actual charge, next billing date and annual cost basis.

Open editable Figma

Calculator contracts / Offer comparison / first-year cost

Calculator | CALC-10

CALC-10 / Offer comparison / first-year cost

IMPLEMENTATION CONTRACT • #5, #13, #14, #19

Inputs and units

Comparable features, eligibility, promo months/price, standard price, upfront fee, switching fee, taxes when known and renewal terms.

Formula

first_year = promo_months*promo_price + (12-promo_months)*standard_price + known_upfront + known_fees

Verified example

Current $18.99 ×12 = $227.88; annual sample $189.96 ⇒ conditional difference $37.92

Validation and edge cases

Unknown taxes/fees stay unknown. Promo horizon must be 0-12 whole months. Never count cancel and switch savings twice. Future subscription savings remain conditional until confirmed.

Required output

First-year and renewal cost, upfront affordability, source URL/time, feature differences and conditional savings.

Calculator contracts / Budget allocation conservation

Calculator | CALC-11

CALC-11 / Budget allocation conservation

IMPLEMENTATION CONTRACT • #6, #13, #14, #20

Inputs and units

Income, essential commitments, required debt payments, confirmed savings changes, protected reserves and candidate allocations.

Formula

available = income - required_commitments; feasible iff total_optional_allocations <= available

Verified example

$5,200-$3,500-$300=$1,400; $400 extra debt + $1,000 goal = $1,400

Validation and edge cases

Do not deduct the same debt/bill twice. Do not count unconfirmed savings. Reject negative allocations; negative available cash means infeasible. Preserve the selected cash-floor policy.

Required output

Available, allocated, unallocated, infeasible gap and goal/debt tradeoffs.

Open editable Figma

Calculator contracts / Dated forecast and stress test

Calculator | CALC-12

CALC-12 / Dated forecast and stress test

IMPLEMENTATION CONTRACT • #4, #6, #13, #18, #21, #22

Inputs and units

Opening balance per account, unique dated signed events, as-of date, horizon and scenario changes; connection/snapshot scope fixed.

Formula

balance_d = opening + cumulative daily net events; stress adds/removes/moves the selected event exactly once

Verified example

$350 - $1,250 on Nov 10 ⇒ -$900; +$2,600 on Nov 15 ⇒ $1,700. A $900 expense reduces a $1,200 minimum to $300.

Validation and edge cases

Reference aggregates same-day events for end-of-day balances; disclose that intraday settlement order can differ. Transfer pairs do not become income. A buffer breach is not the same as cash below zero. Delayed income moves an event, not duplicates it.

Required output

Dated balances, minimum, first negative date, first buffer breach, baseline/stress differences and impacted plan assumptions.