

Multi-Account GitHub Setup Guide

Training reference for managing separate repositories on a single Windows PC

This document summarizes the steps required to manage multiple GitHub accounts on the same computer without the Windows Credential Manager causing login conflicts. This specific setup enables automated pushing via batch files.

Account 1: Production

- **Path:** C:\Production
- **Username:** precisco38-debug
- **Email:** precisco38@gmail.com

Account 2: ClubPortal

- **Path:** C:\ClubPortal
- **Username:** ssgoh
- **Email:** iamssgoh@gmail.com

Step 1: Generate Personal Access Tokens (PAT)

Because GitHub no longer supports account passwords for command-line operations, you must generate a token for **each** account.

1. Log into GitHub.com with your first account.
2. Navigate to **Settings > Developer settings > Personal access tokens > Tokens (classic)**.
3. Click **Generate new token (classic)**.
4. **CRITICAL:** Under the "Select scopes" section, you **must check the box next to repo**. If this is not checked, the token will return an "Invalid username or token" error when pushing.
5. Generate the token and copy it. Repeat this process for the second account.

Step 2: Configure Local Identity per Folder

Open Command Prompt and set the correct email and username for each specific folder so commits are attributed correctly.

For Production:

```
cd C:\Production
git config user.email "precisco38@gmail.com"
git config user.name "precisco38-debug"
```

For ClubPortal:

```
cd C:\ClubPortal
git config user.email "iamssgoh@gmail.com"
git config user.name "ssgoh"
```

Step 3: Disable Windows Credential Prompts

Windows tries to intercept GitHub logins via a popup window. To force Git to use the embedded tokens we will set up in the next step, you must disable the credential helper in **each folder**.

```
git config credential.helper ""
```

Run this command once inside C:\Production and once inside C:\ClubPortal.

Step 4: Embed Credentials in the Remote URL

To completely bypass authentication prompts, construct a URL that contains both your **username** and your **token**, separated by a colon (:). This allows your batch script to run silently.

Format: `https://USERNAME:TOKEN@github.com/USERNAME/REPO.git`

For Production (Replace YOUR_PRODUCTION_TOKEN):

```
cd C:\Production
git remote set-url origin https://precisco38-debug:YOUR_PRODUCTION_TOKEN@github.com/precisco38-debug/Production.git
```

For ClubPortal (Replace YOUR_CLUBPORTAL_TOKEN):

```
cd C:\ClubPortal
git remote set-url origin https://ssgoh:YOUR_CLUBPORTAL_TOKEN@github.com/ssgoh/ClubPortal.git
```

Step 5: Create the Automation Batch Script

Create a file named `update.bat` inside **both** `C:\Production` and `C:\ClubPortal`. Paste the following commands into the file using Notepad:

```
git add .
git commit -m "Add portal, projects, tutorials, and security shield"
git push -f origin main
```

Note on Force Pushing: The `-f` flag (force push) will overwrite the remote repository with exactly what is on your local PC. Ensure you are maintaining a linear history from this machine.

Troubleshooting Checklist

- **"Invalid username or token":** Your token either expired, belongs to the wrong account, or was generated without checking the `repo` box in the scopes list.
- **Windows Popup Keeps Appearing:** Ensure you ran `git config credential.helper ""` in the specific folder you are trying to push from.
- **Authentication Failed after updating URL:** Double-check that your remote URL includes BOTH the username and the token, like `https://username:ghp_12345@github.com/...`