EECS 4313 Assignment 3 Data Flow Testing, Slice-Based Testing and Mutation Testing

Student Name — Student Number — EECS Account
Edward Vaisman — 212849857 — eddyv
Robin Bandzar — 212200531 — cse23028
Kirusanth Thiruchelvam — 212918298 — kirusant
Sadman Sakib Hasan — 212497509 — cse23152

March 29, 2018

Contents

1	BOI	RG Cale	ene	da	r																														3
2	JPe	tStore																																	4
	2.1	Scenar	io	1																															4
		2.1.1	О)v(erv	ie	W																												4
		2.1.2	L	oa	d	Τe	est	Pı	or	eı	tie	\mathbf{S}																							7
		2.1.3	Е	xε	ecu	ti	ng	Lo	ac		Γes	t																							7
		2.1.4	A	na	aly	si	ng	Lo	ac	[Γes	t																							7
L	ist (of Fig	gu	re	es	;																													
	1	Record	din	ıg	Co	n	tro	lle	r f	or	Re	eti	ır:	niı	ng	J	Js	er	S	ce:	na	rio)												6
	2	View I		_											_																				7
	3	Apach												_																					8
	4	Windo	ws	s F	er	fo	rm	an	.ce	N	Ion	it	or	S	na	ap	sh	101	f	or	R	et	ur	ni	ng	ςĮ	Jse	er	So	eı	na	ric)		9
	5	JConso	ole	S	na	DS	shc	t f	or	R	eti	ırı	nii	าย	τ	Jse	er	S	cei	na	rio)												_	9

1 BORG Calendar

- The data flow analysis you performed and the calculation of the coverage metrics. You must show which test cases are responsible for which dc-paths.
- A description of the test cases you added to improve coverage. If your coverage was already high, discuss how your testing was able to achieve this.
- The slices that you identified and the percentage of slices that your testing covers. You must show which test cases are responsible for which slices.
- A description of the test cases you added to improve slice coverage. If your coverage was already high, discuss how your testing was able to achieve this.
- Evaluate the effectiveness of your test cases using mutation testing. Discuss and address any issues if you have found in your written report.
- Attaching bug reports if bugs are discovered using your testing methods. You should use the same bug report format as in Assignment 1. Do not file these bug reports to the projects bug report system.
- An appendix with the specification of the methods you are testing

2 JPetStore

After exploring the JPetStore system, we came up with some realistic non-trivial test scenarios that can be carried out for load testing using JMeter. The following subsections cover each scenarios, description on how it was load tested and the result analysis of the load test.

Following is the system specification for which the load test was conducted under:

• Operating System: Windows 10 Pro 64-bit (10.0, Build 16299)

• Language: English (Regional Setting: English)

• System Manufacturer: Hewlett-Packard

• System Model: HP 15 TouchSmart Notebook PC

• **BIOS**: F.10

• **Processor**: AMD A6-5200 APU with Radeon(TM) HD Graphics (4 CPUs), 2.0GHz

• Memory: 6144MB RAM

• Java Version: 1.8.0_151-b12

2.1 Scenario 1

2.1.1 Overview

The first test scenario is for an existing user in the system. The testing scenario will consist of a returning user logging in, selecting one of each of the 5 possible items sold in JPetStore, adding the items to the cart, performing a checkout of the cart and finally logging out. The following describes an exact breakdown of the steps the load test will carry out:

- Access the JPetStore Homepage (http://localhost:8080/jpetstore/).
- Click Enter the Store.
- Click on the Sign in button.
- Enter sign-in credentials and click Login By default, we will be using j2ee user for this scenario.

- Go to the *Fish* section, select a fish item, add it to the cart and return to the main menu.
- Go to the *Dogs* section, select a dog item, add it to the cart and return to the main menu.
- Go to the *Reptiles* section, select a reptile item, add it to the cart and return to the main menu.
- Go to the *Cats* section, select a cat item, add it to the cart and return to the main menu.
- Go to the Birds section, select a bird item, add it to the cart.
- Proceed to checkout and follow the steps until the order has been placed.
- Return back to the main menu and sign out.

The following images depicts the Recording Controller for the test case scenario and the pages our load test will navigate through per each iteration:




Figure 1: Recording Controller for Returning User Scenario

2.1.2 Load Test Properties

Following are the load test properties applied for testing this scenario:

• Number of Thread (users): 5

• Ramp-up Period (in seconds): 10

• Loop Count: 30

• Thread Delay (in milliseconds): 1000

2.1.3 Executing Load Test

After setting up the load test plan using JMeter, we executed the test. The test run was for approximately 20 minutes completing all 30 iterations. The following diagrams show the result tree of the test run.




Figure 2: View Results Tree for Returning User Scenario

2.1.4 Analysing Load Test

The following statistics were gathered from the Apache access logs by simple shell-scripting methodology for this test scenario:

- Test Duration: Approximately 20 minutes
- Total Number of Requests: 4714
- Number of GET Requests: 4399 (93% of all requests)
- Number of POST Requests: 315 (7% of all requests)
- Success HTTP Codes: 200 (Success) and 302 (Found)
- Failure HTTP Codes: None

Following is a snapshot of the Apache access log:



Figure 3: Apache Access Log Snapshot for Returning User Scenario

Following is a snapshot of the Windows Performance Monitor and Java Monitor Console during the load test execution:




Figure 4: Windows Performance Monitor Snapshot for Returning User Scenario




Figure 5: JConsole Snapshot for Returning User Scenario

Conclusion: The load test scenario for returning user made about 4714 request and the test ran for approximately 20 minutes. Despite some natural high spikes on the performance monitor and java monitor, the load test was carried out successfully without any crashes or unexpected behaviour in the application.