This drawing is the property of TNRIDC and L&T Construction,Transportation Infrastructure and must not be passed on to any person or body not authorised by us to receive it nor be copied or otherwise made use either in full or in part by suchperson or body without our prior permission in writing.

NH-16 (NH-5)

NH-716 (NH-205)

BOX CULVERT	
Str. No	54/1
CA CHAINAGE	53+020
NEW CHAINAGE	53+016
PROPOSAL	1 x 2m x 2m

HIP No.54/1L at CH 53+221.271			
X=385572.29228		Y=1453130.1256	
R (m)	1800	Δ(deg)	9.719
Lc(m)	305	Dc(deg)	9.719
Ts(m)	153.037	Ls (m)	-
Ts(deg)	-	S(m)	-
V (Kmph)	100	e(%)	NC

MINOR BRIDGE	
Str. No	54/4
CA CHAINAGE	53+790
NEW CHAINAGE	53+780
PROPOSAL	2 x 25m + 1 x 40m

BOX CULVERT	
Str. No	54/5
CA CHAINAGE	53+880
NEW CHAINAGE	53+872
PROPOSAL	1 x 2m x 2m

BOX CULVERT	
Str. No	54/2
CA CHAINAGE	53+270
NEW CHAINAGE	53+440
PROPOSAL	1 x 2m x 2m

BOX CULVERT	
Str. No	54/3
CA CHAINAGE	53+519
NEW CHAINAGE	53+516
PROPOSAL	1 x 2m x 2m

HIP No.54/2R at CH 53+812.038			
X=386053.00623		Y=1452735.22968	
R (m)	500	Δ(deg)	62.089
Lc(m)	402	Dc(deg)	46.047
Ts(m)	212.479	Ls (m)	140.000
Ts(deg)	8.021	S(m)	1.632
V (Kmph)	80	e(%)	5.00

FOOTPATH
SERVICE ROAD
DRAIN
PAVED SHOULDER
PROPOSED CARRIAGEWAY
MEDIAN
PROPOSED CL
FOOTPATH CUM DRAIN
SEPARATOR

53+000 MATCHLINE
PC 53+068.601
PT 53+373.941
TS 53+471.121
SC 53+611.121
54+000 MATCHLINE
PROPOSAL

SCP-102 E : 385367.654 N : 1453228.207 RL : 40.287
SCP-103 E : 385469.988 N : 1453120.631 RL : 40.575
SCP-104 E : 385626.462 N : 1452995.708 RL : 41.543
SCP-105 E : 385776.013 N : 1452883.402 RL : 41.41
SCP-106 E : 385894.325 N : 1452755.053 RL : 41.016
SCP-107 E : 385936.429 N : 1452587.984 RL : 41.251
PCP-7 E : 386059.816 N : 1452701.039 RL : 41.758

Krishna Water Canal

PLAN
(SCALE = 1:2000)

FRL @ LEFT & RIGHT MEDIAN EDGE
SR FRL (LHS) @ INNER EDGE
SR FRL (RHS) @ INNER EDGE
EXISTING GROUND BELOW CENTERLINE
GROUND @ 30M ON LHS FROM CENTER LINE
GROUND @ 30M ON RHS FROM CENTER LINE

VPI 53+129.703 EL 41.722
VPI 53+282.649 EL 41.264
VPI 53+507.525 EL 41.938
VPI 53+910.114 EL 52.003

DATUM = 36

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE
	VERTICAL SCHEMATIC: G=0.34% (53+029.703); VC=200.000m K=313; (53+259.703); G=-0.20%; (53+292.649); VC=60.000m K=100; (53+312.649); G=0.30%; (53+460.025); VC=95.000m K=43; (53+555.025); G=2.50%; (53+720.146); VC=380.000m K=152
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE
	VERTICAL SCHEMATIC: G=0.34% (53+029.703); VC=200.000m K=313; (53+259.703); G=-0.20%; (53+292.649); VC=60.000m K=100; (53+312.649); G=0.30%; (53+460.025); VC=95.000m K=43; (53+555.025); G=2.50%; (53+720.146); VC=380.000m K=152
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE
	EXISTING GROUND BELOW CENTERLINE LEVEL
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE
HORIZONTAL SCHEMATIC	L=1147.264m; R =1800.000m; (53+068.601); (53+373.941); L=97.180m; Ls=140.000m; (53+471.121); (53+611.121); R =500.000m
SUPERELEVATION SCHEMATIC	LHS; RHS; LHS =-2.50%; LHS =5.00%; LHS =-2.50% RHS =-2.50%; RHS =-2.50%; RHS =-5.00%
DESIGN CHAINAGE	53+000 … 54+000

PROFILE
(SCALE = H - 1:2000, V - 1:200)

NOTES:
1. ALL DIMENSIONS AND CHAINAGES ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. NC - NORMAL CAMBER.
3. REFER SEPARATE DRAWING FOR JUNCTION LAYOUT & PROJECT FACILITIES.
4. FOR STRUCTURAL DETAILS REFER INDIVIDUAL STRUCTURAL DRAWINGS.

GOOD FOR CONSTRUCTION

REV	DATE	DESCRIPTION	DESIGNED	DRAWN	CHECKED	APPROVED
0	06.08.25	GOOD FOR CONSTRUCTION	VN	SN	SJE	GKN

CLIENT : TNRIDC — TAMILNADU ROAD INFRASTRUCTURE DEVELOPMENT CORPORATION

AUTHORITY'S ENGINEER : Theme Engineering Service Pvt. Ltd.

PROOF CONSULTANT : ASIA INFRASTRUCTURE ADVISORY SERVICES PRIVATE LIMITED

SAFETY CONSULTANT : ALMONDZ GLOBAL INFRA - CONSULTANT LIMITED (A wholly owned Subsidiary of AGSL)

PROJECT : FORMATION OF NEW SIX LANE ROAD FROM THIRUVALLUR BYPASS (DESIGN CHAINAGE: CH 47+800) TO VENGATHUR (DESIGN CHAINAGE: CH 58+200) WITH PAVED SHOULDERS AND TWO LANE SERVICE ROAD ON BOTH SIDES IN SECTION-III OF CHENNAI PERIPHERAL RING ROAD PROJECT UNDER PACKAGE-EPC 03 ON ENGINEERING, PROCUREMENT AND CONSTRUCTION (EPC) MODE INCLUDING MAINTENANCE FOR 7 YEARS

CONTRACTOR : L&T Construction — Transportation Infrastructure

DESIGN CONSULTANT : L&T Construction — Transportation Infrastructure, EDRC

AUTHORITY'S ENGINEER | PROOF CONSULTANT | DESIGN DIRECTOR

JOB No. : O24087 - C - RP		
DESIGNED	VN	
DRAWN	SN	
CHECKED	SJE	
APPROVED	GKN	
DATE	SCALE	
06.08.2025	AS SHOWN	

TITLE : MAIN CARRIAGEWAY PLAN & PROFILE FROM Km 53+000 TO Km 54+000

REV: 0


SIZE: A2

DRAWING NO : O 2 4 0 8 7 - C - R P - R D - P P - 0 0 0 7


Cad File No: \\tntsonas\TRANSPORTATION\Drawings\Swetha Neduncheziian\2. CPRR_03\2. GFC\1. MCW & SR P&P\ 1. Main Carriageway Plan and Profile (HIP & VIP)_O24087-C-RP-RD-PP-0001-0012_GFC_R0.dwg

Plot Date: 06 September, 2025 - 12:25 PM

This drawing is the property of TNRIDC and L&T Construction,Transportation Infrastructure and must not be passed on to any person or body not authorised by us to receive it nor be copied or otherwise made use either in full or in part by suchperson or body without our prior permission in writing.



PLAN
(SCALE = 1:2500)



PROFILE
(SCALE = H - 1:2000, V - 1:200)

NOTES:
1. ALL DIMENSIONS AND CHAINAGES ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. NC - NORMAL CAMBER.
3. REFER SEPARATE DRAWING FOR JUNCTION LAYOUT & PROJECT FACILITIES.
4. FOR STRUCTURAL DETAILS REFER INDIVIDUAL STRUCTURAL DRAWINGS.

GOOD FOR CONSTRUCTION

REV	DATE	DESCRIPTION	DESIGNED	DRAWN	CHECKED	APPROVED
0	06.08.25	GOOD FOR CONSTRUCTION	VN	SN	SJE	GKN

CLIENT : TNRIDC
TAMILNADU ROAD INFRASTRUCTURE DEVELOPMENT CORPORATION

AUTHORITY'S ENGINEER : Theme Engineering Service Pvt. Ltd.,

PROOF CONSULTANT : ASIA INFRASTRUCTURE ADVISORY SERVICES PRIVATE LIMITED

SAFETY CONSULTANT : ALMONDZ GLOBAL INFRA - CONSULTANT LIMITED (A wholly owned Subsidiary of AGSL)

PROJECT : FORMATION OF NEW SIX LANE ROAD FROM THIRUVALLUR BYPASS (DESIGN CHAINAGE: CH 47+800) TO VENGATHUR (DESIGN CHAINAGE: CH 58+200) WITH PAVED SHOULDERS AND TWO LANE SERVICE ROAD ON BOTH SIDES IN SECTION-III OF CHENNAI PERIPHERAL RING ROAD PROJECT UNDER PACKAGE-EPC 03 ON ENGINEERING, PROCUREMENT AND CONSTRUCTION (EPC) MODE INCLUDING MAINTENANCE FOR 7 YEARS

CONTRACTOR : L&T Construction, Transportation Infrastructure

DESIGN CONSULTANT : L&T Construction, Transportation Infrastructure, EDRC

AUTHORITY'S ENGINEER | PROOF CONSULTANT | DESIGN DIRECTOR

JOB No. : O24087 - C - RP

DESIGNED	VN	
DRAWN	SN	
CHECKED	SJE	
APPROVED	GKN	
DATE	06.08.2025	
SCALE	AS SHOWN	

TITLE : MAIN CARRIAGEWAY PLAN & PROFILE FROM Km 54+000 TO Km 55+000

REV: 0
SIZE: A2

DRAWING NO : O 2 4 0 8 7 - C - R P - R D - P P - 0 0 0 8

Cad File No: \\Intsonas\TRANSPORTATION\Drawings\Swetha Neduncheziian\2. CPRR_03\2. GFC\1. MCW & SR P&P\ 1. Main Carriageway Plan and Profile (HIP & VIP)_O24087-C-RP-RD-PP-0001-0012_GFC_R0.dwg

Plot Date: 06 September, 2025 - 12:25 PM

This drawing is the property of TNRIDC and L&T Construction,Transportation Infrastructure and must not be passed on to any person or body not authorised by us to receive it nor be copied or otherwise made use either in full or in part by suchperson or body without our prior permission in writing.

NH-16 (NH-5)

FOOTPATH CUM DRAIN
SERVICE ROAD
SEPARATOR
PAVED SHOULDER
PROPOSED CARRIAGEWAY
MEDIAN
PROPOSED CL

ROB	
Str. No	56/1
CA CHAINAGE	55+438
NEW CHAINAGE	55+428
PROPOSAL	(7x30)+(1x76)+(2x30) - MCW (6x30) - SR

SCP-115
E : 385727.016
N : 1451132.050
RL : 42.959

BOX CULVERT	
Str. No	56/2
CA CHAINAGE	55+500
NEW CHAINAGE	55+491
PROPOSAL	1 x 2m x 2m

SCP-116
E : 385621.163
N : 1450969.515
RL : 41.642

HIP No.56/1R at CH 55+515.718			
X=385703.63847		Y=1451016.80241	
R (m)	1520	Δ(deg)	37.690
Lc(m)	910	Dc(deg)	34.298
Ts(m)	469.036	Ls (m)	90.000
Ts(deg)	1.696	S(m)	0.222
V (Kmph)	100	e(%)	2.92

SCP-117
E : 385500.634
N : 1450812.704
RL : 43.102

BOX CULVERT	
Str. No	56/4
CA CHAINAGE	55+980
NEW CHAINAGE	55+870
PROPOSAL	1 x 2m x 2m

NH-716 (NH-205)

To Sevvapet
To Pulluir
To Aranvoyal

SCP-113
E : 385707.271
N : 1451468.458
RL : 41.454

SCP-114
E : 385726.709
N : 1451329.996
RL : 41.105

BOX CULVERT	
Str. No	56/3
CA CHAINAGE	55+750
NEW CHAINAGE	55+760
PROPOSAL	1 x 2m x 2m

SC 55+060.773
CS 55+970.664
55+000 MATCHLINE
56+000 MATCHLINE

PLAN
(SCALE = 1:2000)

ROB	
Str. No	56/1
CA CHAINAGE	55+438
NEW CHAINAGE	55+428
PROPOSAL	(7x30)+(1x76)+(2x30) - MCW (6x30) - SR

BOX CULVERT	
Str. No	56/2
CA CHAINAGE	55+500
NEW CHAINAGE	55+491
PROPOSAL	1 x 2m x 2m

BOX CULVERT	
Str. No	56/3
CA CHAINAGE	55+750
NEW CHAINAGE	55+760
PROPOSAL	1 x 2m x 2m

BOX CULVERT	
Str. No	56/4
CA CHAINAGE	55+980
NEW CHAINAGE	55+870
PROPOSAL	1 x 2m x 2m

VPI 55+207.294
EL 53.413

VPI 55+547.345
EL 53.413

VPI 55+781.002
EL 50.843

FRL @ LEFT & RIGHT MEDIAN EDGE
SR FRL (LHS) @ INNER EDGE
SR FRL (RHS) @ INNER EDGE
EXISTING GROUND BELOW CENTERLINE
GROUND @ 30M ON LHS FROM CENTER LINE
GROUND @ 30M ON RHS FROM CENTER LINE

DATUM = 38

		8	7	6	5	4	3	2	1
LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	48.230	48.480	48.730	48.980	49.230	49.474	49.711	49.941
	VERTICAL SCHEMATIC	55+000.472 G=2.50%				55+437.294 VC=340.000m K=136			
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	48.230	48.480	48.730	48.980	49.230	49.474	49.711	49.941
	VERTICAL SCHEMATIC	55+000.472 G=2.50%				55+437.294 VC=340.000m K=136			
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	40.970	40.967	40.964	40.894	40.892	40.899	40.639	40.509
	EXISTING GROUND BELOW CENTERLINE LEVEL	40.892	40.953	40.726	40.717	40.712	40.699	40.740	40.811
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	40.726	40.740	40.687	40.688	40.630	40.672	40.725	40.430
HORIZONTAL SCHEMATIC		Ls=90.000m				55+060.773			
SUPERELEVATION SCHEMATIC	LHS					LHS =2.92%			
	RHS	RHS =-2.50%				RHS =-2.92%			
DESIGN CHAINAGE		55+000	55+010	55+020	55+030	55+040	55+050	55+060	55+070

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	48.480	48.730	48.980	49.230	49.474	49.711	49.941	50.163
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	48.480	48.730	48.980	49.230	49.474	49.711	49.941	50.163
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	40.967	40.964	40.894	40.892	40.899	40.639	40.509	40.528
	EXISTING GROUND BELOW CENTERLINE LEVEL	40.953	40.726	40.717	40.712	40.699	40.740	40.811	40.788
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	40.740	40.687	40.688	40.630	40.672	40.725	40.430	40.439
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+080	55+090	55+100	55+110	55+120	55+130	55+140	55+150

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	50.378	50.586	50.786	50.979	51.165	51.343	51.514	51.677
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	50.378	50.586	50.786	50.979	51.165	51.343	51.514	51.677
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	40.528	40.538	40.402	40.388	40.452	40.712	41.089	40.862
	EXISTING GROUND BELOW CENTERLINE LEVEL	40.788	40.698	40.645	40.558	40.596	40.573	40.583	40.349
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	40.439	40.575	40.455	40.451	40.444	40.414	40.498	40.489
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+160	55+170	55+180	55+190	55+200	55+210	55+220	55+230

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	51.833	51.982	52.123	52.257	52.384	52.503	52.615	52.720
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	51.833	51.982	52.123	52.257	52.384	52.503	52.615	52.720
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	40.793	39.870	38.559	38.160	37.795	37.684	37.641	37.729
	EXISTING GROUND BELOW CENTERLINE LEVEL	40.638	38.468	38.075	37.984	37.991	37.885	37.815	37.801
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	40.079	39.053	39.206	39.863	40.759	38.037	37.981	37.814
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+240	55+250	55+260	55+270	55+280	55+290	55+300	55+310

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	52.817	52.907	52.990	53.065	53.133	53.193	53.247	53.292
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	52.817	52.907	52.990	53.065	53.133	53.193	53.247	53.292
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	37.970	38.233	38.405	38.056	37.978	38.072	37.987	38.216
	EXISTING GROUND BELOW CENTERLINE LEVEL	37.837	37.684	37.962	37.985	38.012	38.211	38.126	38.405
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	37.722	37.826	37.986	37.920	38.058	38.273	38.471	38.178
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+320	55+330	55+340	55+350	55+360	55+370	55+380	55+390

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	53.362	53.386	53.402	53.411	53.413	53.413	53.413	53.413
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	53.362	53.386	53.402	53.411	53.413	53.413	53.413	53.413
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	38.459	39.025	39.416	40.145	40.920	42.904	43.735	43.666
	EXISTING GROUND BELOW CENTERLINE LEVEL	38.684	38.862	38.942	39.021	39.580	40.477	41.349	43.385
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	38.349	38.652	38.653	38.833	39.204	39.946	40.558	41.559
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+400	55+410	55+420	55+430	55+440	55+450	55+460	55+470

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	53.413	53.413	53.413	53.413	53.413	53.411	53.402	53.385
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	53.413	53.413	53.413	53.413	53.413	53.411	53.402	53.385
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	43.477	42.364	41.174	40.787	40.695	40.722	40.764	40.868
	EXISTING GROUND BELOW CENTERLINE LEVEL	43.782	43.738	43.466	42.614	40.897	40.685	41.369	40.991
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	43.593	42.715	43.867	43.819	43.593	42.715	40.967	40.851
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+480	55+490	55+500	55+510	55+520	55+530	55+540	55+550

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	53.362	53.330	53.291	53.245	53.192	53.131	53.063	52.988
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	53.362	53.330	53.291	53.245	53.192	53.131	53.063	52.988
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	40.868	40.925	40.935	41.008	41.034	41.121	41.176	41.209
	EXISTING GROUND BELOW CENTERLINE LEVEL	40.937	40.895	40.977	41.025	41.305	41.306	41.290	41.231
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	40.932	41.113	41.301	41.460	41.211	41.094	41.236	41.294
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+560	55+570	55+580	55+590	55+600	55+610	55+620	55+630

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	52.905	52.816	52.718	52.614	52.504	52.394	52.284	52.174
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	52.905	52.816	52.718	52.614	52.504	52.394	52.284	52.174
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	41.486	41.642	41.573	41.672	41.537	41.679	41.715	41.833
	EXISTING GROUND BELOW CENTERLINE LEVEL	41.327	41.512	41.529	41.543	41.600	41.849	41.741	41.811
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	41.231	41.294	41.513	41.500	41.611	41.666	41.817	41.807
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+640	55+650	55+660	55+670	55+680	55+690	55+700	55+710

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	52.064	51.954	51.844	51.734	51.624	51.515	51.412	51.315
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	52.064	51.954	51.844	51.734	51.624	51.515	51.412	51.315
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	41.882	42.042	42.222	42.255	42.394	42.407	42.463	42.568
	EXISTING GROUND BELOW CENTERLINE LEVEL	41.878	42.127	42.190	42.234	42.351	41.996	42.235	42.027
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	41.934	42.092	42.168	42.153	42.265	42.321	42.437	42.665
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+720	55+730	55+740	55+750	55+760	55+770	55+780	55+790

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	51.138	51.059	50.985	50.917	50.856	50.800	50.750	50.706
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	51.138	51.059	50.985	50.917	50.856	50.800	50.750	50.706
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	42.746	42.830	42.945	43.011	43.106	43.139	43.226	43.176
	EXISTING GROUND BELOW CENTERLINE LEVEL	42.697	42.876	42.869	42.899	43.043	43.306	43.286	43.320
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	42.697	42.876	42.869	42.899	43.043	43.306	43.286	43.320
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+800	55+810	55+820	55+830	55+840	55+850	55+860	55+870

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	50.668	50.636	50.606	50.576	50.546	50.516	50.486	50.456
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	50.668	50.636	50.606	50.576	50.546	50.516	50.486	50.456
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	43.187	43.369	43.354	43.401	43.504	43.583	43.612	43.790
	EXISTING GROUND BELOW CENTERLINE LEVEL	43.156	43.400	43.471	43.573	43.912	43.924	43.876	43.922
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	43.320	43.355	43.400	43.471	43.573	43.912	43.924	43.876
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+880	55+890	55+900	55+910	55+920	55+930	55+940	55+950

LHS	FINISHED ROAD LEVELS @ LEFT MEDIAN EDGE	50.396	50.366	50.336	50.306	50.276	50.244	50.204	50.156
	VERTICAL SCHEMATIC								
RHS	FINISHED ROAD LEVELS @ RIGHT MEDIAN EDGE	50.396	50.366	50.336	50.306	50.276	50.244	50.204	50.156
	VERTICAL SCHEMATIC								
EXISTING LEVEL	GROUND @ 30M ON LHS OF MEDIAN CENTER LINE	43.833	43.874	43.985	43.987	44.103	44.154	44.097	44.683
	EXISTING GROUND BELOW CENTERLINE LEVEL	43.614	43.683	43.865	43.635	43.661	44.049	44.096	44.128
	GROUND @ 30M ON RHS OF MEDIAN CENTER LINE	43.977	43.944	44.001	44.041	44.037	44.065	44.049	44.156
HORIZONTAL SCHEMATIC									
SUPERELEVATION SCHEMATIC	LHS								
	RHS								
DESIGN CHAINAGE		55+960	55+970	56+000					

HORIZONTAL SCHEMATIC				
		R =1520.000m	55+970.664	Ls=90.000m
SUPERELEVATION SCHEMATIC	LHS	LHS =2.92%		LHS =2.92%
	RHS	RHS =-2.92%		RHS =-2.92%

NOTES:
1. ALL DIMENSIONS AND CHAINAGES ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. NC - NORMAL CAMBER.
3. REFER SEPARATE DRAWING FOR JUNCTION LAYOUT & PROJECT FACILITIES.
4. FOR STRUCTURAL DETAILS REFER INDIVIDUAL STRUCTURAL DRAWINGS.

PROFILE
(SCALE = H - 1:2000, V - 1:200)

GOOD FOR CONSTRUCTION

ALMONDZ GLOBAL INFRA CONSULTANT LIMITED New Delhi

REV	DATE	DESCRIPTION	DESIGNED	DRAWN	CHECKED	APPROVED
0	06.08.25	GOOD FOR CONSTRUCTION	VN	SN	SJE	GKN

CLIENT : TNRIDC
TAMILNADU ROAD INFRASTRUCTURE DEVELOPMENT CORPORATION

AUTHORITY'S ENGINEER : Theme Engineering Service Pvt. Ltd.,

PROOF CONSULTANT : ASIA INFRASTRUCTURE ADVISORY SERVICES PRIVATE LIMITED

SAFETY CONSULTANT : ALMONDZ GLOBAL INFRA - CONSULTANT LIMITED (A wholly owned Subsidiary of AGSL)

PROJECT : FORMATION OF NEW SIX LANE ROAD FROM THIRUVALLUR BYPASS (DESIGN CHAINAGE: CH 47+800) TO VENGATHUR (DESIGN CHAINAGE: CH 58+200) WITH PAVED SHOULDERS AND TWO LANE SERVICE ROAD ON BOTH SIDES IN SECTION-III OF CHENNAI PERIPHERAL RING ROAD PROJECT UNDER PACKAGE-EPC 03 ON ENGINEERING, PROCUREMENT AND CONSTRUCTION (EPC) MODE INCLUDING MAINTENANCE FOR 7 YEARS

CONTRACTOR : L&T Construction Transportation Infrastructure

DESIGN CONSULTANT : L&T Construction Transportation Infrastructure, EDRC

AUTHORITY'S ENGINEER | PROOF CONSULTANT | DESIGN DIRECTOR

JOB No. : O24087 - C - RP		
DESIGNED	VN	
DRAWN	SN	
CHECKED	SJE	
APPROVED	GKN	
DATE	SCALE	
06.08.2025	AS SHOWN	

TITLE : MAIN CARRIAGEWAY PLAN & PROFILE FROM Km 55+000 TO Km 56+000

REV: 0
SIZE: A2

DRAWING NO : O 2 4 0 8 7 - C - R P - R D - P P - 0 0 0 9

Cad File No: \\Intsonas\TRANSPORTATION\Drawings\Swetha Neduncheziian\2. CPRR_03\2. GFC\1. MCW & SR P&P\ 1. Main Carriageway Plan and Profile (HIP & VIP)_O24087-C-RP-RD-PP-0001-0012_GFC_R0.dwg

Plot Date: 06 September, 2025 - 12:25 PM