

Plot: Points_Scored

Plot type

ARC

Bar

BoxPlot

Dot

Line

Histogram

Interval


Polygon

Select attributes...

Save

Class colour

Points_Scored



Sorted Data - Instances

Relation: tennis

Instances: 15

Attributes: 3

No.	Player_ID	Player_Name	Points_Scored
1	P1	Player A	12
2	P2	Player B	15
3	P3	Player C	14
4	P4	Player D	10
5	P5	Player E	18
6	P6	Player F	20
7	P7	Player G	22
8	P8	Player H	13
9	P9	Player I	11
10	P10	Player J	35
11	P11	Player K	16
12	P12	Player L	17
13	P13	Player M	19
14	P14	Player N	21
15	P15	Player O	23

Weka Explorer

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Classifier

Choose

J48 -C 0.25 -M 2

Test options

☒ Use training set

☐ Supplied test set Set...

☐ Cross-validation Folds 10

☐ Percentage split % 66

More options...

(Nom) Loan_Approval

Start

Stop

Result list (right-click for options)

14:26:30 - trees.J48

Classifier output

=== Run information ===

Scheme: weka.classifiers.trees.J48 -C 0.25 -M 2
Relation: loan
Instances: 15
Attributes: 5
Test mode: use training set

=== Classifier model (full training set) ===

Credit_Score = poor: no (7.0)
Credit_Score = average
| Age = young: yes (3.0)
| Age = middle: yes (3.0)
Credit_Score = good: yes (5.0)

Number of Leaves : 4
Size of the tree : 6

=== Evaluation on training set ===

Correctly Classified Instances	15	100	%
Incorrectly Classified Instances	0	0	%
Kappa statistic	1		
Mean absolute error	0		
Root mean squared error	0		
Relative absolute error	0	%	
Root relative squared error	0	%	
Total Number of Instances	15		

Open file...

Open URL...

Open DB...

Generate...

Edit...

Save...

Save...

Filter

Choose

None

Apply

Current relation

Relation: Photos

Instances: 3

Attributes: 3

Selected attribute

Name: A

Type: Numeric

Missing: 0 (0%)

Distinct: 3

Unique: 0 (0%)

Attributes

All

None

Invert

Pattern

No. Name

1 ☐ A

2 ☒ B

2 ☐ B

3 ☐ C

Statistic	Value
Minimum	2.000
Maximum	20.000
Mean	13.333
StdDev	9.017

Correlation Matrix (Pearson)

	A	B	C
A	1.000	-0.917	-0.490
B	-0.917	1.000	0.770
C	-0.490	0.770	1.000

Covariance Matrix

	B	B	C
A	81.333	-166.000	-73.333
B	-166.000	160.000	180.000
C	-73.333	180.000	266.667

(Covariance between B and C = 180.000)

(Correlation between B and C = 0.770)

Status

OK

Log



Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Open file...

Open URL...

Open DB...

Generate...

Undo

Edit...

Save...

Filter

Choose

None

Apply

Current relation

Relation: maths_classes

Instances: 9

Attributes: 2

Selected attribute

Name: Class_A

Type: Numeric

Missing: 0 (0%)

Distinct: 9

Unique: 9 (100%)

Attributes

All

None

Invert

Pattern

No.

Name

1



Class_A

2



Class_B

Statistic

Value

Minimum

35.000

Maximum

95.000

Mean

65.7778

StdDev

19.5939

All attributes

Attribute	Mean	StdDev	Minimum	Maximum
Class_A	65.7778	19.5939	35.000	95.000
Class_B	62.1000	10.9516	48.000	82.000

Status

OK

Log



x 0

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Plot: Age_vs_Fat

Plot type

ScatterPlot

MatrixPlot

BarChart


LineChart

Histogram


Select attributes...

Save


Scatter plot (Age vs %Fat)




Boxplot of Age



Boxplot of %Fat



Normal Q-Q Plot of %Fat



Status

OK

Log



x 0