Cucumber Report

| Start : Apr 24, 6:48:03.956 PM	End : Apr 24, 6:48:55.948 PM	Duration : 51.992 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 0	PASSED - 37 FAILED - 3 SKIPPED - 1

Features: 3

Scenarios: 9

Steps: 41

Pass % (Features): 33 %

Pass % (Scenarios): 66 %

Pass % (Steps): 90 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Cart Feature	31.860 s	3	1	2	0	13	11	2	0
Checkout	3.681 s	1	0	1	0	13	11	1	1
Login	16.431 s	5	5	0	0	15	15	0	0

#	Feature Name	Scenario Name
1	Cart Feature	Remove item from cart
2		Reset App state
3	Checkout	Checkout item from cart

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@positive	3	2	1	0	3	1	2	0
@Cart	3	1	2	0	1	0	1	0
@negative	6	4	2	0	2	1	1	0
@Checkout	1	0	1	0	1	0	1	0
@onlyThis	1	0	1	0	1	0	1	0
@Login	5	5	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Cart Feature	3	1	2	0	31.860 s
2	Checkout	1	0	1	0	3.681 s
3	Login	5	5	0	0	16.431 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Cart Feature	Adding item to cart	5	5	0	0	4.928 s
2		Remove item from cart	4	3	1	0	23.581 s
3		Reset App state	4	3	1	0	3.335 s
4	Checkout	Checkout item from cart	13	11	1	1	3.681 s
5	Login	Login With Valid Data	3	3	0	0	4.931 s
6		Login With Invalid Data	3	3	0	0	2.752 s
7		Login With Invalid Data	3	3	0	0	2.892 s
8		Login With Invalid Data	3	3	0	0	3.004 s
9		Login With Invalid Data	3	3	0	0	2.821 s

Cart Feature

FAILED	DURATION - 31.860 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 13 Pass - 11 Fail - 2 Skip - 0	
/ 6:48:03.956 PM // 6:48:35.816 PM /			3		13

Adding item to cart

PASSED	DURATION - 4.928 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:48:03.959 PM // 6:48:08.887 PM /				5
Cart Feature				
@positive @Cart				

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.114 s
2	When User input "standard_user" as username "secret_sauce" as password	PASSED	0.399 s
3	And User filters the list of product by text "Name (Z to A)"	PASSED	0.201 s
4	And User clicking "Test.allTheThings() T-Shirt (Red)" of item into a cart	PASSED	0.057 s
5	Then User clicking "Sauce Labs Onesie" of item into a cart	PASSED	0.057 s

## Remove item from cart

FAILED	DURATION - 23.581 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:48:08.900 PM // 6:48:32.481 PM /				4
Cart Feature				
@negative @Cart				

#	Step / Hook Details	Status	Duration
1	Given User input "standard_user" as username "secret_sauce" as password	PASSED	0.603 s
2	When User clicking "Test.allTheThings() T-Shirt (Red)" of item into a cart	PASSED	0.089 s
3	And User navigating to cart page	PASSED	0.083 s
4	Then User remove all item in cart	FAILED	20.319 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[@class='shopping_cart_badge']' (tried for 20 second(s) with 500 milliseconds interval)
   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
   at org.example.pageObject.CheckoutAndCartPage.getBadgeTextCart(CheckoutAndCartPage.java:92)
   at step_definitions.checkout_and_cart_page.RemoveItemFromCart.removeAllItemFromCart(RemoveItemFromCart.java:15)
   at ?.User remove all item in cart(classpath:features/Cart.feature:18)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='shopping_cart_badge']"}   (Session info: chrome=124.0.6367.60) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [fefd25247b7e55bbb4c4e00c64741655, findElement {using=xpath, value=//span[@class='shopping_cart_badge']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\shimu\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59424}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59424/devtoo..., se:cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fefd25247b7e55bbb4c4e00c64741655
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy27.isDisplayed(Unknown Source)
   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at org.example.pageObject.CheckoutAndCartPage.getBadgeTextCart(CheckoutAndCartPage.java:92)		
	at step_definitions.checkout_and_cart_page.RemoveItemFromCart.removeAllItemFromCart(RemoveItemFromCart.java:15)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		

| #	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		

Reset App state

FAILED	DURATION - 3.335 s
/ 6:48:32.481 PM // 6:48:35.816 PM /	
Cart Feature	
@negative @Cart	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User input "standard_user" as username "secret_sauce" as password	PASSED	0.473 s
2	When User clicking "Test.allTheThings() T-Shirt (Red)" of item into a cart	PASSED	0.076 s
3	And User navigating to cart page	PASSED	0.076 s
4	Then User reset app state	FAILED	0.109 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=124.0.6367.60) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [f4c9a6d9fcdf08f5ed2ddfe0771629c3, clickElement {id=f. 30FBF0C4FB46FEA83F56CB9B4F43E9FE.d.A89DED1D0D5925F979772C0C1A3E954B.e.42}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\shimu\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59475/devtoo..., se:cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (f4c9a6d9fcdf08f5ed2ddfe0771629c3)] -> id: reset_sidebar_link] Session ID: f4c9a6d9fcdf08f5ed2ddfe0771629c3		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)		
	at org.example.pageObject.CheckoutAndCartPage.clickReset(CheckoutAndCartPage.java:145)		
	at step_definitions.checkout_and_cart_page.ResetAppStateFromCart.resetAppState(ResetAppStateFromCart.java:18)		
	at ?.User reset app state(classpath:features/Cart.feature:25)		
* Not displayable characters are replaced by '?'.			

Checkout

FAILED	DURATION - 3.681 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 13 Pass - 11 Fail - 1 Skip - 1	13
/ 6:48:35.823 PM // 6:48:39.504 PM /					

Checkout item from cart

FAILED	DURATION - 3.681 s

/ 6:48:35.823 PM // 6:48:39.504 PM /

Checkout

@Checkout @onlyThis @positive

Steps
Total - 13
Pass - 11
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.077 s
2	When User input "standard_user" as username "secret_sauce" as password	PASSED	0.351 s
3	And User filters the list of product by text "Name (Z to A)"	PASSED	0.145 s
4	And User clicking "Test.allTheThings() T-Shirt (Red)" of item into a cart	PASSED	0.059 s
5	And User clicking "Sauce Labs Onesie" of item into a cart	PASSED	0.056 s
6	And User navigating to cart page	PASSED	0.064 s
7	Then User already on "Your Cart" as cart page	PASSED	0.031 s
8	When User remove first item in cart	PASSED	0.043 s
9	And User navigating to checkout page	PASSED	0.054 s
10	And User filling "shamima" as firstName, "khan" as lastName and "12270" as postal code	PASSED	0.232 s
11	And User navigating to checkout overview page	PASSED	0.069 s
12	Then User verifying item total and tax price	FAILED	0.054 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='summary_info_label summary_total_label']"} (Session info: chrome=124.0.6367.60) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d548efb644a3738f8a22036395d736a, findElement {using=xpath, value=//div[@class='summary_info_label summary_total_label']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\shimu\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59503}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59503/devtoo..., se:cdpVersion: 124.0.6367.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6d548efb644a3738f8a22036395d736a
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy27.getText(Unknown Source) at org.example.pageObject.CheckoutAndCartPage.getTotalPrice(CheckoutAndCartPage.java:137) at step_definitions.checkout_and_cart_page.CheckoutItemFromCart.verifyingPrice(CheckoutItemFromCart.java:48) at ?.User verifying item total and tax price(classpath:features/Checkout.feature:28) * Not displayable characters are replaced by '?'.		
13	And User navigating to checkout complete page and going back to home page	SKIPPED	0.000 s

Login

PASSED	DURATION - 16.431 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	15
/ 6:48:39.517 PM // 6:48:55.948 PM /					

Login With Valid Data

PASSED	*DURATION - 4.931 s*

/ 6:48:39.517 PM // 6:48:44.448 PM /

Login

@positive @Login

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.060 s
2	When User input "standard_user" as username "secret_sauce" as password	PASSED	0.401 s
3	Then User already on homepage	PASSED	0.036 s

Login With Invalid Data

PASSED	*DURATION - 2.752 s*

/ 6:48:44.459 PM // 6:48:47.211 PM /

Login

@negative @Login

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.100 s
2	When User input "" as username "" as password	PASSED	0.302 s
3	Then User get "Epic sadface: Username is required" as error message	PASSED	0.045 s

Login With Invalid Data

PASSED	*DURATION - 2.892 s*
/ 6:48:47.217 PM // 6:48:50.109 PM /	
Login	
@negative @Login	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.080 s
2	When User input "locked_out_user" as username "" as password	PASSED	0.325 s
3	Then User get "Epic sadface: Password is required" as error message	PASSED	0.032 s

Login With Invalid Data

PASSED	*DURATION - 3.004 s*
/ 6:48:50.116 PM // 6:48:53.120 PM /	
Login	
@negative @Login	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.088 s
2	When User input "" as username "secret_sauc" as password	PASSED	0.323 s
3	Then User get "Epic sadface: Username is required" as error message	PASSED	0.041 s

Login With Invalid Data

PASSED	DURATION - 2.821 s

/ 6:48:53.127 PM // 6:48:55.948 PM /

Login

@negative @Login

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User already open the website sauce demo	PASSED	0.087 s
2	When User input "standard_user" as username "secret_sauc" as password	PASSED	0.396 s
3	Then User get "Epic sadface: Username and password do not match any user in this service" as error message	PASSED	0.033 s