

Robotic Process Automation



JNAN VIKAS MANDAL'S

Mohanlal Raichand Mehta College of Commerce
Diwali Maa College of Science
Amritlal Raichand Mehta College of Arts
Dr. R.T. Doshi College of Computer Science
NAAC Re-Accredited Grade 'A+' (CGPA : 3.31) (3rd Cycle)

DEPARTMENT OF INFORMATION TECHNOLOGY

CERTIFICATE

This is to certify that Miss Sonali Thakur bearing seat no. 1314610 has done the project work/journal work in the subject of Robotic Process Automation of semester 4 Practical Examination during the academic year 2025-26 under the guidance of **Dr. Archana Sanap** being the partial requirement for the fulfillment of the curriculum of Degree in Master of Science in Information Technology under University of Mumbai.

Place: Airoli

Date:

Sign of Subject in- Charge

Sign of External Examiner

Sign of Coordinator

TABLE OF CONTENTS

Practical No	Details	Date	Sign
1.	RPA Basics: Sequences and Flowcharts: a. Create a simple sequence-based project. b. Create a flowchart-based project. c. Automate UiPath Number Calculation (Subtraction, Multiplication, Division of numbers). d. Create an automation UiPath project using different types of variables (number, datetime, Boolean, generic, array, data table)		
2.	Decision making and looping: a. Consider an array of names. We have to find out how many of them start with the letter "a". Create an automation where the number of names starting with "a" is counted and the result is displayed. b. Demonstrate switch statement with an example. c. Create an automation To Print numbers from 1 to 10 with break after the writeline activity inside for each activity d. Create an automation using Do..While Activity to print numbers from 5 to 1 e. Create an automation using Delay Activity between two writeline activities to separate their execution by 5 seconds f. Create an automation to demonstrate use of decision statements (if)		
3.	Types of Recording: a. Basic Recording using Toolbar b. Basic Recording using Notepad c. Desktop Recording using Tool bar d. Desktop Recording by creating a workflow e. Web Recording e.g. Find the rating of the movie from imdb web site f. Web Recording manually		
4.	Excel Automation: a. Automate the process to extract data from an excel file into a data table and vice versa b. Create an automation to Write data to specific cell of an excel sheet. c. Create an automation to Read data to specific cell of an excel sheet. d. Create an automation to append data to specific cell of an excel sheet.		

	e. Create an automation to sort a table of an excel sheet. f. Create an automation to filter a table of an excel sheet g. Choose a repetitive manual task from your workplace or daily life. Design and implement an RPA bot to automate this task using your preferred RPA tool		
5.	Different controls in UiPath: a. Implement the attach window activity. b. Automate using Anchor Base. c. Automate using Element Exists. d. Automate using Find Children control. e. Use Get Ancestor control f. Use Find Relative control		
6.	Keyboard and Mouse Events: a. Demonstrate the following activities in UiPath: b. Demonstrate the following events in UiPath: c. Automate the process of launching an assistant bot on a keyboard event.		
7.	Screen Scraping and Web Scraping methods: a. Automate the following screen scraping methods using UiPath: b. Demonstrate Data Scraping and display values in Message box. c. Demonstrate Screen Scraping for a pdf, web page and image file.		
8.	PDF Automation and Exception Handling: a. Read PDF With OCR b. Merge PDF's into one c. Get PDF Total Page count Using Regex f. Demonstrate Exception Handling using UiPath		
9.	Email Automation: a. Configure Email using UiPath b. Read Emails c. Send Email with Attachment d. Save Email Attachments e. Reply to Email		
10.	Orchestrator management and mini project: a. Deploy bots to Orchestrator b. Run jobs from Orchestrator c. Queue Introduction: i. Add items to Queue. ii. Get Queue item from Orchestrator d. Build UiPath Chatbot using Google dialogflow		


Practical no. 1

RPA Basics: Sequences and Flowcharts


a. Create a simple sequence-based project.

Steps:

- 1) open UiPath Studio and create a New Process.
- 2) In the Activities panel, search for "Input Dialog"
- 3) Drag and drop Input Dialog into the workspace.
- 4) In the Properties Panel, set:
 - Title = "Name"
 - Label = "What is your name?"
 - Result → name (Create a variable and naming it name).
- 5) In the Activities Panel, search for "Message Box".
- 6) In the Text field, enter: "Hello, " + name
- 7) Drag another Input Dialog below the Message Box.
- 8) In the Properties Panel, set:
 - Title = "Age"
 - Label = "What is your age?"
 - Result → age (Create a variable age).
- 9) Drag a Message Box below the second Input Dialog.
- 10) In the Text field, enter: "Thank you for giving me these information"
- 11) Click Save. Click Run to execute the workflow.




OUTPUT:



b. Create a flowchart-based project.

Steps:


- 1) open UiPath Studio and create a New Process. Name your project "Make Tea Flowchart" and click Create.
- 2) In the Activities panel, search for Flowchart. Drag and drop the Flowchart activity onto the main workflow panel.
- 3) Drag the Start node. Rename it as "Start".
- 4) Drag a Sequence and name it "Fill Kettle".



c. Automate UiPath Number Calculation (Subtraction, Multiplication, Division of numbers).

Steps:

Open UiPath Studio and create a new process. Use **Input Dialog** to take two numbers. Convert inputs to Double using **Assign**. Show results using **Message Box**. Run and test the workflow.





d. Create an automation UiPath project using different types of variables (number, datetime, Boolean, generic, array, data table)

Steps:

step 1. Create variables

step 2. Perform in the main sequence

1.Go to activity and select build datatable -> click on plus icon -> set column name-value and data type-string -> Add values like Janhavi,tanvi,pooja



2.Go to build datatable properties -> output -> + icon -> click on use variables -> variables -> select data

3.Drag a for each row in data table below build data table -> double click on it and set data table-data and item name as CurrentRow -> inside body drag a message box and print the message as CurrentRow("value").ToString

Note: All the 3 steps above are for the variable data.Folllowing steps are for the rest of the variables:

drag 5 message box for 5 variables

take a foreach from workflow -> write variable vArray -> In the body drag a message box and print currentText.ToString





Practical no. 2

Decision making and looping:

a. Consider an array of names. We have to find out how many of them start with the letter "a". Create an automation where the number of names starting with "a" is counted and the result is displayed.

Steps:

Step 1: Create a New UiPath Project

Go to Activities Panel

Drag and drop it Sequence into the main workflow.

Step 2: Create an Array of Names

Click inside the Main Sequence.

From the Activities Panel, search for Assign and drag it into the workflow.

Click on "Assign" and set it up as follows:

On the left side (Variable name):names

On the right side (Value):{"Aman", "Akash", "Aryan", "Kunal", "Vijay", "Zeeshan"}

Click Create New Variable.

Name it names.

Set Variable Type as Array of [String].

Set Default Value as:{"Aman", "Akash", "Aryan", "Kunal", "Vijay", "Zeeshan"}

Step 3: Iterate Over the Array Using a "For Each" Loop from workflow -> control

From the Activities Panel, search for For Each.

Drag it below the Assign activity.

Click on the For Each activity and configure:

In For Each Item in → Type names

Click on Type Argument and select String (since we are working with text).

Run and Validate the Workflow - > click on run

```
⊙ Debug started for file: Main
⊙ pract2a execution started
⊙ Name doesn't start with A: Kunal
⊙ Name doesn't start with A: Vijay
⊙ Name doesn't start with A: Zeeshan
⊙ Total names starting with A: 3
⊙ pract2a execution ended in: 00:00:43
```

b. Demonstrate switch statement with an example.

Steps:

1. Drag Input Dialog :


Dialog Title: "Choose a Website"

Input Label: "Select a website to open:"

Input Options (separated with ;): "Google;Youtube;Uipath;"

Value Entered: userChoice

- Debug started for file: Main
- pract 2 b execution started
- Audit: Using Web App. Browser: Chrome URL: https://www.uipath.com/
- Healing agent configuration.
- pract 2 b execution ended in: 00:03:25



c. Create an automation To Print numbers from 1 to 10 with break after the writeline activity inside for each activity

Steps:

drag a sequence

drag assign activity


declare a variable of type array of int

drag a for each loop

In - numbers

drag a writeline in the body and print `currentNumber.ToString()`

drag a break statement



- Debug started for file: Main
- pract2-c execution started
- 1
- pract2-c execution ended in: 00:00:08

d. Create an automation using Do..While Activity to print numbers from 5 to 1

Steps:

1. Drag a Sequence activity onto the workflow.
2. Inside the Sequence, drag and drop a Do While activity.
3. Inside the Do While Body box:
4. First, add a Message Box activity.
5. Create variable name as x, type int and default value is

The screenshot shows a UML Sequence diagram for a workflow. The main container is a 'Sequence' activity. Inside it is a 'Do While' activity. The 'Do While' activity has a 'Body' box containing two activities: a 'Write Line' activity (Text: x.ToString) and an 'Assign' activity (Save to: x, Value to save: x-1). Below the 'Do While' activity is a 'Condition' box with the expression 'x >= 1'. To the right of the diagram is the 'Output' window, which displays the execution log. The log shows the following steps: 'Debug started for file: Main', 'do while execution started', '5', '4', '3', '2', '1', and 'do while execution ended in: 00:00:00'.

e. Create an automation using Delay Activity between two writeline activities to separate their execution by 5 seconds

Steps:



1. take sequence box.
2. Drag a WriteLine activity from the Activities pane into the Sequence activity.
3. Drag a Delay activity from the Activities pane and drop it below the first WriteLine activity.
In the Properties panel for the Delay activity, set the Duration to 00:00:05
4. Drag another WriteLine activity below the Delay activity.

The screenshot shows the 'Output' window with the following execution log: 'Debug started for file: Main', 'delay activity execution started', 'Hi my name is bela', 'My favourite dish is pani puri', and 'delay activity execution ended in: 00:00:05'.

f. Create an automation to demonstrate use of decision statements (if)

Steps:

1. sequence box name as ifActivity.
2. take input and if inside sequence box.
3. create a x variable.




Practical no. 3

Types of Recording:

a. Basic Recording using Toolbar

Steps:

project -> dependencies -> manage -> all packages -> search uipath.uiautomation.activities and install the latest version -> save and run the file



b. Basic Recording using Notepad


Steps:

project -> dependencies -> manage -> all packages -> search uipath.uiautomation.activities and install the latest version -> save


Now the recorder option App/web recorder will be enabled

Go to uipath -> use the mouse button to click directly -> click on font by the same way -> then select the font -> save -> and turn off the recording

Go to uipath -> debug and run the file




c. Desktop Recording using Tool bar




d. Desktop Recording by creating a workflow

Steps:

1. click app/web recorder
2. go to notepad -> write line -> change font -> ok.
3. go to file -> save .
4. stop recoding and save.and run





e. Web Recording e.g. Find the rating of the movie from imdb web site



f. Web Recording manually

Steps:

1. In the Activities Panel, search for "Use Application/Browser".
2. Click "Indicate Application on Screen", open Google (<https://www.google.com>), and select the browser window.
3. Search "Get Text" -> Drag it below the Click
Click "Indicate Target on Screen", then select the title of the first search result. also add another result.
Create a variable named firstResultText.
"Message Box" -> Drag it below the Get Text activity.
In the Text field, enter: "First search result: " + firstResultText



Practical no. 4


Excel Automation:

a. Automate the process to extract data from an excel file into a data table and vice versa.

& c. Create an automation to Read data to specific cell of an excel sheet.

Steps –

In the do section drag read range "Sheet1" and set output var as emp_data ,drag output data table as text write emp_data ,drag a msg box and write emp_data
Drag do section drag a write range and write "Sheet1" and emp_data , drag a msg box and write "Data copied successfully"



b. Create an automation to Write data to specific cell of an excel sheet.
&

d. Create an automation to append data to specific cell of an excel sheet.

Steps –

install uipath.excel.activities from manage packages

Step1: Drag

read range and write "Sheet1" and create an output variable Excel_data -> drag a msg box and write "New data added successfully"

Step3: Drag a for each row in data table below the msg box -> Data table = Excel_data , Item name

Step5: Drag build data table below the write cell -> click on data table -> add columns emp_id , f_name, l_name, salary, expense, savings and add data

106	amit	gore	600000	60000
107	usha	hirve	700000	40000

Step6: Drag append range -> sheetname="Sheet1" , Datatable= new_data


Step7: Drag a msg box and write "Data calculated successfully"

	emp_id	f_name	l_name	salary	expense	savings
5	101	Ankit	sharma	200000	50000	150000
6	102	Ajit	kumar	100000	20000	80000
7	103	Arshad	faruki	300000	30000	270000
8	104	Tanvi	palvankar	400000	60000	340000
9	105	Janhavi	kharkar	500000	40000	460000
10	106	amit	gore	600000	60000	
11	107	usha	hirve	700000	40000	
12						
13						
14						
15						
16						
17						
18						
19						
20						

e. Create an automation to sort a table of an excel sheet.

Steps –

1. Add Build data table
2. inside dataTable create table.
3. below that add sort data table.
4. Drag and drop Write Range Workbook inside it add path , sheet name and dt_sort
5. save and run




f. Create an automation to filter a table of an excel sheet

Steps:

uipath.excel.activities

Drag an excel application scope -> "C:\Users\Admin\Desktop\filter_data.xlsx" -> in the do section drag read range "Sheet1" -> drag filter data table -> go to the properties and set input and output variable and set column as "dept" operation and value as "IT" click on ok.

Drag a write range activity and select "Sheet2" ,"A1" , and set input var as DataTable



Practical no. 5

Different controls in UiPath:

a. Implement the attach window activity.

Steps –

Drag "Use Application/Browser" Activity


Click Indicate Application on Screen.

Open Notepad and click on its window to select it.

Set the text to "Hello, UiPath!".

Drag a Click activity inside the Use Application/Browser scope.


Indicate the File menu



b. Automate using Anchor Base.



Steps –

Drag Type into from the activities panel -> click on indicate application to automate and visit a target -> in type this section write "Janhavi" (if ur selected anchor is firstname) -> debug and run





c. Automate using Element Exists.

1. drag Sequence.
 2. drag "CV Screen Scope".
 3. Inside "CV Screen Scope", click Indicate on Screen and select the application window.
 4. Inside CV Screen Scope, drag "CV Element Exists"
- Then -> take message box and type text.
else -> take message box and type text.



d. Automate using Find Children control.

1. use application/browser -> open amazon
2. Drag the "Find Children" activity inside the Open Browser scope.
3. Click Indicate on Screen and select the Search Category Dropdown
4. Configure Find Children Properties
5. Drag For Each below the Find Children
6. in for each item set dropdownItems
7. Inside the For Each loop, add a Get Attribute activity.
8. drag message box inside print dropdownText



e. Use Get Ancestor control

Steps:

1. Drag a sequence
2. Drag get ancestor -> click indicate on screen
3. Create a variable named Element
4. Drag a msg box and write Element.GetFriendlyName




f. Use Find Relative control

step1: Drag a sequence

step2: Drag find element inside the sequence -> click on indicate screen go to notepad

step3: Drag find relative element below find element -> go to the properties and set cursor position offset as 20 and target element

step4: Drag click from activities panel set input application and input element as formatElement -> debug and run



Practical no. 6

Keyboard and Mouse Events:

a. Demonstrate the following activities in UiPath:

install uipath.uiautomation.activities

i. Mouse (click, double click and hover)

Drag a sequence -> drag click twice and hover once -> for click capture a website and an element select click capture a website and an element(just keep mouse pointer on one of the elements its called hovering)

ii. Type into

Drag a sequence -> drag Type into


"Vitawa Koliwada Thane"

iii. Type Secure text

drag Type into -> click secure radio button -> capture website "https://rpachallenge.com/"

and one of its element like role in company

open expression editor and write new System.Net.NetworkCredential("", "Software Developer").SecurePassword and save



b. Demonstrate the following events in UiPath: Element triggering event

i. Image triggering event



Inside Trigger Scope, drag and drop Click Image Trigger.

Click Indicate Image on Screen and select the image you want to detect and click

Set the properties:

go to image and click on image

After clicking, the Message Box will pop up saying "Image Clicked!".



ii. System Triggering Event



Drag and drop Trigger Scope

Path: "C:\Users\YourName\Documents\WatchedFolder" (Specify the folder to monitor).(first create a folder watchfolder)

Set the message to "A new file has been created!".

how to run

1. Click Run in UiPath Studio.
2. Open the folder you specified in File Change Trigger.



c. Automate the process of launching an assistant bot on a keyboard event.

take sequence

inside sequence -> Trigger scope

Inside the Trigger Scope's Triggers section:

Click Add Trigger.


Click Indicate on screen and select the Notepad typing area.

In the Text to type, enter: "Hellooo My name is bela"

Click Save.

Click Run.

Now press the Enter key. Notepad will open, and the text will be typed automatically.



Practical no. 7


Screen Scraping and Web Scraping methods:

a. Automate the following screen scraping methods using UiPath:

a. Full Text

b. Native

c. OCR




b. Demonstrate Data Scraping and display values in Message box.

Step1- Go to ui path studio and install the package uipath.uiautomation.activities and double click on Table extraction -> visit <https://www.imdb.com/chart/top/> -> select the data u want to scrap from the website

Step2- Drag an assign activity

Step3- Drag and drop a Message Box activity.Set the message box text to extractedText.



c. Demonstrate Screen Scraping for a pdf, web page and image file.

Click Manage Packages > install UiPath.PDF.Activities and UiPath.UIautomation.Activities

1. Screen Scraping from a PDF in UiPath


Steps: Drag and drop the Read PDF with OCR -> write filename "D:\sample_invoice.pdf" and drag and Set the OCR Engine (Tesseract OCR). -> Add a "Write line" activity to display the extracted text as "PDF scrapping is successful : "+pdf_txt

2. Screen Scraping from a Web Page in UiPath

Steps: Drag and drop the get full text and select and capture element from the webpage -> drag writeline

Steps: Drag and drop the load image activity and set filename as

"C:\Users\Janhavi\Downloads\walt.jpg" also set the output variable as img_txt -> drag and successful : "+extracted_txt



Practical no. 8

PDF Automation and Exception Handling:

a. Read PDF With OCR

Go to Manage Packages -> Search for UiPath.PDF.Activities.

Drag and drop the "Read PDF with OCR" activity


Inside the "Read PDF with OCR" activity,

File Name: Provide the full path of the PDF file.

Output Variable: Create a variable (e.g., ExtractedText) to store the extracted text.

Drag and drop a "Message Box" activity.

In the Text field, enter the variable (ExtractedText).




b. Merge PDF's into one

drag and drop assign

save to = input_variable

below that add join pdf files

output file name = "C:\Users\admin\Desktop\Merge PDF\mergeFile.pdf" (path of your output file)



c. Get PDF Total Page count Using Regex


take sequence

drag and drop assign inside that:

save to: reader (create variable AND set datatype = StreamReader)

value to save : New StreamReader(" Add Path of you pdf")

below that take another assign inside that :
 save to: pdfText (create variable)
 value to save : reader.ReadToEnd
 Result = result(create variable datatype = IEnumerable<Match>)
 below msg box
 text = result.Count()



f. Demonstrate Exception Handling using UiPath

take sequence

Create the following variables:


Name	Type	Default
num1	Double	100
num2	Double	0
result	Double	

Drag Try Catch into the sequence

Choose Exception Typ

In the body, use a Log Message: "Cannot divide by zero."

After Try Catch, finally block



search

- ⌚ Debug started for file: Main
- ⌚ exception handling execution started
- ⌚ Result is: Infinity
- ⌚ Process Completed.
- ⌚ exception handling execution ended in: 00:00:00

Practical no. 9


Email Automation:

a. Configure Email using UiPath

Drag send smtp email

Go to the properties -> set use integration service as false -> use OAuth = false -> Email = "tanvi131101@gmail.com" -> go to any browser and search for app Sign in with app passwords -> click on Create and manage your app passwords (The 2- step verification in the gmail settings should be enabled) ->

Come to the send smtp email activity set To as "tanvi131101@gmail.com", subject as "Demo email from uipath" and in the body write This is an uipath email -> save and run




b. Read Emails

Go to gmail and create 5 test emails and keep them unread

Drag email list -> go to its properties and enter these details, use, server = "imap.gmail.com", port=993

email- "tanvi131101@gmail.com"

Drag a for each loop -> In = mails in the body section drag a msg box and write currentMail.Subject



c. Send Email with Attachment

click on Create and manage your app passwords (The 2- step verification in the gmail settings should be enabled) -> set app name as DEMO and password will automatically be generated "uagn jchw nyvx ndxm"

Drag send smtp email


Go to the properties -> set use integration service as false

To "tanvi131101@gmail.com"

Subject "Test Email with Attachment"

Body "Hi, please find the attached file."

Attachments {"C:\Users\Tanvi\Documents\file.pdf"} (as an array of string)
click on File path attachment collection and set {"C:\Users\Admin\Downloads\test.pdf"}
save and run




d. Save Email Attachments

Go to gmail and create a test email with attachment and keep it unread

Drag get email list -> go to its properties and enter these details ,use integration service = false , server = "imap.gmail.com" , port=993

.Subject

Drag save email attachments activity -> write the email message = currentMailMessage and save to folder "C:\Users\Admin\Downloads\RPA practs\OP" - the attachment will be saved to the mentioned folder



e. Reply to Email

Go to gmail and create a test email example- Urgent help from IT Support Desk is required and send it to tanvi131101 to dontask email id

Drag get IMAP email list -> go to its properties and enter these details ,use integration = auto set unread only as true and limit emails to first 1, store output in the variable mails.

Drag a for each loop -> In = mails in the body section drag a send smtp email activity -> go to its properties and enter these details ,use integration service = false , server =

"smtp.gmail.com" , port=587
email- "tanvi131101@gmail.com"

Create app password - "lphf xbkn zkab qtsq" ,secure conn = auto ,Reply to "dontaskjustuse@gmail.com" come to the activity again and To = run



Urgent help from IT Support Desk is required Inbox x



DontAsk JustUse

to me ▾

I require urgent help.kindly reply ASAP.



tanvi131101@gmail.com

to dontaskjustuse ▾

We have received your request and our IT team will get in touch with you ASAP.



↩ Reply

➦ Forward



Practical no. 10

Orchestrator management and mini project:

a. Deploy bots to Orchestrator &

b. Run jobs from Orchestrator

Step 1- Machine and robot creation:

Step2- Ui path assistant preferences setting changes:

Go to Ui path assistant click user icon and in the dropdown u will see preferences ->click on it -> go to orchestrator settings -> sign out if u r already signed it -> set Connection Type to machine key -> machine name is already set

☐ Process	Type	State	Started	Ended	Duration	Runtime type	Source	Priority	
☐ test3	RPA (Unattended)	⊗ Stopped	2 minutes ...	2 minutes ...	0ms	Production (Una...	Manual	= Medium	Requi
☐ test2	RPA (Unattended)	⊙ Succes...	5 minutes ...	29 second...	4m 47s	Production (Una...	Manual	= Medium	Requi
☐ robot1	RPA (Unattended)	⊗ Stopped	14 minute...	14 minute...	0ms	Production (Una...	Manual	= Medium	Requi
☐ robot1	RPA (Unattended)	⊗ Stopped	16 minute...	16 minute...	0ms	Production (Una...	Manual	= Medium	Requi
☐ pract-10a	RPA (Unattended)	⊗ Stopped	18 minute...	18 minute...	0ms	Production (Una...	Manual	= Medium	Requi
☐ pract-10a	RPA (Unattended)	⊗ Stopped	33 minute...	18 minute...	14m 37s	Production (Una...	Manual	= Medium	Requi

1 - 6 / 6 Page 1 / 1 Items 25

c. Queue Introduction:

go to queues section

click on Add -> Create a new queue

inside that

Name : DemoQueue

Description : These is demo queue just for learning

path -> sheet name: "Sheet1" -> range: "A1:D5" -> In property in DataTable ->

AddDataTable (create variable)

The collage consists of four distinct images arranged in a 2x2 grid. The top-left image shows a web-based BMI calculator with input fields for height (5 ft 10 in) and weight (150.00 lbs), and a 'Calculate' button. The top-right image displays the result: 'Your BMI is 21.5 (Normal)' with a green message box stating 'Task is over. No queues items is left'. The bottom-left image is a '30-DAY PLAN TO GET SHREDDED' workout schedule with daily exercises. The bottom-right image is a Netflix advertisement for the movie 'Home on Netflix'.