Your Name

Dr. Minard

AMNE 301

Translation Assignment #2: Tutorial 102

A search of the institutional **records of tissue examinations for disease** (pathology archives) identified all breast lesions diagnosed between 1998 and 2024 as **tumours containing gland-lining cells and the surrounding muscle-like cells** (adenomyoepithelioma, AME), **tumours involving both gland-lining and surrounding muscle-like cells** (adenomyoepithelial tumours), **tumours made up of gland-lining and surrounding muscle-like cells** (epithelial-myoepithelial tumours), or related entities with documented **increase in the number of muscle-like cells surrounding breast glands and ducts** (myoepithelial proliferation)... All available... slides were reviewed by at least two breast **specialists who examine tissue to diagnose disease** (pathologists), and each tumour was assessed for tumour borders (**divided into rounded sections** (lobulated), **divided into many rounded sections** (multilobulated), or **extending into surrounding tissue** (infiltrative)), growth patterns (solid, **with finger-like projections** (papillary), **containing fluid-filled sacs** (cystic), or combinations), and **the arrangement of cells lining the breast glands and ducts** (epithelial arrangement) (columnar-like with slit-like **hollow spaces** (lumens), tubular, or **sieve-like, with many small holes** (cribriform)), degree of **abnormality in the appearance of cells** (cytologic atypia) (none, mild, moderate, or marked), **supporting tissue** (stromal) characteristics (dense **hardened** (sclerotic) and **glassy-looking** (hyalinized), **swollen with excess fluid** (edematous), **jelly-like** (myxoid), or mixed), the amount of **muscle-like cells surrounding the glands and ducts** (myoepithelium) and their arrangement (slightly, moderately, or markedly increased, or whether the cells were spindle-shaped), and **visible signs of cell division** (mitotic) per 10 high-power microscope fields in both epithelial and myoepithelial compartments, and the presence of cells **undergoing programmed cell death** (apoptotic) / cells that **had died from tissue damage** (necrotic), **changes in which one mature cell type becomes another** (metaplastic), changes resembling usual **overgrowth of cells lining the breast ducts** (ductal hyperplasia) , **substances released into the hollow spaces** (intraluminal secretions), **small round deposits of collagen-rich material** (collagenous spherulosis), **deposits of calcium** (calcifications), as well as associated lesions seen in adjacent breast tissue.

Colón Cartagena, L., Perera, N., Liang, Y., Zhan, H., & Krishnamurti, U. (2026). Lessons Learned From 26 Adenomyoepitheliomas of the Breast. *American Journal of Surgical Pathology, 50* (11), 1281–1293.