

K J SOMAIYA INSTITUTE OF TECHNOLOGY
Department of Information Technology

Academic Year: 2026-27
Class: S.Y. B.Tech.
Semester: III

Subject: DSA LAB
Course Code: ITL302

Name: Sanika Jadhav
Division: IT-A
Batch: SA2
Roll Number: 27


DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Progr...
File Edit Search Run Compile Debug Project Options Window Help
NONAME00.CPP
LL.C
#include<stdio.h>
#include<stdlib.h>
struct node{
int data;
struct node* next;
};
int main(){
struct node*first=(struct node*)malloc(sizeof(struct node));
struct node*second=(struct node*)malloc(sizeof(struct node));
struct node*third=(struct node*)malloc(sizeof(struct node));
struct node*temp=first;
printf("enter value 1:");
1:1
Message
•Compiling LL.C:
Linking ..\SOURCE\LL.EXE:
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu
DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Progr...
File Edit Search Run Compile Debug Project Options Window Help
NONAME00.CPP
LL.C
printf("enter value 1:");
scanf("%d",&first->data);
first->next=second;
printf("enter value 2:");
scanf("%d",&second->data);
second->next=third;
printf("enter value 3:");
scanf("%d",&third->data);
third->next=NULL;
printf("\nLinked list:");
25:1
Message
•Compiling LL.C:
Linking ..\SOURCE\LL.EXE:
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu


DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Progr...
File Edit Search Run Compile Debug Project Options Window Help
NONAME00.CPP
LL.C
scanf("%d",&third->data);
third->next=NULL;
printf("\nLinked list:");
while(temp!=NULL){
printf("%d->",temp->data);
temp=temp->next;
}
printf("NULL\n");
return 0;
}
34:1
Message
•Compiling LL.C:
Linking ..\SOURCE\LL.EXE:
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu
DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Progr...
C:\TURBOC3\BIN>TC
enter value 1:10
enter value 2:20
enter value 3:30
Linked list:10->20->30->NULL
enter value 1: