

---

---

# CSS

Fun for no one

By Stephen Lampa & Jesse Williamson

---

# Last Week

- HTML!

—

# Cascading Style Sheets

# CSS General Form

```
selector {  
    property: value;  
}
```

# Apply Styling to HTML

1. Style within `<head>`
  - `<style></style>`
2. Style within element
  - `<p style="property: value;"></p>`
3. Style with another file
  - `<link rel="stylesheet" href="example.css" />`

# Selectors

- #Id
- .Classes
- Elements

—

One little thing about  
**specificity...**

# Specificity - Rules for what rules!

- Calculated by how specific something is
- Ids are most specific
- Classes are next
- Then elements
- If tied, whichever came last

This is !important



# Units

- px - absolute size, used if things do not need to scale
  - 2px, 50px, 1000px
- em - scaled by scalar value, based on font-size of element
  - .5em, 2em, 5em
- % - scaled based on parent
  - 50%, 100%, 500%

# Box!

- width/height: \$size
- background-color: \$color
- background-image: url("some-image-url")
- border: \$size \$line-type \$color
- border-radius: \$size

# Text Styling

- Color
- Font-size
- Font-family
- Text-decoration
- Text-align

—

We touched on this a  
little last **week...**

# Display


- Block
- Inline
- Inline-block

—

# The big finale...

# Box Model

- Padding
- Border
- Margin



# Challenge:

Make your 'About Me' look like it's from the early 2000's



---

**Questions?**