



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Sindalagundu Post, Dindigul - 624 002, Tamilnadu pH:0451-2448800
(Approved by AICTE, Affiliated to Anna University, Chennai Accredited by NAAC)

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

Organizes

Six days Hands on training program on
"PCB Design and Fabrication"

For the IV year students of EEE

from (03.12.2018 to 08.12.2018)

Trained by

Er.S.P.Sarathy, Former Schneider Electric System India Pvt, Ltd, Chennai.

Co-ordinator

HoD

Principal

Mr.B.Marisekar,AP/EEE

Dr.P.Booma devi

Dr.Scaravandan

ALL ARE INVITED



Dr.D.SENTHIL KUMARAN, M.E., Ph.D. (NUS)

Principal

SSM Institute of Engineering and Technology
Kutathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

CIRCULAR

18.06.2018

This is to inform that Hands on training program on **PCB Design and Fabrication** is going to be conducted for IV-year EEE students from 03.12.2018 to 08.12.2018 by Er.S.P.Sarathy, Former Schneider Electric System India Pvt. Ltd, Chennai. Henceforth interested students are informed to register their name to Mr.B.Marisekar, AP / EEE on or before 17.10.2018.

B. Menj
12/10/18
Faculty Incharge

P.B.D
HoD/EEE



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.



PCB DESIGN AND FABRICATION

Syllabus

Module I: (9 Hrs)

Introduction to Printed circuit board; fundamental of electronic components, basic electronic circuits, Basics of printed circuit board designing; Layout planning, general rules and parameters, ground conductor considerations, thermal issues, check and inspection of artwork.

Module II: (6 hrs)

Design rules for PCB: Design rules for Digital circuit PCBs, Analog circuit PCBs, high frequency and fast pulse applications, Power electronic applications, Microwave applications

Module III: (10 hrs)

Introduction to Electronic design automation(EDA) toolsfor PCB designing: Brief Introduction of various simulators,SPICE and PSPICE Environment, Selecting the Components Footprints as per design, Making New Footprints, Assigning Footprint to components, Net listing, PCB Layout Designing, Auto routing and manual routing. Assigning specific text (silkscreen) to design, Creating report of design, creating manufacturing data (GERBER) for design.

Module IV: (7 hrs)

Introduction printed circuit board production techniques: Photo printing, film- master production, reprographic camera, basic process for double sided PCBs photo resists, Screen printing process, plating, relative performance and quality control, Etching machines, Solders alloys, fluxes, soldering techniques, Mechanical operations.

Module V: (6 hrs)

PCB Technology Trends: Multilayer PCBs. Multiwire PCB, Flexible PCBs, Surface mount PCBs, Reflow soldering, Introduction to High-Density Interconnection (HDI) Technology.

Module VI: (7 hrs)

PCB design for EMI/EMC: Subsystem/PCB Placement in an enclosure, Filtering circuit placement, decoupling and bypassing, Electronic discharge protection, Electronic waste, Printed circuit boards Recycling techniques, Introduction to Integrated Circuit Packaging and footprints, NEMA and IPC standards.

Text Books:

1. Printed circuit board design, fabrication assembly and testing By R. S. Khandpur, Tata McGraw Hill 2006

Reference Books:

1. Printed circuit Board Design and technology, Walter C. Bosshart
2. Printed Circuits Handbook, Sixth Edition, by Clyde F. Coombs, Jr, Happy T. Holden, Publisher: McGraw-Hill Education Year: 2016



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002



SSM Institute of Engineering and Technology
Sindalagundu post, Palani main road, Dindigul – 624002 , Tamilnadu.

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

IV YEAR NAME LIST (2018-2019)


S.NO	REGISTER NO	NAME
1	922115105001	ABARNA. K
2	922115105002	AKILAN.N
3	922115105003	ANAND.T
4	922115105004	ANIT DAYANA. A
5	922115105005	ANTO HUBERT. J
6	922115105006	ANUSHA. K
7	922115105007	ARUN. S
8	922115105008	ARUN RAJ. K
9	922115105009	BAIZ. N
10	922115105010	BALAJI. J
11	922115105011	BHARATHIPERIYASAMY.S
12	922115105012	BOOMA. R
13	922115105013	DEEPAK RAJ. K.A
14	922115105014	DEVAKI. S
15	922115105015	DEVARAJ. S
16	922115105016	GOBIYA. C
17	922115105017	GOWSALYA.V
18	922115105018	GURU SRI. K
19	922115105019	JANANI. P
20	922115105020	JANSI. S
21	922115105021	JEYA SURYA. J
22	922115105022	KARTHIICK. R
23	922115105023	KARTHIKA. P
24	922115105024	KARUPPAIAH.M
25	922115105025	KAVITHA.R
26	922115105026	KIRUTHIHA. K
27	922115105027	KISHOR. C
28	922115105028	MARIA MINISHA. S
29	922115105029	MASANADEVI. J
30	922115105030	MASI. R
31	922115105031	MOHAMED ABDUL AYUB.M
32	922115105032	MOHAMED SALMAN. S
33	922115105033	MUSRETH. N
34	922115105034	MUTHURAJ. K
35	922115105035	NARTHIGASREE. D
36	922115105036	NAVEEN ROMI. J

Dr.D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul 624 002.



37	922115105037	NEWTONSLEND.O.J
38	922115105038	PANDIPRIYANKA.M
39	922115105039	PRASANTH.I
40	922115105040	PRIYANKA.R.M
41	922115105041	RAJKUMAR.A
42	922115105042	RAMACHANDRAN.M
43	922115105043	RAMKUMAR.L
44	922115105044	RAMYA.V
45	922115105045	ROBERT RAJA.A
46	922115105046	SHARMILA.M
47	922115105047	SHRIVISHNUKUMAR.V
48	922115105048	SINDHU.M
49	922115105049	SOURAV PRASANNA.V
50	922115105050	SUNDAR RAJAN.K
51	922115105051	THAMARAI KANNAN.B
52	922115105052	THANGA PANDIAN.P
53	922115105053	VIDHYA.U
54	922115105054	VIGNESH.L
55	922115105055	VIGNESHWAR.E
56	922115105056	VIJAYPANDI.S
57	922115105057	VISHAL ADHITHYA.A
58	922115105058	VISHNU.V
59	922115105059	VIVEK KUMAR.G
60	922115105701	CYRIL VALAN.J



Class Incharge




HoD/EEE



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 062















SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul-Palani Highway, Dindigul-624002

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

NAME LIST (2018-2019)

HANDS ON TRAINING ON PCB DESIGN AND MANUFACTURING

S.NO	REGISTER NO	NAME	SIGNATURE
1	922115105001	ABARNA K	
2	922115105002	AKILAN.N	
3	922115105003	ANAND.T	
4	922115105004	ANIT DAYANA. A	
5	922115105005	ANTO HUBERT. J	
6	922115105006	ANUSHA K	
7	922115105007	ARUN S	
8	922115105008	ARUN RAJ K	
9	922115105009	BAIZ. N	
10	922115105010	BALAJI.I	
11	922115105011	BHARATHI PERIYASAMY.S	
12	922115105012	BOOMA R	
13	922115105013	DEEPAK RAJ K A	
14	922115105014	DEVAKI S	
15	922115105015	DEVARAJ S	
16	922115105016	GOPIYA C	
17	922115105017	GOWSALYA C	
18	922115105018	GURU SRI K	

Dr.D.SENTHIL KUMARAN, M.B., Ph.D., A.G.S.S.
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagur
Palani Road, Dindigul - 624002

19	922115105019	JANANI P	<i>Janani P.</i>
20	922115105020	JANSI. S	<i>S. Jansi</i>
21	922115105021	JEYASURYA S	<i>S. Jaye</i>
22	922115105022	KARTHICK R	<i>R. KARTHICK</i>
23	922115105023	KARTHIKA. P	<i>P. Karthika</i>
24	922115105024	KARUPPAIAH.M	<i>M. Karuppaiah</i>
25	922115105025	KAVITHA.R	<i>Kavitha.R.</i>
26	922115105026	KIRUTHIHA K	<i>Kiruthiha K.</i>
27	922115105027	KISHOR C	<i>C. Kishor</i>
28	922115105028	MARIA MINISHA. S	<i>S. Maria Minisha</i>
29	922115105029	MASANADEVI.I	<i>I. Masanadevi</i>
30	922115105030	MASI R	<i>Loni</i>
31	922115105031	MOHAMEDABDULAYUB.M	<i>M. Mohamedabdulayub</i>
32	922115105032	MOHAMED SALMAN. S	<i>S. Musaf</i>
33	922115105033	MUSRATH N	<i>Nuf N</i>
34	922115105034	MUTHU RAJ K	<i>KMP</i>
35	922115105035	NARTHIGA SREE D	<i>Nuf - Narthiga</i>
36	922115105036	NAVEEN ROMI. J	<i>Neeraj</i>
37	922115105037	NEWTONSALANDO J	<i>Newton</i>
38	922115105038	PANDIPRIYANKA. M	<i>M. Pandipriyanka</i>
39	922115105039	PRASANTH I	<i>Prasanth I.</i>
40	922115105040	PRIYANKA R M	<i>M. Priyanka</i>
41	922115105041	RAJKUMAR. A	<i>Rajkumar A.</i>
42	922115105042	RAMACHANDRAN. M	<i>M. Ramachandran</i>
43	922115105043	RAMKUMAR. L	<i>Ramal</i>
44	922115105044	RAMYA V	<i>V. Ramya</i>



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagundu (Po),

Palani Road, Dindigul - 624 002.

45	922115105045	ROBERT RAJA.A	<i>Robert Raja . A.</i>
46	922115105046	SHARMILA M	<i>M. Sharmila</i>
47	922115105047	SHRIVISHNUKUMAR. V	<i>Shravishnukumar</i>
48	922115105048	SINDHU. M	<i>Sindhu M.</i>
49	922115105049	SOURAV PRASANNA. V	<i>V. Sourav</i>
50	922115105050	SUNDAR RAJAN K	<i>K. Sundar</i>
51	922115105051	THAMARAI KANNAN. B	<i>B. Thamarai Kannan</i>
52	922115105052	THANGA PANDIAN P	<i>P. Thangapandian</i>
53	922115105053	VIDHYA U	<i>U. Vidhya</i>
54	922115105054	VIGNESH.L	<i>L. Vignesh</i>
55	922115105055	VIGNESHWAR. E	<i>E. Vigneshwar</i>
56	922115105056	VIJAYAPANDI.S	<i>S. Vijayapandi</i>
57	922115105057	VISHAL ADITIYA A	<i>A. Vishal Aditiya</i>
58	922115105058	VISHNU. V	<i>V. Vishnu</i>
59	922115105059	VIVEK KUMAR. G	<i>G. Vivek Kumar</i>
60	922115105701	CYRIL VALAN.]	<i>Cyril.</i>

L. Vinay
Faculty In-charge

R. R. D.
HOD/EEE



Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (Po),
Palani Road, Dindigul - 624 002



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING



Hands on Training Program on PCB Design & Fabrication

Students Attendance Report

Roll No.	Register No.	Name of the Student	03.12.2018		04.12.2018		05.12.2018		06.12.2018		07.12.2018		08.12.2018	
			FN	AN										
1	922115105001	ABARNA.K	/	/	/	/	/	/	/	/	/	/	/	/
2	922115105002	AKILAN.N	/	/	/	/	/	/	/	/	/	/	/	/
3	922115105003	ANAND.T	/	/	/	/	/	/	/	/	/	/	/	/
4	922115105004	ANIT DAYANA.A	/	/	/	/	/	/	/	/	/	/	/	/
5	922115105005	ANTO HUBERT.J	/	/	/	/	/	/	/	/	/	/	/	/
6	922115105006	ANUSHA.K	/	/	/	/	/	/	/	/	/	/	/	/
7	922115105007	ARUN.S	/	/	/	/	/	/	/	/	/	/	/	/
8	922115105008	ARUN RAJ.K	/	/	/	/	/	/	/	/	/	/	/	/
9	922115105009	BAIZ.N	/	/	/	/	/	/	/	/	/	/	/	/
10	922115105010	BALAJI.J	/	/	/	/	/	/	/	/	/	/	/	/
11	922115105011	BHARATHI PERIYASAMY.S	/	/	/	/	/	/	/	/	/	/	/	/
12	922115105012	BOOMA.R	/	/	/	/	/	/	/	/	/	/	/	/
13	922115105013	DEEPAK RAJ. K.A	/	/	/	/	/	/	/	/	/	/	/	/
14	922115105014	DEVAKI.S	/	/	/	/	/	/	/	/	/	/	/	/
15	922115105015	DEVARAJ.S	/	/	/	/	/	/	/	/	/	/	/	/
16	922115105016	GOBIYA.C	/	/	/	/	/	/	/	/	/	/	/	/
17	922115105017	GOWSALYA.V	/	/	/	/	/	/	/	/	/	/	/	/
18	922115105018	GURU SRI. K	/	/	/	/	/	/	/	/	/	/	/	/
19	922115105019	JANANI.P	/	/	/	/	/	/	/	/	/	/	/	/
20	922115105020	JANSI.S	/	/	/	/	/	/	/	/	/	/	/	/
21	922115105021	JEYA SURYA.J	/	/	/	/	/	/	/	AB	/	/	/	/
22	922115105022	KARTHICK.R	/	/	/	/	/	/	/	/	/	/	/	/
23	922115105023	KARTHIKA.P	/	/	/	/	/	/	/	/	/	/	/	/
24	922115105024	KARUPPAIAH.M	/	/	/	/	/	/	/	/	/	/	/	/

Dr.D.SENTHIL KUMARAN, M.E., Ph.D.


Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sinden
Palani Road, Dindigul

Rfj

Roll No.	Register No.	Name of the Student	03/12/18		4/12/18		5/12/18		6/12/18		7/12/18		8/12/18	
			FN	AN	FN	AN	FN	AN	FN	AN	FN	AN	FN	AN
25	922115105025	KAVITHA.R	/	/	/	/	/	/	/	/	/	/	/	/
26	922115105026	KIRUTHIHA.K	/	/	/	/	/	/	/	/	/	/	/	/
27	922115105027	KISHOR.C	/	/	/	/	/	/	/	/	/	/	/	/
28	922115105028	MARIA MINISHA.S	/	/	/	/	/	/	/	/	/	/	/	/
29	922115105029	MASANADEVI.J	/	/	/	/	/	/	/	/	/	/	/	/
30	922115105030	MASI.R	/	/	/	/	/	/	/	/	/	/	/	/
31	922115105031	MOHAMED ABDUL AYUB.M	/	/	/	/	/	/	/	/	/	/	/	/
32	922115105032	MOHAMED SALMAN.S	/	/	/	/	AB	AB	/	/	/	/	/	/
33	922115105033	MUSRETH.N	/	/	/	/	/	/	/	/	/	/	/	/
34	922115105034	MUTHURAJ.K	/	/	/	/	/	/	/	/	/	/	/	/
35	922115105035	NARTHIGASREE.D	/	/	/	/	/	/	/	/	/	/	/	/
36	922115105036	NAVEEN ROMI.J	/	/	/	/	/	/	/	/	/	/	/	/
37	922115105037	NEWTONSLENDO.J	/	/	/	/	/	/	/	/	/	/	/	/
38	922115105038	PANDIPRIYANKA.M	/	/	/	/	/	/	/	/	/	/	/	/
39	922115105039	PRASANTH.I	/	/	/	/	/	/	/	/	/	/	/	/
40	922115105040	PRIYANKA.R.M	/	/	/	/	/	/	/	/	/	/	/	/
41	922115105041	RAJKUMAR.A	/	/	/	/	/	/	/	/	AB	/	/	/
42	922115105042	RAMACHANDRAN.M	/	/	/	/	/	/	/	/	/	/	/	/
43	922115105043	RAMKUMAR.L	/	/	/	/	/	/	/	/	/	/	/	/
44	922115105044	RAMYA.V	/	/	/	/	/	/	/	/	/	/	/	/
45	922115105045	ROBERT RAJA.A	/	/	/	/	/	/	/	/	/	/	/	/
46	922115105046	SHARMILA.M	/	/	/	/	/	/	/	/	/	/	/	/
47	922115105047	SHRIVISHNUKUMAR.V	/	/	/	/	/	/	/	/	/	/	/	/
48	922115105048	SINDHU.M	/	/	/	/	/	/	/	/	/	/	/	/
49	922115105049	SOURAV PRASANNA.V	/	/	/	/	/	/	/	/	/	/	/	/
50	922115105050	SUNDAR RAJAN.K	/	/	/	/	/	/	/	/	/	/	/	/
51	922115105051	THAMARAI KANNAN.B	/	AB	/	/	/	/	/	/	/	/	/	/
52	922115105052	THANGA PANDIAN.P	/	/	/	/	/	/	/	/	/	/	/	/
53	922115105053	VIDHYA.U	/	/	/	/	/	/	/	/	/	/	/	/
54	922115105054	VIGNESH.L	/	/	/	/	/	/	/	/	/	Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)		
55	922115105055	VIGNESHWAR.E	/	/	/	/	/	/	/	/	/	Principal		
56	922115105056	VIJAYPANDI.S	/	/	/	/	/	/	/	/	/	SSM Institute of Engineering and Technology		

Kuttathupatti Village, Sindlagundu (Po),
Palani Road, Dindigul - 624 002.



26/12/18

			03/12/18	4/12/18	5/12/18	6/12/18	7/12/18	8/12/18				
			FN	AN	FN	AN	FN	AN	FN	AN	FN	AN
57	922115105057	VISHAL ADHITHYA.A	/	/	/	/	/	AB	AB	/	/	/
58	922115105058	VISHNU.V	/	/	/	/	/	/	/	/	/	/
59	922115105059	VIVEK KUMAR.G	/		/	/	/		/	/	/	/
60	922115105701	CYRIL VALAN.J	/	/	/	/	/	/	/	/	/	/
	Present	60	59	60	60	59	58	59	59	60	60	59
	Absent	-	01	-	01	02	01	01	01	01	01	01
	Signature	day	day	day	day	day	day	day	day	day	day	day

B. Muthu
Faculty Incharge 8/12/18

P. B. D.
Hod/EEE

Raj
Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul-Palani Highway, Dindigul-624002

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

NAME LIST (2018-2019)

HANDS ON TRAINING ON PCB DESIGN AND MANUFACTURING

S.NO	REGISTER NO	NAME	MARK
1	922115105001	ABARNA K	15
2	922115105002	AKILAN.N	14
3	922115105003	ANAND.T	16
4	922115105004	ANIT DAYANA. A	16
5	922115105005	ANTO HUBERT. J	18
6	922115105006	ANUSHKA K	15
7	922115105007	ARUN S	13
8	922115105008	ARUN RAJ K	12
9	922115105009	BAIZ. N	15
10	922115105010	BALAJI.I	14
11	922115105011	BHARATHI PERIYASAMY.S	13
12	922115105012	BOOMA R	12
13	922115105013	DEEPAK RAJ K A	13
14	922115105014	DEVAKI S	14
15	922115105015	DEVARAJ S	15
16	922115105016	GOPIYA C	17
17	922115105017	GOWSALYA C	18
18	922115105018	GURU SRI K	18



Dr.D.SENTHIL KUMARAN, M.E, Ph.D.,(NUS)
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu(Po),
Palani Road, Dindigul - 624 002

19	922115105019	JANANI P	20
20	922115105020	JANSI. S	13
21	922115105021	JEYASURYA S	14
22	922115105022	KARTHICK R	15
23	922115105023	KARTHIKA. P	18
24	922115105024	KARUPPAIAH.M	16
25	922115105025	KAVITHA.R	16
26	922115105026	KIRUTHIHA K	19
27	922115105027	KISHOR C	18
28	922115105028	MARIA MINISHA. S	19
29	922115105029	MASANADEVI.I	13
30	922115105030	MASI R	12
31	922115105031	MOHAMEDABDULAYUB.M	15
32	922115105032	MOHAMED SALMAN. S	16
33	922115105033	MUSRATH N	17
34	922115105034	MUTHU RAJ K	18
35	922115105035	NARTHIGA SREE D	19
36	922115105036	NAVEEN ROMI. J	16
37	922115105037	NEWTONSALANDO J	20
38	922115105038	PANDIPRIYANKA. M	13
39	922115105039	PRASANTH I	15
40	922115105040	PRIYANKA R M	14
41	922115105041	RAJKUMAR. A	14
42	922115105042	RAMACHANDRAN. M	12
43	922115105043	RAMKUMAR. L	20
44	922115105044	RAMYA V	11
45	922115105045	ROBERT RAJA.A	10



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal


SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagundu (Po),


Palani Road, Dindigul 624 002

26/1

46	922115105046	SHARMILA M	13
47	922115105047	SHRIVISHNUKUMAR. V	14
48	922115105048	SINDHU. M	15
49	922115105049	SOURAV PRASANNA. V	18
50	922115105050	SUNDAR RAJAN K	17
51	922115105051	THAMARAI KANNAN. B	19
52	922115105052	TIIANGA PANDIAN P	18
53	922115105053	VIDHYA U	17
54	922115105054	VIGNESH.L	16
55	922115105055	VIGNESHWAR. E	18
56	922115105056	VIJAYAPANDI.S	16
57	922115105057	VISHAL ADITIYA A	17
58	922115105058	VISHNU. V	20
59	922115105059	VIVEK KUMAR. G	18
60	922115105701	CYRIL VALAN.J	17



Faculty In-charge



HOD/EEE



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul 624 002

DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

Value added Course Summary (2018-2019)

Course Name : PCB Design and Fabrication

Course Duration : 48 Hours

Year offered : IV year students -2018-2019

Course Instructors : Mr. B.Marisekar

Assistant professor /EEE

Course Outcome: The student able to apply the tools and technique of PCB design and Fabrication and able to program and control.

Course Type : Self Framed / Collaboration with Industry

Assessment Mode


Attendance : 48 Hours


Number of participants : 60

Scheme of Exam : MCQ offline




Course Coordinator


HoD



Dr.D.SENTHIL KUMARAN, M.E.,Ph.D.,(NUS)

Principal

SSM Institute of Engineering and Technology

Kutathupatti Village, Sindalagundu (Po),

Palani Road, Dindigul - 624 002




RegNo: 92215105058

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing



Assessment Question

Answer for all the questions (Each questions carry one mark)

Max. Marks: 20 Marks



1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 a) Radiation
 b) Convection
 c) Noise
 d) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for
 a) Removal of heat
 b) Isolation of stray current
 c) Reduction of path length
 d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 a) Iron Soldering
 b) Furnace Soldering
 c) Torch Soldering
 d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 a) Impedance Testing
 b) Component Testing
 c) Apply Signal and check output
 d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 a) Solder Bath Testing
 b) Meniscus Rise Testing
 c) Solder Iron Testing
 d) None of the above

Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (T.O.),
Palani Road, Dindigul 624 002



6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?

- a) To increase leakage resistance
- b) To reduce capacitance between signal conductors & ground
- c) Both a and b
- d) None of the above

7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital PCBs?

- a) Decrease in the distance between conductors
- b) Shielding of clock lines with guard strips
- c) Reduction in the loop area of circuits
- d) Avoid running of parallel traces for longer distances especially for asynchronous signals

8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?

- a) SO
- b) SOP
- c) SOT
- d) SON

9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?


- a) Analog side to analog ground
- b) Digital side to digital ground
- c) Use of separate power supply and connection of their ground leads to single point reference
- d) Reduction of inductive loop area between power and return traces

10. Which among the below stated devices/equipments are preferred for elimination of ground and supply noise especially in TTL/CMOS / ECL PCB designing?

- a) Coupling capacitor
- b) Decoupling capacitor
- c) Snubber circuits
- d) All of the above

11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?

- a) $Z_{\text{even}} > Z_{\text{odd}}$
- b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
- c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
- d) $Z_{\text{odd}} = Z_{\text{even}}$



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagundu (P.O),

Palani Road, Dindigul - 624 002.



12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- ~~c) Photo-resist~~
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
- B. Refraction
- C. Ground & Supply-line Noise
- ~~D. Electromagnetic Interference~~
- ~~A & B~~
- b) B & C
- c) C & D
- d) A, B, C, D

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
- B. Distance between signal line and ground line
- ~~C. Signal Delays~~
- D. Double Pulsing
- ~~a) A & B~~
- ~~b) B & C~~
- c) C & D
- ~~A, B, C, D~~

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20° C)

- a) 118.2 m Ω
- ~~b) 138.2 m Ω~~
- c) 172.4 m Ω
- d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of _____

- a) PCB size & material
- ~~b) Number of layers~~
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (P.O),
Palani Road, Dindigul - 624 002



17. Which factors contribute to the occurrence of mechanical stress?

- a) Resonance
- b) Cracked Solder Joints.
- c) Both a and b
- d) None of the above

18. Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?

- a) Single-sided PCB
- b) Double-sided PCB
- c) Both a and b
- d) None of the above

19. What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?

- a) Increase in self-inductance
- b) Reduction in self-inductance
- c) Stability in self-inductance
- d) None of the above

20) What is the first step in PCB design

- a) Specification
- b) Schematic
- c) Manufacturing file
- d) Simulation



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (P.O),
Palani Road, Dindigul - 624 002



RegNo: 922115105001

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY


Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing

Assessment Question

Answer for all the questions (Each questions carry one mark)

Max. Marks: 20 Marks



1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 - a) Radiation
 - b) Convection
 - c) Noise
 - d) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for
 - a) Removal of heat
 - b) Isolation of stray current
 - c) Reduction of path length
 - d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 - a) Iron Soldering
 - b) Furnace Soldering
 - c) Torch Soldering
 - d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 - a) Impedance Testing
 - b) Component Testing
 - c) Apply Signal and check output
 - d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 - a) Solder Bath Testing
 - b) Meniscus Rise Testing
 - c) Solder Iron Testing
 - d) None of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (IUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (P.O),
Palani Road, Dindigul - 624 002

6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?

- a) To increase leakage resistance
- b) To reduce capacitance between signal conductors & ground
- c) Both a and b
- d) None of the above

7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital ICs?

- a) Decrease in the distance between conductors
- b) Shielding of clock lines with guard strips
- c) Reduction in the loop area of circuits
- d) Avoid running of parallel traces for longer distances especially for asynchronous signals

8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?

- a) SO
- b) SOP
- c) SOT
- d) SON

9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?

- a) Analog side to analog ground
- b) Digital side to digital ground
- c) Use of separate power supply and connection of their ground leads to single point reference
- d) Reduction of inductive loop area between power and return traces

10. Which among the below stated devices/equipments are preferred for elimination of ground and supply line noise especially in TTL/CMOS / ECL PCB designing?

- a) Coupling capacitor
- b) Decoupling capacitor
- c) Snubber circuits
- d) All of the above

11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?

- a) $Z_{\text{even}} > Z_{\text{odd}}$
- b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
- c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
- d) $Z_{\text{odd}} = Z_{\text{even}}$

Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.



12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- c) Photo-resist
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
- B. Refraction
- C. Ground & Supply-line Noise
- D. Electromagnetic Interference

A & B

b) B & C

c) C & D

d) A, B, C, D

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
- B. Distance between signal line and ground line
- C. Signal Delays
- D. Double Pulsing

a) A & B

b) B & C

c) C & D

A, B, C, D

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20°C)

a) 118.2 m Ω

b) 138.2 m Ω

c) 172.4 m Ω

d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of _____

- a) PCB size & material
- b) Number of layers
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagundu (Po),

Palani Road, Dindigul - 624 002

17. Which factors contribute to the occurrence of mechanical stress?

- a) Resonance
- b) Cracked Solder Joints.
- c) Both a and b
- d) None of the above

18. Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?

- a) Single-sided PCB
- b) Double-sided PCB
- c) Both a and b
- d) None of the above

19. What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?

- a) Increase in self-inductance
- b) Reduction in self-inductance
- c) Stability in self-inductance
- d) None of the above

20) What is the first step in PCB design

- a) Specification
- b) Schematic
- c) Manufacturing file
- d) Simulation



Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.





RegNo: 922115105023

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing

Assessment Question

~~Answer for all the questions (Each questions carry one mark)~~

Max. Marks: 20 Marks



1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 a) Radiation
 b) Convection
 c) Noise
 d) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for _____
 a) Removal of heat
 b) Isolation of stray current
 c) Reduction of path length
 d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 a) Iron Soldering
 b) Furnace Soldering
 c) Torch Soldering
 d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 a) Impedance Testing
 b) Component Testing
 c) Apply Signal and check output
 d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 a) Solder Bath Testing
 b) Meniscus Rise Testing
 c) Solder Iron Testing
 d) None of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul 624 002



6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?

- a) To increase leakage resistance
- b) To reduce capacitance between signal conductors & ground
- c) Both a and b
- d) None of the above

7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital PCBs?

- a) Decrease in the distance between conductors
- b) Shielding of clock lines with guard strips
- c) Reduction in the loop area of circuits
- d) ~~Avoid~~ running of parallel traces for longer distances especially for asynchronous signals

8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?

- a) SO
- b) SOP
- c) SOT
- d) SON

9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?

- a) Analog side to analog ground
- b) Digital side to digital ground
- c) Use of separate power supply and connection of their ground leads to single point reference
- d) Reduction of inductive loop area between power and return traces

10. Which among the below stated devices/equipments are preferred for elimination of ground and supply noise especially in TTL/CMOS / ECL PCB designing?

- a) Coupling capacitor
- b) Decoupling capacitor
- c) Snubber circuits
- d) All of the above

11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?

- a) $Z_{\text{even}} > Z_{\text{odd}}$
- b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
- c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
- d) $Z_{\text{odd}} = Z_{\text{even}}$



A handwritten signature in black ink, appearing to read "Dr. D. Senthil Kumaran".

Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Simulagundu(Po),
Paani Road, Dindigul - 624 002.

12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- c) Photo-resist
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
 - B. Refraction
 - C. Ground & Supply-line Noise
 - D. Electromagnetic Interference
- A & B
 - b) B & C
 - c) C & D
 - d) A, B, C, D

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
 - B. Distance between signal line and ground line
 - C. Signal Delays
 - D. Double Pulsing
- a) A & B
 - b) R & C
 - c) C & D
 - A, B, C, D

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20° C)

- a) 118.2 m Ω
- b) 138.2 m Ω
- c) 172.4 m Ω
- d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of _____

- a) PCB size & material
- b) Number of layers
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttatbugatti Village Sindalagundi, U.P.,
Palani Road, Dindigul - 624 002

17) Which factors contribute to the occurrence of mechanical stress?

- a) Resonance
- b) Cracked Solder Joints.
- c) Both a and b
- d) None of the above

18) Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?

- a) Single-sided PCB
- b) Double-sided PCB
- c) Both a and b
- d) None of the above

19) What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?

- a) Increase in self-inductance
- b) Reduction in self-inductance
- c) Stability in self-inductance
- d) None of the above

20) What is the first step in PCB design

- a) Specification
- b) Schematic
- c) Manufacturing file
- d) Simulation



A handwritten signature in black ink, appearing to read "R. S. Kumaran".

Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (Po),
Palani Road, Dindigul 624 002



RegNo: 922115105043

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing

Assessment Question

Answer for all the questions (Each questions carry one mark)

Max. Marks: 20 Marks

1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 a) Radiation
 b) Convection
 Noise
 c) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for
 a) Removal of heat
 b) Isolation of stray current
 c) Reduction of path length
 d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 a) Iron Soldering
 b) Furnace Soldering
 c) Torch Soldering
 d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 a) Impedance Testing
 b) Component Testing
 c) Apply Signal and check output
 d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 a) Solder Bath Testing
 b) Meniscus Rise Testing
 c) Solder Iron Testing
 d) None of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (Po),
Palani Road, Dindigul - 624 002.

6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?

- a) To increase leakage resistance
- b) To reduce capacitance between signal conductors & ground
- c) Both a and b
- d) None of the above

7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital PCBs?

- a) Decrease in the distance between conductors
- b) Shielding of clock lines with guard strips
- c) Reduction in the loop area of circuits
- d) Avoid running of parallel traces for longer distances especially for asynchronous signals

8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?

- a) SO
- b) SOP
- c) SOT
- d) SON

9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?


- a) Analog side to analog ground
- b) Digital side to digital ground
- c) Use of separate power supply and connection of their ground leads to single point reference
- d) Reduction of inductive loop area between power and return traces

10. Which among the below stated devices/equipments are preferred for elimination of ground and supply noise especially in TTL/CMOS / ECL PCB designing?

- a) Coupling capacitor
- b) Decoupling capacitor
- c) Snubber circuits
- d) All of the above

11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?

- a) $Z_{\text{even}} > Z_{\text{odd}}$
- b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
- c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
- d) $Z_{\text{odd}} = Z_{\text{even}}$



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagunnu (Po),
Palani Road, Dindigul - 624 002.



12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- c) Photo-resist
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
 - B. Refraction
 - C. Ground & Supply-line Noise
 - D. Electromagnetic Interference
- A & B
 - b) B & C
 - c) C & D
 - d) A, B, C, D

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
 - B. Distance between signal line and ground line
 - C. Signal Delays
 - D. Double Pulsing
- a) A & B
 - b) B & C
 - c) C & D
 - d) A, B, C, D

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20° C))

- a) 118.2 m Ω
- b) 138.2 m Ω
- c) 172.4 m Ω
- d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of

- a) PCB size & material
- b) Number of layers
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E, Ph.D, (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002

17. Which factors contribute to the occurrence of mechanical stress?

- a) Resonance
- b) Cracked Solder Joints.
- c) Both a and b
- d) None of the above

18. Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?

- a) Single-sided PCB
- b) Double-sided PCB
- c) Both a and b
- d) None of the above

19. What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?

- a) Increase in self-inductance
- b) Reduction in self-inductance
- c) Stability in self-inductance
- d) None of the above

20) What is the first step in PCB design

- a) Specification
- b) Schematic
- c) Manufacturing file
- d) Simulation



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village Sindalagundu(Po)
Palani Road, Dindigul - 624 002.

161



RegNo: 9221510550

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing

Assessment Question

Answer for all the questions (Each questions carry one mark)

Max. Marks: 20 Marks

1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 - a) Radiation
 - b) Convection
 - Noise
 - d) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for
 - a) Removal of heat
 - b) Isolation of stray current
 - c) Reduction of path length
 - d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 - a) Iron Soldering
 - b) Furnace Soldering
 - Torch Soldering
 - d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 - a) Impedance Testing
 - b) Component Testing
 - Apply Signal and check output
 - d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 - a) Solder Bath Testing
 - b) Meniscus Rise Testing
 - c) Solder Iron Testing
 - d) None of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (P.O),
Palani Road, Dindigul 624 002

6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?
- a) To increase leakage resistance
 - b) To reduce capacitance between signal conductors & ground
 - c) Both a and b
 - d) None of the above
7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital PCBs?
- a) Decrease in the distance between conductors
 - b) Shielding of clock lines with guard strips
 - c) Reduction in the loop area of circuits
 - d) Avoid running of parallel traces for longer distances especially for asynchronous signals
8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?
- a) SO
 - b) SOP
 - c) SOT
 - d) SON
9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?
- a) Analog side to analog ground
 - b) Digital side to digital ground
 - c) Use of separate power supply and connection of their ground leads to single point reference
 - d) Reduction of inductive loop area between power and return traces
10. Which among the below stated devices/equipments are preferred for elimination of ground and supply noise especially in TTL/CMOS / ECL PCB designing?
- a) Coupling capacitor
 - b) Decoupling capacitor
 - c) Snubber circuits
 - d) All of the above
11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?
- a) $Z_{\text{even}} > Z_{\text{odd}}$
 - b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
 - c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
 - d) $Z_{\text{odd}} = Z_{\text{even}}$



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.

12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- c) Photo-resist
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
 - B. Refraction
 - C. Ground & Supply-line Noise
 - D. Electromagnetic Interference
- A & B
 - B & C
 - C & D
 - A, B, C, D

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
 - B. Distance between signal line and ground line
 - C. Signal Delays
 - D. Double Pulsing
- a) A & B
 - b) B & C
 - c) C & D
 - A, B, C, D

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20°C))

- a) 118.2 m Ω
- b) 138.2 m Ω
- c) 172.4 m Ω
- d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of _____

- a) PCB size & material
- b) Number of layers
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (P.O),
Palani Road, Dindigul - 624 002.

17. Which factors contribute to the occurrence of mechanical stress?
- a) Resonance
 - b) Cracked Solder Joints.
 - c) Both a and b
 - d) None of the above
18. Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?
- a) Single-sided PCB
 - b) Double-sided PCB
 - c) Both a and b
 - d) None of the above
19. What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?
- a) Increase in self-inductance
 - b) Reduction in self-inductance
 - c) Stability in self-inductance
 - d) None of the above
- 20) What is the first step in PCB design
- a) Specification
 - b) Schematic
 - c) Manufacturing file
 - d) Simulation




Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002



RegNo: 922115105016.....

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering
Value added Course on PCB Fabrication and Manufacturing

Assessment Question

Answer for all the questions (Each questions carry one mark)

17
20
W
Max. Marks: 20 Marks

1. Which phenomenon is not reduced by the circuit paths of lowest impedances especially provided by power and return planes for shielding purposes?
 - a) Radiation
 - b) Convection
 - Noise
 - c) Crosstalk

2. High current circuits are purposely located or placed near the edge of PCB in accordance to the supply lines for
 - a) Removal of heat
 - b) Isolation of stray current
 - c) Reduction of path length
 - d) All of the above

3. Which among the below stated soldering methods is also renowned as 'High Frequency Resistance Soldering'?
 - a) Iron Soldering
 - b) Furnace Soldering
 - Torch Soldering
 - d) Electrical Soldering

4. Which among the below mentioned approaches belongs to the category of In-circuit Testing?
 - a) Impedance Testing
 - b) Component Testing
 - c) Apply Signal and check output
 - d) All of the above

5. Which type of solderability testing is carried out for the generation of solder sample due to immersion of wire or sheet metal specimen in a bath of molten solder?
 - a) Solder Bath Testing
 - b) Meniscus Rise Testing
 - c) Solder Iron Testing
 - d) None of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sind Jagunam, 79,
Palani Road, Dindigul - 624 002.

6. What is/are the necessity/ies to provide guarding to precision differential amplifiers?

- a) To increase leakage resistance
- b) To reduce capacitance between signal conductors & ground
- c) Both a and b
- d) None of the above

7. Which among the below mentioned assertions is not a way of cross-talk reduction while designing digital PCBs?

- a) Decrease in the distance between conductors
- b) Shielding of clock lines with guard strips
- c) Reduction in the loop area of circuits
- d) Avoid running of parallel traces for longer distances especially for asynchronous signals

8. Which among the below mentioned packages does not belong to the category of 'Small Outline Package'?

- a) SO
- b) SOP
- c) SOT
- d) SON

9. Which among the below specified assertions is not a grounding consideration associated with ADC as well as DAC?

- a) Analog side to analog ground
- b) Digital side to digital ground
- c) Use of separate power supply and connection of their ground leads to single point reference
- d) Reduction of inductive loop area between power and return traces

10. Which among the below stated devices/equipments are preferred for elimination of ground and supply noise especially in TTL/CMOS / ECL PCB designing?

- a) Coupling capacitor
- b) Decoupling capacitor
- c) Snubber circuits
- d) All of the above

11. Which among the below specified condition is precise in the crosstalk verification mechanism using logic flow in opposite direction with the limit of avoiding dangerous interference in digital PCB designing?

- a) $Z_{\text{even}} > Z_{\text{odd}}$
- b) $Z_{\text{odd}} \geq 0.5 Z_{\text{even}}$
- c) $Z_{\text{odd}} \geq 0.8 Z_{\text{even}}$
- d) $Z_{\text{odd}} = Z_{\text{even}}$




Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (P.O.),
Palani Road, Dindigul - 624 002

12. Which terminology of PCB represents a thin photo-sensitive polymer by supporting photographic pattern of single traces or IC pads for etching?

- a) Prepreg
- b) Etching
- c) Photo-resist
- d) Solder mask

13. Which problems are about to occur if PCB is not designed properly in a confined manner for digital circuits?

- A. Diffraction
 - B. Refraction
 - C. Ground & Supply-line Noise
 - D. Electromagnetic Interference
- A & B
b) B & C
c) C & D
~~d) A, B, C, D~~

14. Which among the following assists in obtaining the desired value of wave impedance in reflection phase while designing digital PCBs?

- A. Width of signal lines
 - B. Distance between signal line and ground line
 - C. Signal Delays
 - D. Double Pulsing
- a) A & B
b) B & C
~~c) C & D~~
~~d) A, B, C, D~~

15. What should be the resistance of 0.6 mm wide conductor with 15 cm length and 25 μm thickness of standard copper foil? (Assume $\rho = 1.7241 \times 10^{-6}$ (at 20° C)

- a) 118.2 m Ω
- b) 138.2 m Ω
- c) 172.4 m Ω
- d) 192.4 m Ω

16. The actual cost of PCB can be evaluated on the basis of _____

- a) PCB size & material
- b) Number of layers
- c) Vias on PCB
- d) All of the above



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu, (T.O),
Palani Road, Dindigul - 624 002.

17. Which factors contribute to the occurrence of mechanical stress?
- a) Resonance
 - b) Cracked Solder Joints.
 - c) Both a and b
 - d) None of the above
18. Which type of PCB requires minimum soldering on component side in order to avoid replacement oriented difficulties?
- a) Single-sided PCB
 - b) Double-sided PCB
 - c) Both a and b
 - d) None of the above
19. What effects can be observed if the separate power and ground planes are provided with large conducting surfaces for better decoupling in PCB layouts?
- a) Increase in self-inductance
 - b) Reduction in self-inductance
 - c) Stability in self-inductance
 - d) None of the above
- 20) What is the first step in PCB design
- a) Specification
 - b) Schematic
 - c) Manufacturing file
 - d) Simulation



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering

Hands on Training in PCB Design and Manufacturing

STUDENT FEEDBACK FORM

Year/Sem: IV / VII

Date: 07/12/2018

Dear Student,

Thank you for your participation Hands on Training in **PCB Design and Fabrication**. We would like to hear from you - areas that you find useful and areas that you think we can do better. Your feedback will help us evaluate the effectiveness of this program and allow us to make improvements in future.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content	✓				
2	Skill development		✓			
3	Motivation		✓			
4	Regularity and punctuality of trainer	✓				
5	Coverage of syllabus	✓				
6	Interaction		✓			
7	Individual attention			✓		
8	Outcome	✓				

Feel free to give **QUALITATIVE** comments too

Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sindalagudi

Palani Road, Dindigul - 624 002



Signature of the student with name



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering

Hands on Training in PCB Design and Manufacturing

STUDENT FEEDBACK FORM

Year/Sem: 4 / 7

Date: 07 / 12 / 18

Dear Student,

Thank you for your participation Hands on Training in **PCB Design and Fabrication**. We would like to hear from you - areas that you find useful and areas that you think we can do better. Your feedback will help us evaluate the effectiveness of this program and allow us to make improvements in future.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content		✓			
2	Skill development			✓		
3	Motivation	✓				
4	Regularity and punctuality of trainer		✓			
5	Coverage of syllabus	✓				
6	Interaction		✓			
7	Individual attention	✓				
8	Outcome			✓		

Feel free to give **QUALITATIVE** comments too



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (INUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagan,
Palani Road, Dindigul 624 002

M. Sindhu
Signature of the student with name

M. Sindhu



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering

Value added course on PCB Design and Manufacturing

STUDENT FEEDBACK FORM

Year/Sem: VII - VIII

Date: 07/12/18

Dear Student,

Thank you for your participation Value added Course on **PCB Design and Fabrication**.

We would like to hear from you - areas that you find useful and areas that you think we can do better. Your feedback will help us evaluate the effectiveness of this program and allow us to make improvements in future.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content		✓			
2	Skill development	✓				
3	Motivation	✓				
4	Regularity and punctuality of trainer		✓			
5	Coverage of syllabus		✓			
6	Interaction			✓		
7	Individual attention		✓			
8	Outcome		✓			

Feel free to give **QUALITATIVE** comments too



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002

Signature of the student with name
Anusha K



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering

Value added course on PCB Design and Manufacturing

STUDENT FEEDBACK FORM

Year/Sem: V_E - V_I

Date: 07.12.18


Dear Student,

Thank you for your participation Value added Course on **PCB Design and Fabrication**.

We would like to hear from you - areas that you find useful and areas that you think we can do better. Your feedback will help us evaluate the effectiveness of this program and allow us to make improvements in future.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content	✓				
2	Skill development		✓			
3	Motivation		✓			
4	Regularity and punctuality of trainer			✓		
5	Coverage of syllabus	✓				
6	Interaction	✓				
7	Individual attention		✓			
8	Outcome		✓			

Feel free to give **QUALITATIVE** comments too



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (HUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po).
Road No. 1041, 624 002

Gobiyac
GOBIYA-C

Signature of the student with name





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002

Department of Electrical and Electronics Engineering

Value added course on PCB Design and Manufacturing

STUDENT FEEDBACK FORM

Year/Sem: IV / vii

Date: 07.12.18

Dear Student,

Thank you for your participation Value added Course on **PCB Design and Fabrication**.

We would like to hear from you - areas that you find useful and areas that you think we can do better. Your feedback will help us evaluate the effectiveness of this program and allow us to make improvements in future.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content		✓			
2	Skill development		✓			
3	Motivation			✓		
4	Regularity and punctuality of trainer		✓			
5	Coverage of syllabus	✓				
6	Interaction			✓		
7	Individual attention	✓				
8	Outcome		✓			

Feel free to give QUALITATIVE comments too



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUSL)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (P.O.)
Palani Road, Dindigul - 624 002



Guru Sri .K

Signature of the student with name



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul - Palani Highway, Dindigul - 624 002

CERTIFICATE

This is to certify that Mr./Ms.VISHNU.V..... Of

IV-EEE has successfully completed the Hands on Training program on PCB Design and Fabrication from 03.12.2018 to 08.12.2018 organized by Schneider Electric System India Pvt.Ltd, Chennai.

A handwritten signature in black ink, appearing to read "Senthil".

Principal

Dr. D. SENTHIL
Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002






SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul - Palani Highway, Dindigul - 624 002

CERTIFICATE

This is to certified that Mr./Ms.J. BALATI..... Of
IV-EEE has successfully completed the Hands on Training program on PCB
Design and Fabrication from 03.12.2018 to 08.12.2018 organized by Schneider
Electric System India Pvt.Ltd, Chennai.



Dr.D.SENTHIL KUMARAN, M.E, PH.D, (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul 624 002.

Principal



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul - Palani Highway, Dindigul - 624 002

CERTIFICATE

This is to certified that Mr./Ms. *Gopiyal, C.* Of
IV-EEE has successfully completed the Hands on Training program on PCB
Design and Fabrication from 03.12.2018 to 08.12.2018 organized by Schneider
Electric System India Pvt.Ltd, Chennai.



R.D.K.
Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)
Principal
SSM Institute of Engineering and Technology
Kurathupatti Village Sindalagundu (Po),
Palani Road, Dindigul - 624 002,

L. Venkatesan
Principal



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul - Palani Highway, Dindigul - 624 002

CERTIFICATE

This is to certified that Mr./Ms. BAIZ. N. Of

IV-EEE has successfully completed the Hands on Training program on PCB Design and Fabrication from 03.12.2018 to 08.12.2018 organized by Schneider Electric System India Pvt.Ltd, Chennai.

A handwritten signature in black ink, appearing to read 'D. Senthil Kumaran'.

Dr. D. SENTHIL KUMARAN, M.E., Ph.D. (NUS)

Principal

SSM Institute of Engineering and Technology
Ettathupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.

A handwritten signature in black ink, appearing to read 'Balaji'.

Principal





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul - Palani Highway, Dindigul - 624 002

CERTIFICATE

This is to certified that Mr./Ms. AKILAN . N Of
IV-EEE has successfully completed the Hands on Training program on PCB
Design and Fabrication from 03.12.2018 to 08.12.2018 organized by Schneider
Electric System India Pvt.Ltd, Chennai.

Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu(Po),
Palani Road, Dindigul - 624 002.

Principal

