



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC),

(Accredited by NBA – ECE, EEE & MECH UG Programs)

Dindigul – Palani Highway, Dindigul 624 002

Date: 25.01.23

CIRCULAR

It is planned to conduct Value Added Course for II year students by Department of Civil Engineering along with BTR Construction, Erode from 13.02.23 to 18.02.23.

S.No	Year	Name of the Course	Period	No. of Days
1.	II Year	AutoCAD	13.02.23 to 18.02.23	6 Days

Faculty In-charge

HoD/Civl



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (IUS)
Principal
SSM Institute of Engineering and Technology
Kuttaiyappatti Village, Sandalagunru (P.O),
Palan Road, Dindigul - 624 002.



SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Accredited by NAAC and affiliated to Anna University, Chennai

2022-23

VALUE ADDED COURSE

ON

Auto CAD

2022

Date:

13.2.23 to 18.2.23




SERVICE PROVIDER

**BTR Construction,
Bhavani Sagar.**

EVENT COORDINATOR

T. Sivaganesan,
Assistant Professor,
SSM-IET, Dindigul.



Dr.D.SENTHIL KUMAR

Principal

SSM Institute of Engineering and Technology

Kuttathupatti Village, Sivagangai (P.O),

Palani Road, Dindigul - 624 002.


COURSE CONTENT

Introduction to Auto CAD | Section and elevation | Detailing | Drafting | Painting with colors, textures and photo-matching | Enhancing and presenting | 3D models | Walk-through video.

Syllabus for AutoCAD Software

- ✓ Introduction toAutoCAD&Design Basics
- ✓ Units,Limits,Drafting Settings,Selection Methods
- ✓ Draw - Line, Polyline, Rectangle,Polygon
- ✓ Modify - Erase,Move,Copy,Rotate,Trim&Extend
- ✓ Draw - Arc,Ellipse,Spline,Point, Hatch
- ✓ Modify - Array, Break, Break at point
- ✓ Draw - Region, Revision Cloud, Wipe Out, Construction Line, Ray, Donut
- ✓ Modify - Fillet,Chamfer,Scale,Lengthen,Stretch,Explode,Join, Align
- ✓ Annotation - Text,Dimensions - Property Tool bar
- ✓ Annotation - Leaders,Table,Scaling
- ✓ Layer Tool bar,Draw order
- ✓ Block &Dynamic Block
- ✓ Approval drawing Concept
- ✓ Electrical Drawing Concept
- ✓ Isometric View
- ✓ Introduction of 3D,Views,Viewports,Orbit,Visual styles
- ✓ Solid Creation,3D Modify & UCS
- ✓ Solid Editing&Material
- ✓ Rendering Materials
- ✓ Interactive Session - 2 days




Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (Po),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY, DINDIGUL
DEPARTMENT OF CIVIL ENGINEERING - VALUE ADDED COURSE (AUTOCADD)
(13.02.2023 TO 18.02.2023)

S.No	Register No	Student Name	13.02.2023				14.02.2023				15.02.2023				16.02.2023				17.02.2023			
			FN	AN	FN	AN																
1	922121103001	DHARUN M	AB	AB	AB	AB																
2	922121103003	KANNAN K	AB	AB	AB	AB																
3	922121103005	KAVINNILAVAN S	AB	AB	AB	AB																
4	922121103006	MUKESH M	AB	AB	AB	AB																
5	922121103007	NAGAJOTHI M	AB	AB	AB	AB																
6	922121103008	NAGARAJANG	AB	AB	AB	AB																
7	922121103009	NITHEESH KANNAN P	AB	AB	AB	AB																
8	922121103010	NIVASHINI P	AB	AB	AB	AB																
9	922121103011	PRAVEEN VENGADESH S	AB	AB	AB	AB																
10	922121103012	SHANMUGAPRIYAK	AB	AB	AB	AB																
11	922121103013	SYEAD ABUTHAHIR S	AB	AB	AB	AB																
12	922121103301	DINESH KUMAR R	AB	AB	AB	AB																
13	922121103302	NIRMALADEVI R	AB	AB	AB	AB																
14	922121103303	PRAVEEN R	AB	AB	AB	AB																
15	922121103304	SUBASHINI G	AB	AB	AB	AB																
16	TRANSFER	RAGHUL SP	AB	AB	AB	AB																

P.g.
HOD/CIVIL

Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (FUS)
Principal
SSM Institute of Engineering and Technology
Kummanapatti Village Sankagunam (P.O),
Palani Road, Dindigul - 644 004





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

Dindigul – Palani Highway, Dindigul – 624 002.

Phone: 0451–2448800–99 (100 Lines) Fax: 0451–2448855

Email: ssmietdgl@gmail.com Website: www.ssmiet.ac.in

09.03.2023

Department of Civil Engineering

Technology Training Report

As an initiative for technology training programme was conducted for II year Civil Engineering students in CADD lab @ department of civil engineering, scheduled from 13.02.2023 to 18.02.2023. This technology training was conducted by Mr.R.Udhayasankar., B.T.R Construction, Bhavanisagar.




In this technology training – AutoCAD – 2022 programme consists of 48 hours. Students Learn from the AutoCAD – Technology training,

- To Plan Creation as per vastu.
- To draw the section and Elevation
- Detailing and drafting for RCC Elements.
- Modelling a story house interior and exterior.
- Painting with colours, textures and photo-matching.
- Enhancing and presenting the model.
- Create realistic 3D models of your design using a combination of solid, surface, and mesh modeling tools.
- Apply visual styles to control the display of edges, lighting, and shading of your 3D model.
- Apply lighting and materials to give your 3D models a realistic appearance and to help communicate your designs.
- Walkthrough video.

Totally 15 students were benefitted for this programme. The programme was co-ordinated by Mr.T.Sivaganesan, Assistant professor, Civil Engineering. SSM institute of Engineering and technology,Dindigul.

Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (Po),
Palani Road, Dindigul - 624 062.





Deeveesh
Technology Training In-charge

R.
HOD/Civil

D.Senthil
Principal

Dr.D.SENTHIL KUMARAN, M.E., Ph.D.,(HDL)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu(Po),
Palani Road, Dindigul - 624 002.





SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC)
Dindigul – Palani, Highway, Dindigul – 624 002

1. In AutoCAD 2D Modelling, which axis is not accessible for drafting?

- A X
- B Y
- C Z
- D WCS

2. A Polyline can be broken into individual lines and arcs using which of the following command?

- A BREAK
- B TRIM
- C EXPLODE
- D OVERKILL

3. Origin of the AutoCAD drawing space is,

- A 0,0
- B 1,0
- C 0,1
- D 1,1

4. Scrolling of mouse can perform which following action?

- A Zoom in / zoom out
- B pan & scan
- C extents / all
- D scale

5. In AutoCAD, the number of workspaces is,

- A 1
- B 2
- C 3
- D 4

6. Is there any difference between Command Plot and Print?

- A plot command prints only big plans
- B The plot command for CNC (CAM)
- C No difference
- D Print command can print upto A3 size paper



7. Find the false statement in regards with "If an array is made associative".

- A You can't use Boolean operations on the array elements
- B To make the array non associative you need to use explode command on it
- C The array can be edited again by selecting it
- D The array can't be modified in any way once it is made associative

8. An open area can be filled with which of the following gradient:

- A Gap
- B Tolerance
- C Transparency
- D Open

9. The shortcut to start a table is,

- A T
- B TA
- C TBL
- D TABLE

10. What is the shortcut for zoom command?

- A Z Command
- B Rotate mouse wheel
- C ZOOM Command
- D All of the above

11. To select a set of objects in the workspace, what should be done?

- A By a crossing window drawn from right to left
- B By a crossing window drawn left to right
- C Shift + clicking on the objects
- D None of the above

12. A line shows its dimension as 14.52. What is the precision of this line?

- A [0.0]
- B [0.00]
- C [0.000]
- D Display of length has nothing to do with precision

Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttabupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.

13. Model Tab and Layout Tab can be majorly distinguished as,

- A. The Model tab is used for drawing in 3D and a Layout is used for drawing in 2D
- B. The Model tab is where you create the drawing, and a Layout tab represents the sheet that you will plot or print on
- C. The colour of the background
- D. The Model tab displays the drawing you are copying from and the Layout tab is where you lay out the new drawing

14. Shortcut key for Multileader in AutoCAD 2022,

- A. ML
- B. MLN
- C. MLEADER
- D. MULTI

15. To bring a particular area of the workspace in focus, what command should be used?

- A. Zoom Extents
- B. Zoom Window
- C. Zoom Dynamic
- D. Zoom All

16. What are the various options from left to right and the opposite direction?

- A. Choose a different category of objects
- B. Select objects according to their colour
- C. Select objects according to their position
- D. No difference

17. Shortcut for Trim command is,

- A. T
- B. TR
- C. TI
- D. X

18. A Boolean operation that is used to select interfering region between solids,

- A. Union
- B. Intersect
- C. Subtract
- D. None of the above

19. What command allows us to select objects based on some status?

- A. Properties
- B. Qselect
- C. Pselect

D. Attributes

20. If you change the scale list a project that I have started from 1:50 1:10 then,

- A. You will have to start over
- B. You should not raise the objects already exist (scale) by 5
- C. You will not need to change anything in hitherto methodology
- D. Should be converted into new items that will add based on the new scale

21. A line 4mm in length inclined at 75 degrees to the x- axis can be represented as,

- A. will write 0 <75
- B. will write 0 <15
- C. will write 4 <15
- D. will write 4 <75

22. How will you create a line representing length 15 units at an angle of 30 degrees with respect to the positive direction of the X-axis and the first point of the line is not at the origin?

- A. 30<15
- B. 15<30
- C. @30<15
- D. @15<30

23. Which of the following options cannot be used to represent a line?


- A. Yards
- B. Parsecs
- C. Microns
- D. Grads

24. A fillet command is used to produce,

- A. Sharp corners
- B. Round corners
- C. Both of the above
- D. None of the above

25. Which one of the following is not a property of an object?

- A. Line weight
- B. Measure
- C. Hyperlink
- D. Elevation



26. In MLine tool, which symbol can be found on which panel?

**SSM Institute of Engineering and Technology
Kuttathupatti Village Sindalagundu (ru),
Palani Road, Dindigul - 624 002.**



- A. Tools
- B. Insert
- C. Options
- D. Formatting

- C. REDEFINE
- D. UNGROUP

27. What is the default design workspace in AutoCAD 2022?

- A AutoCAD Classic
- B Drafting & Annotation
- C 3D Basics
- D 3D Modelling

28. What time (according to the clock) are 180 degrees according to the conventional time?

- A 12 exactly
- B 6 exactly
- C 9 exactly
- D 3 exactly

29. Which coordinate option can be used to reset the orientation of UCS to its default?

- A UCS, World
- B UCS, Named UCS
- C UCS, Previous
- D UCS Icon, Properties

30. An object can be obtained from a block by using,

- A EXPLODE
- B OVERKILL
- C REDEFINE
- D UNGROUP

31. The symbol that shows snap point to the closet point,

- A With circles and dots in the centre
- B With two triangles
- C With three orthogonal
- D With Diamond

32. In order to measure the dimensions of a land, the surveyor uses which of the following system,

- A No one method
- B Related cartesian coordinates
- C Absolute polar coordinates
- D None of the above

33. The command that is used to convert a block into a drawing object,

- A EXPLODE
- B OVERKILL

34. The function of a polar array is to create object,

- A In a grid pattern
- B In a circular pattern
- C In a straight line
- D All the above

35. Fillet in various corners can be created simultaneously using which command,

- A Loop
- B Chain
- C Multiple
- D Edge

36. The command used to convert separate entities into a polyline,

- A Union
- B Subtract
- C Join
- D Polyline

37. Command used to create a rectangle 8 units in length and 6 units in width, starting not from the origin,

- A 8,6
- B 6,8
- C @8,6
- D @6,8

38. AutoCAD commands can be accessed in,

- A Drawing area
- B Status bar
- C Tool bars
- D Command window

39. Various methods to access PAN command,

- A Right click and select PAN from contextual menu
- B PAN command
- C Press and hold middle mouse button
- D All of the above

40. The file extension that cannot be accessed by AutoCAD,

- A dwg
- B dxf
- C doc
- D dws

22/1

- 41. Plagiostomi angle can be created by which angle.**
- A. chamfer
 - B. fillet
 - C. offset
 - D. mirror
- 42. In AutoCAD, polar coordinate is used for creating.**
- A. arc
 - B. ellipse
 - C. angular lines
 - D. none of the above
- 43. To print the entire project, you will choose to regulate what to plot**
- A. Display
 - B. Extends
 - C. Limits
 - D. Window
- 44. The layer that can be deleted from the layer property manager.**
- A. Layer 0
 - B. Defpoints
 - C. Layer containing objects
 - D. Frozen layer not containing objects
- 45. The maximum number of layers that a drawing can have?**
- A. 1
 - B. 2
 - C. As many as depending on the complexity
 - D. None of the above
- 46. The hatch pattern used to fill a closed area,**
- A. ANSI31
 - B. ANGLE
 - C. SOLID
 - D. Filled area can't be made with hatch command
- 47. Which state grid is used to design perspective?**
- A. Parametric
 - B. Isometric
 - C. Pro-optic
 - D. Rectangular
- 48. The position of the camera can be tuned accurately using,**
- A. Pan
 - B. Zoom
- 49. What is the highest value of layer transparency?**
- A. 100
 - B. 50
 - C. 30
 - D. 90
- 50. An inclined angle can be produced using which command.**
- A. <
 - B. >
 - C. @
 - D. #




Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village Sindagundu (P.O),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC)
Dindigul - Palani, Highway, Dindigul - 624 002**1. In AutoCAD 2D Modelling, which axis is not accessible for drafting?**

- A. ✓ X
B. Y
C. Z
D. WCS

X

2. A Polyline can be broken into individual lines and arcs using which of the following command?

- A. BREAK
B. TRIM
C. EXPLODE ✓
D. OVERKILL

✓

3. Origin of the AutoCAD drawing space is,

- A. 0,0
B. 1,0
C. ✓ 0,1
D. 1,1

X

4. Scrolling of mouse can perform which following action?

- A. ✓ Zoom in / zoom out
B. pan & scan
C. extents / all
D. scale

X

5. In AutoCAD, the number of workspaces is,

- A. 1
B. ✓ 2
C. 3
D. 4

✓

6. Is there any difference between Command Plot and Print?


- A. plot command prints only big plans
B. The plot command for CNC (CAM)
C. No difference
D. ✓ Print command can print upto A3 size paper

**7. Find the false statement in regards with "If an array is made associative".**

- A. You can't use Boolean operations on the array elements
B. To make the array non associative you need to use explode command on it
C. The array can be edited again by selecting it
D. ✓ The array can't be modified in any way once it is made associative

8. An open area can be filled with which of the following gradient:

- A. Gap
B. ✓ Tolerance
C. Transparency
D. Open

**9. The shortcut to start a table is,**

- A. T
B. ✓ TA
C. TBL
D. TABLE

X

10. What is the shortcut for zoom command?

- A. ✓ Command
B. Rotate mouse wheel
C. ZOOM Command
D. All of the above

X

11. To select a set of objects in the workspace, what should be done?

- A. By a crossing window drawn from right to left
B. By a crossing window drawn left to right
C. Shift + clicking on the objects
D. None of the above

X

12. A line shows its dimension as 14.52. What is the precision of this line?

- A. [0.0]
B. ✓ [0.00]
C. [0.000]
D. Display of length has nothing to do with precision



D.D.SENTHIL KUMARAN M.E.Ph.D
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (P.O),
Palani Road, Dindigul - 624 002.

13. Model Tab and Layout Tab can be majorly distinguished as,

- A. The Model tab is used for drawing in 3D and a Layout is used for drawing in 2D
- B. The Model tab is where you create the drawing, and a Layout tab represents the sheet that you will plot or print on
- C. The colour of the background
- D. The Model tab displays the drawing you are copying from and the Layout tab is where you lay out the new drawing

14. Shortcut key for Multileader in AutoCAD 2022,

- A. ML
- B. MLN
- C. MLEADER
- D. MULTI



15. To bring a particular area of the workspace in focus, what command should be used?

- A. Zoom Extents
- B. Zoom Window
- C. Zoom Dynamic
- D. Zoom All



16. What are the various options from left to right and the opposite direction?

- A. Choose a different category of objects
- B. Select objects according to their colour
- C. Select objects according to their position
- D. No difference




17. Shortcut for Trim command is,

- A. T
- B. TR
- C. TI
- D. X



18. A Boolean operation that is used to select interfering region between solids,

- A. Union
- B. Intersect
- C. Subtract
- D. None of the above



19. What command allows us to select objects based on some status?

- A. Properties
- B. Qselect
- C. Pselect



D Attributes

20. If you change the scale list a project that I have started from 1:50 1:10 then,

- A. You will have to start over
- B. You should not raise the objects already exist (scale) by 5
- C. You will not need to change anything in hitherto methodology
- D. Should be converted into new items that will add based on the new scale

21. A line 4mm in length inclined at 75 degrees to the x-axis can be represented as,

- A. will write $0 < 75$
- B. will write $0 < 15$
- C. will write $4 < 15$
- D. will write $4 < 75$



22. How will you create a line representing length 15 units at an angle of 30 degrees with respect to the positive direction of the X-axis and the first point of the line is not at the origin?

- A. $30 < 15$
- B. $15 < 30$
- C. $@30 < 15$
- D. $@15 < 30$



23. Which of the following options cannot be used to represent a line?

- A. Yards
- B. Parsecs
- C. Microns
- D. Grads



24. A fillet command is used to produce,

- A. Sharp corners
- B. Round corners
- C. Both of the above
- D. None of the above



25. Which one of the following is not a property of an object?

- A. Line weight
- B. Measure
- C. Hyperlink
- D. Elevation



26. In MLine tool editor, symbol tool can be found on which panel?

- A. Tools
- B. ~~Insert~~
- C. Options
- D. Formatting

27. What is the default design workspace in AutoCAD 2022?

- A. AutoCAD Classic
- B. ~~Drafting & Annotation~~
- C. 3D Basics
- D. 3D Modelling

28. What time (according to the clock) are 180 degrees according to the conventional time?

- A. 12 exactly
- B. 6 exactly
- C. ~~9~~ exactly
- D. 3 exactly

29. Which coordinate option can be used to reset the orientation of UCS to its default?

- A. ~~UCS~~, World
- B. UCS, Named UCS
- C. UCS, Previous
- D. UCS Icon, Properties

30. An object can be obtained from a block by using,

- A. EXPLODE
- B. OVERKILL
- C. REDEFINE
- D. UNGROUP

31. The symbol that shows snap point to the closest point,

- A. With circles and dots in the centre
- B. With two triangles
- C. ~~With three orthogonal~~
- D. With Diamond

32. In order to measure the dimensions of a land, the surveyor uses which of the following system,

- A. ~~No~~ one method
- B. Related cartesian coordinates
- C. Absolute polar coordinates
- D. None of the above

33. The command that is used to convert a block into a drawing object,

- A. EXPLODE
- B. OVERKILL

- C. ~~REDEFINE~~
- D. UNGROUP

34. The function of a polar array is to create object,

- A. In a grid pattern
- B. ~~In a circular pattern~~
- C. In a straight line
- D. All the above

35. Fillet in various corners can be created simultaneously using which command,

- A. ~~loop~~
- B. Chain
- C. Multiple
- D. Edge

36. The command used to convert separate entities into a polyline,

- A. Union
- B. Subtract
- C. ~~Join~~
- D. Polyline



37. Command used to create a rectangle 8 units in length and 6 units in width, starting not from the origin,

- A. ~~@8,6~~
- B. ~~@6,8~~
- C. @8,6
- D. @6,8

38. AutoCAD commands can be accessed in,

- A. Drawing area
- B. Status bar
- C. Tool bars
- D. ~~Command window~~

39. Various methods to access PAN command,

- A. Right click and select PAN from contextual menu
- B. PAN command
- C. Press and hold middle mouse button
- D. ~~All of the above~~

40. The file extension that cannot be accessed by AutoCAD,

- A. dwg
- B. dxf
- C. ~~doc~~
- D. dws

41. Plagiostomi angle can be created by which angle,

- A. chamfer
- B. fillet
- C. offset
- D. mirror

C. Orbit

D. Navigation Wheel

42. In AutoCAD, polar coordinate is used for creating,

- A. arc
- B. ellipse
- C. angular lines
- D. none of the above

43. To print the entire project, you will choose to regulate what to plot

- A. Display
- B. Extends
- C. Limits
- D. Window

44. The layer that can be deleted from the layer property manager,

- A. Layer 0
- B. Defpoints
- C. Layer containing objects
- D. Frozen layer not containing objects

45. The maximum number of layers that a drawing can have?

- A. 1
- B. 2
- C. As many as depending on the complexity
- D. None of the above

46. The hatch pattern used to fill a closed area,

- A. ANSI31
- B. ANGLE
- C. SOLID
- D. Filled area can't be made with hatch command

47. Which state grid is used to design perspective?

- A. Parametric
- B. Isometric
- C. Pro-optic
- D. Rectangular

48. The position of the camera can be tuned accurately using,

- A. Pan
- B. Zoom

49. What is the highest value of layer transparency?

- A. 100
- B. 50
- C. 30
- D. 90

50. An inclined angle can be produced using which command.

- A. <
- B. >
- C. @
- D. #



100

Dr.D.SENTHIL KUMARAN, M.E, P.G.D. (EES)
Principal

SSM Institute of Engineering and Technology
Kuttathupatti Village, Sinothagunam (P.O),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC)
Dindigul – Palani, Highway, Dindigul – 624 002

1. In AutoCAD 2D Modelling, which axis is not accessible for drafting?

- A X
- B Y
- C Z
- D WCS

2. A Polyline can be broken into individual lines and arcs using which of the following command?

- A BREAK
- B TRIM
- C EXPLODE
- D OVERKILL

3. Origin of the AutoCAD drawing space is,

- A 0,0
- B 1,0
- C 0,1
- D 1,1

4. Scrolling of mouse can perform which following action?


- A Zoom in / zoom out
- B Pan & scan
- C Extents / all
- D Scale

5. In AutoCAD, the number of workspaces is,

- A 1
- B 2
- C 3
- D 4

6. Is there any difference between Command Plot and Print?

- A Plot command prints only big plans
- B The plot command for CNC (CAM)
- C No difference
- D Print command can print upto A3 size paper



7. Find the false statement in regards with "If an array is made associative".

- A You can't use Boolean operations on the array elements
- B To make the array non associative you need to use Explode command on it
- C The array can be edited again by selecting it
- D The array can't be modified in any way once it is made associative

8. An open area can be filled with which of the following gradient:

- A Gap
- B Tolerance
- C Transparency
- D Open


9. The shortcut to start a table is,

- A T
- B TA
- C TBL
- D TABLE



10. What is the shortcut for zoom command?

- A Z Command
- B Rotate mouse wheel
- C ZOOM Command
- D All of the above



11. To select a set of objects in the workspace, what should be done?

- A By a crossing window drawn from right to left
- B By a crossing window drawn left to right
- C Shift + clicking on the objects
- D None of the above



12. A line shows its dimension as 14.52. What is the precision of this line?

- A [0.0]
- B [0.00]
- C [0.000]
- D [Display of length has no precision]

Dr. D. SENTHIL KUMAR, M.E., Ph.D., (NUS)
Principal

SSM Institute of Engineering and Technology
Kuttaihupatti Village, Sindalagundu (Po),
Palani Road, Dindigul - 624 002.

13. Model Tab and Layout Tab can be majorly distinguished as,

- A The Model tab is used for drawing in 3D and a Layout is used for drawing in 2D
- B The Model tab is where you create the drawing and a Layout tab represents the sheet that you will plot or print on
- C The colour of the background
- D The Model tab displays the drawing you are copying from and the Layout tab is where you lay out the new drawing

14. Shortcut key for Multileader in AutoCAD 2022,

- A ML
- B MLN
- C MLEADER
- D MULTI

15. To bring a particular area of the workspace in focus, what command should be used?

- A Zoom Extents
- B Zoom Window
- C Zoom Dynamic
- D Zoom All

16. What are the various options from left to right and the opposite direction?

- A Choose a different category of objects
- B Select objects according to their colour
- C Select objects according to their position
- D No difference

17. Shortcut for Trim command is,

- A T
- B TR
- C TI
- D X

18. A Boolean operation that is used to select interfering region between solids.

- A Union
- B Intersect
- C Subtract
- D None of the above

19. What command allows us to select objects based on some status?

- A Properties
- B Qselect
- C Pselect

D Attributes

20. If you change the scale list a project that I have started from 1:50 1:10 then,

- A You will have to start over
- B You should not raise the objects already exist (scale) by 5
- C You will not need to change anything in hitherto methodology
- D Should be converted into new items that will add based on the new scale

21. A line 4mm in length inclined at 75 degrees to the x-axis can be represented as,

- A will write $0 < 75$
- B will write $0 < 15$
- C will write $4 < 15$
- D will write $4 < 75$



22. How will you create a line representing length 15 units at an angle of 30 degrees with respect to the positive direction of the X-axis and the first point of the line is not at the origin?

- A $30 < 15$
- B $15 < 30$
- C $@30 < 15$
- D $@15 < 30$



23. Which of the following options cannot be used to represent a line?

- A Yards
- B Parsecs
- C Microns
- D Grads




24. A fillet command is used to produce,

- A Sharp corners
- B Round corners
- C Both of the above
- D None of the above




25. Which one of the following is not a property of an object?

- A Line weight
- B Measure
- C Hyperlink
- D Elevation



Dr.D.SENTHIL KUMARAN, M.E., Ph.D., (NUS)

26. In MLine tool editor, symbol  found on which panel?

**SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu (T.P.),
Palani Road, Dindigul - 624 002**

- A Tools
- B Insert
- C Options
- D Formatting

X

- C REDEFINE
- D UNGROUP

34. The function of a polar array is to create object,

- A In a grid pattern
- B In a circular pattern
- C In a straight line
- D All the above

X

27. What is the default design workspace in AutoCAD 2022?

- A AutoCAD Classic
- B Drafting & Annotation
- C 3D Basics
- D 3D Modelling

✓

28. What time (according to the clock) are 180 degrees according to the conventional time?

- A 12 exactly
- B 6 exactly
- C 9 exactly
- D 3 exactly

✓

29. Which coordinate option can be used to reset the orientation of UCS to its default?

- A UCS, World
- B UCS, Named UCS
- C UCS, Previous
- D UCS Icon, Properties

X

30. An object can be obtained from a block by using,

- A EXPLODE
- B OVERKILL
- C REDEFINE
- D UNGROUP

X

31. The symbol that shows snap point to the closest point,

- A With circles and dots in the centre
- B With two triangles
- C With three orthogonal
- D With Diamond

✓

32. In order to measure the dimensions of a land, the surveyor uses which of the following system,

- A No one method
- B Related cartesian coordinates
- C Absolute polar coordinates
- D None of the above

✓

33. The command that is used to convert a block into a drawing object.

- A EXPLODE
- B OVERKILL
- C REDEFINE
- D UNGROUP

X

- A In a grid pattern
- B In a circular pattern
- C In a straight line
- D All the above

X

35. Fillet in various corners can be created simultaneously using which command,

- A Loop
- B Chain
- C Multiple
- D Edge

✓

36. The command used to convert separate entities into a polyline,

- A Union
- B Subtract
- C Join
- D Polyline

✓

37. Command used to create a rectangle 8 units in length and 6 units in width, starting not from the origin,

- A 8,6
- B 6,8
- C @8,6
- D @6,8



38. AutoCAD commands can be accessed in,

- A Drawing area
- B Status bar
- C Tool bars
- D Command window

✓

39. Various methods to access PAN command,

- A Right click and select PAN from contextual menu
- B PAN command
- C Press and hold middle mouse button
- D All of the above

X

40. The file extension that cannot be accessed by AutoCAD,

- A dwg
- B dxf
- C doc
- D dws

X

M. Dharun
922121108001

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC)
Dindigul – Palani, Highway, Dindigul – 624 002

1. In AutoCAD 2D Modelling, which axis is not accessible for drafting?

- A. X
- B. Y
- C. Z
- D. WCS



2. A Polyline can be broken into individual lines and arcs using which of the following command?

- A. BREAK
- B. TRIM
- C. EXPLODE
- D. OVERKILL



3. Origin of the AutoCAD drawing space is,

- A. 0,0
- B. 1,0
- C. 0,1
- D. 1,1



4. Scrolling of mouse can perform which following action?

- A. Zoom in / zoom out
- B. Pan & scan
- C. Extents / all
- D. Scale




5. In AutoCAD, the number of workspaces is,

- A. 1
- B. 2
- C. 3
- D. 4



6. Is there any difference between Command Plot and Print?

- A. Plot command prints only big plans
- B. The plot command for CNC (CAM)
- C. No difference
- D. Print command can print upto A3 size paper




7. Find the false statement in regards with "If an array is made associative".

- A. You can't use Boolean operations on the array elements
- B. To make the array non associative you need to use explode command on it
- C. The array can be edited again by selecting it
- D. The array can't be modified in any way once it is made associative



8. An open area can be filled with which of the following gradient:

- A. Gap
- B. Tolerance
- C. Transparency
- D. Open



9. The shortcut to start a table is,

- A. T
- B. TA
- C. , TBL
- D. TABLE



10. What is the shortcut for zoom command?

- A. Z Command
- B. Rotate mouse wheel
- C. ZOOM Command
- D. All of the above



11. To select a set of objects in the workspace, what should be done?

- A. By a crossing window drawn from right to left
- B. By a crossing window drawn left to right
- C. Shift + clicking on the objects
- D. None of the above



12. A line shows its dimension as 14.52. What is the precision of this line?

- A. [0.0]
- B. [0.00]
- C. [0.000]
- D. Display of length

Dr.D.SENTHIL KUMARAN, M.E., Ph.D., NCS

Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagudu (Po),
Palani Road, Dindigul - 624 002.



13. Model Tab and Layout Tab can be majorly distinguished as,

- A. The Model tab is used for drawing in 3D and a Layout is used for drawing in 2D
- B. The Model tab is where you create the drawing, and a Layout tab represents the sheet that you will plot or print on
- C. The colour of the background
- D. The Model tab displays the drawing you are copying from and the Layout tab is where you lay out the new drawing

14. Shortcut key for Multileader in AutoCAD 2022,

- A. ML
- B. MLN
- C. MLEADER
- D. MULTI

15. To bring a particular area of the workspace in focus, what command should be used?

- A. Zoom Extents
- B. Zoom Window
- C. Zoom Dynamic
- D. Zoom All

16. What are the various options from left to right and the opposite direction?

- A. Choose a different category of objects
- B. Select objects according to their colour
- C. Select objects according to their position
- D. No difference

17. Shortcut for Trim command is,

- A. T
- B. TR
- C. TI
- D. X

18. A Boolean operation that is used to select interfering region between solids,

- A. Union
- B. Intersect
- C. Subtract
- D. None of the above

19. What command allows us to select objects based on some status?

- A. Properties
- B. Qselect
- C. Pselect

D. Attributes

20. If you change the scale list a project that I have started from 1:50 1:10 then,

- A. You will have to start over
- B. You should not raise the objects already exist (scale) by 5
- C. You will not need to change anything in hitherto methodology
- D. Should be converted into new items that will add based on the new scale

21. A line 4mm in length inclined at 75 degrees to the x- axis can be represented as,

- A. will write $0 < 75$
- B. will write $0 < 15$
- C. will write $4 < 15$
- D. will write $4 < 75$

22. How will you create a line representing length 15 units at an angle of 30 degrees with respect to the positive direction of the X-axis and the first point of the line is not at the origin?

- A. $30 < 15$
- B. $15 < 30$
- C. $@30 < 15$
- D. $@15 < 30$

23. Which of the following options cannot be used to represent a line?

- A. Yards
- B. Parsecs
- C. Microns
- D. Grads

24. A fillet command is used to produce,

- A. Sharp corners
- B. Round corners
- C. Both of the above
- D. None of the above

25. Which one of the following is not a property of an object?

- A. Line weight
- B. Measure
- C. Hyperlink
- D. Elevation

*DR. D. SENTHIL KUMARAN M.E., Ph.D., M.S.
Principal*

26. In MLine tool editor, symbol tool can be found on which panel?

**SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagundu, Palani Road, Dindigul - 624 002.**

- A Tools
- B Insert
- C Options
- D Formatting

- C REDEFINE
- D UNGROUP

X

34. The function of a polar array is to create object,

- A In a grid pattern
- B In a circular pattern
- C In a straight line
- D All the above

X

35. Fillet in various corners can be created simultaneously using which command,

- A Loop
- B Chain
- C Multiple
- D Edge

X



36. The command used to convert separate entities into a polyline,

- A Union
- B Subtract
- C Join
- D Polyline

X

37. Command used to create a rectangle 8 units in length and 6 units in width, starting not from the origin,

- A .8,6
- B 6,8
- C @8,6
- D @6,8

✓

38. AutoCAD commands can be accessed in,

- A Drawing area
- B Status bar
- C Tool bars
- D Command window

X


39. Various methods to access PAN command,

- A Right click and select PAN from contextual menu
- B PAN command
- C Press and hold middle mouse button
- D All of the above

✓

40. The file extension that cannot be accessed by AutoCAD,

- A dwg
- B dxf
- C doc
- D dws



Dr. D. SENTHIL KUMARAN, M.E., P.Eng., SUSI
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindalagunnu (Po),
Palani Road, Dindigul - 624 002.

27. What is the default design workspace in AutoCAD 2022?

- A AutoCAD Classic
- B Drafting & Annotation
- C 3D Basics
- D 3D Modelling

✓

28. What time (according to the clock) are 180 degrees according to the conventional time?

- A 12 exactly
- B 6 exactly
- C 9 exactly
- D 3 exactly

✓

29. Which coordinate option can be used to reset the orientation of UCS to its default?

- A UCS, World
- B UCS, Named UCS
- C UCS, Previous
- D UCS Icon, Properties

✓

30. An object can be obtained from a block by using,

- A EXplode
- B OVERKILL
- C REDEFINE
- D UNGROUP

✓

31. The symbol that shows snap point to the closest point,

- A With circles and dots in the centre
- B With two triangles
- C With three orthogonal
- D With Diamond

✓

32. In order to measure the dimensions of a land, the surveyor uses which of the following system,

- A No one method
- B Related cartesian coordinates
- C Absolute polar coordinates
- D None of the above

✓

33. The command that is used to convert a block into a drawing object,

- A EXplode
- B OVERKILL

✓

41. Plagiostomi angle can be created by which angle,

- A channel
- B fillet
- C offset
- D mirror



- C Orbit
- D Navigation Wheel

42. In AutoCAD, polar coordinate is used for creating,

- A arc
- B ellipse
- C angular lines
- D none of the above



43. To print the entire project, you will choose to regulate what to plot

- A Display
- B Extents
- C Limits
- D Window



49. What is the highest value of layer transparency?

- A 100
- B 50
- C 30
- D 90



50. An inclined angle can be produced using which command.

- A
- B >
- C. @
- D. #



44. The layer that can be deleted from the layer property manager,

- A Layer 0
- B Defpoints
- C Layer containing objects
- D Frozen layer not containing objects



45. The maximum number of layers that a drawing can have?

- A 1
- B 2
- C As many as depending on the complexity
- D None of the above

46. The hatch pattern used to fill a closed area,

- A ANSI31
- B ANGLE
- C SOLID
- D Filled area can't be made with hatch command



47. Which state grid is used to design perspective?

- A Parametric
- B Isometric
- C Pro-optic
- D Rectangular



48. The position of the camera can be tuned accurately using,

- A Pan
- B Zoom



Dr.D.SENTHIL KUMARAN M.E.T.B.D.,(MUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village Sindalagunou(Po),
Palani Road, Dindigul - 624002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY

(Approved by AICTE, New Delhi / Affiliated to Anna University, Chennai / Accredited by NAAC)
Dindigul – Palani, Highway, Dindigul – 624 002

1. In AutoCAD 2D Modelling, which axis is not accessible for drafting?

- A X
- B Y
- C Z
- D WCS



2. A Polyline can be broken into individual lines and arcs using which of the following command?

- A BREAK
- B TRIM
- C EXPLODE
- D OVERKILL



3. Origin of the AutoCAD drawing space is,

- A 0,0
- B 1,0
- C 0,1
- D 1,1



4. Scrolling of mouse can perform which following action?

- A Zoom in / zoom out
- B Pan & scan
- C Extents / all
- D Scale



5. In AutoCAD, the number of workspaces is,

- A 1
- B 2
- C 3
- D 4



6. Is there any difference between Command Plot and Print?

- A Plot command prints only big plans
- B The plot command for CNC (CAM)
- C No difference
- D Print command can print upto A3 size paper




7. Find the false statement in regards with "If an array is made associative".

- A You can't use Boolean operations on the array elements
- B To make the array non associative you need to use explode command on it
- C The array can be edited again by selecting it
- D The array can't be modified in any way once it is made associative

8. An open area can be filled with which of the following gradient:

- A Gap
- B Tolerance
- C Transparency
- D Open



9. The shortcut to start a table is,

- A T
- B TA
- C TBL
- D TABLE



10. What is the shortcut for zoom command?

- A Z Command
- B Rotate mouse wheel
- C ZOOM Command
- D All of the above




11. To select a set of objects in the workspace, what should be done?

- A By a crossing window drawn from right to left
- B By a crossing window drawn left to right
- C Shift + clicking on the objects
- D None of the above



12. A line shows its dimension as 14.52. What is the precision of this line?

- A [0.0]
- B [1000]
- C [10000]
- D Display of length to 3 decimal places



13. Model Tab and Layout Tab can be majorly distinguished as,

- A. The Model tab is used for drawing in 3D and a Layout is used for drawing in 2D
- B.** The Model tab is where you create the drawing, and a Layout tab represents the sheet that you will plot or print on
- C. The colour of the background
- D. The Model tab displays the drawing you are copying from and the Layout tab is where you lay out the new drawing

14. Shortcut key for Multileader in AutoCAD 2022,

- A. ML
- B. MLN
- C. MLEADER**
- D. MULTI

15. To bring a particular area of the workspace in focus, what command should be used?

- A. Zoom Extents
- B. Zoom Window**
- C. Zoom Dynamic
- D. Zoom All

16. What are the various options from left to right and the opposite direction?

- A. Choose a different category of objects
- B. Select objects according to their colour**
- C. Select objects according to their position
- D. No difference

17. Shortcut for Trim command is,

- A. T
- B. TR
- C. TI
- D. X**

18. A Boolean operation that is used to select interfering region between solids,

- A. Union
- B. Intersect
- C. Subtract
- D. None of the above**

19. What command allows us to select objects based on some status?

- A. Properties**
- B. QSelect
- C. Pselect

D. Attributes

20. If you change the scale list a project that I have started from 1:50 1:10 then,

- A.** You will have to start over
- B. You should not raise the objects already exist (scale) by 5
- C. You will not need to change anything in hitherto methodology
- D. Should be converted into new items that will add based on the new scale

21. A line 4mm in length inclined at 75 degrees to the x-axis can be represented as,

- A.** will write $0 < 75$
- B. will write $0 < 15$
- C. will write $4 < 15$
- D. will write $4 < 75$

22. How will you create a line representing length 15 units at an angle of 30 degrees with respect to the positive direction of the X-axis and the first point of the line is not at the origin?

- A. $30 < 15$
- B. $15 < 30$**
- C. $@30 < 15$
- D. $@15 < 30$

23. Which of the following options cannot be used to represent a line?

- A. Yards
- B. Parsecs
- C. Microns**
- D. Grads

24. A fillet command is used to produce,

- A. Sharp corners**
- B. Round corners
- C. Both of the above
- D. None of the above

25. Which one of the following is not a property of an object?

- A. Line weight**
- B. Measure
- C. Hyperlink
- D. Elevation



26. In MLine tool editor, symbol tool can be found on which panel?

- A. Tools
- B. Insert
- C. Options
- D. Formatting

- C. REDEFINE
- D. UNGROUP

✓

27. What is the default design workspace in AutoCAD 2022?

- A. AutoCAD Classic
- B. Drafting & Annotation
- C. 3D Basics
- D. 3D Modelling

✗

28. What time (according to the clock) are 180 degrees according to the conventional time?

- A. 12 exactly
- B. 6 exactly
- C. 9 exactly
- D. 3 exactly

✗

29. Which coordinate option can be used to reset the orientation of UCS to its default?

- A. UCS World
- B. UCS, Named UCS
- C. UCS, Previous
- D. UCS Icon, Properties

✓

30. An object can be obtained from a block by using,

- A. EXPLODE
- B. OVERKILL
- C. REDEFINE
- D. UNGROUP

✓

31. The symbol that shows snap point to the closest point,

- A. With circles and dots in the centre
- B. With two triangles
- C. With three orthogonal
- D. With Diamond

✗

32. In order to measure the dimensions of a land, the surveyor uses which of the following system,

- A. No one method
- B. Related cartesian coordinates
- C. Absolute polar coordinates
- D. None of the above

✗

33. The command that is used to convert a block into a drawing object,

- A. EXPLODE
- B. OVERKILL

34. The function of a polar array is to create object,

- A. In a grid pattern
- B. In a circular pattern
- C. In a straight line
- D. All the above

✗

35. Fillet in various corners can be created simultaneously using which command,

- A. Loop
- B. Chain
- C. Multiple
- D. Edge

✓



36. The command used to convert separate entities into a polyline,

- A. Union
- B. Subtract
- C. Join
- D. Polyline

✓

37. Command used to create a rectangle 8 units in length and 6 units in width, starting not from the origin,

- A. 8,6
- B. 6,8
- C. @8,6
- D. @6,8

✗

38. AutoCAD commands can be accessed in,

- A. Drawing area
- B. Status bar
- C. Tool bars
- D. Command window

✓

39. Various methods to access PAN command,

- A. Right click and select PAN from contextual menu
- B. PAN command
- C. Press and hold middle mouse button
- D. All of the above

✓

40. The file extension that cannot be accessed by AutoCAD,

- A. dwg
- B. dxf
- C. doc
- D. dws

41. Plagiostomi angle can be created by which angle.

- A. Chamfer
- B. Fillet
- C. Offset
- D. Mirror

- O Orbit
- D Navigation Wheel

X

42. In AutoCAD, polar coordinate is used for creating.

- A. arc
- B. ellipse
- C. angular lines
- D. none of the above

X

43. To print the entire project, you will choose to regulate what to plot

- A. Display
- B. Extents
- C. Limits
- D. Window

X

44. The layer that can be deleted from the layer property manager.

- A. Layer 0
- B. Defpoints
- C. Layer containing objects
- D. Frozen layer not containing objects



45. The maximum number of layers that a drawing can have?

- A. 1
- B. 2
- C. As many as depending on the complexity
- D. None of the above

X

46. The hatch pattern used to fill a closed area.

- A. ANSI31
- B. ANGLE
- C. SOLID
- D. Filled area can't be made with hatch command

X

47. Which state grid is used to design perspective?

- A. Parametric
- B. Isometric
- C. Pro-Optic
- D. Rectangular

X

48. The position of the camera can be tuned accurately using.

- A. Pan
- B. Zoom



Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (NUS)
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindlagundu (Po),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY, DINDIGUL - 624 002

Department of Civil Engineering

STUDENT FEEDBACK FORM

Name of the Student: *P. Nivashini*

Year/Sem: *II yr*

Date: *20.02.23*



Dear Student,

You are required to give your feedback on the following aspects.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content		/			
2	Skill development			/		
3	Motivation		/			
4	Regularity and Punctuality of trainer		/			
5	Coverage of syllabus		/			
6	Interaction		/			
7	Individual attention			/		
8	Outcome		/			

Deeeeeeuf.

Faculty In-charge

R
HoD/Civil

D.Senthil Kumar

Dr.D.SENTHIL KUMAR M.E, M.Phil, M.B.A
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village, Sindhalagundu(Po),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY, DINDIGUL - 624 002

Department of Civil Engineering

STUDENT FEEDBACK FORM

Name of the Student: *Raghul. S.P.*

Year/Sem: *2nd yr*

Date: *20.02.23*

Dear Student,

You are required to give your feedback on the following aspects.

S.No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content			✓		
2	Skill development			✓		
3	Motivation		✓			
4	Regularity and Punctuality of trainer			✓		
5	Coverage of syllabus		✓			
6	Interaction		✓			
7	Individual attention			✓		
8	Outcome	✓				

Deevay
Faculty In-charge


Prof. C. Raja
Ho/Civil

Dr.D.SENTHIL KUMARAN M.E. M.Phil., MUSA
Principal
SSM Institute of Engineering and Technology
Kuttathupatti Village Sindhuagundu (Po),
Palani Road, Dindigul - 624 002.

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY, DINDIGUL - 624 002

Department of Civil Engineering

STUDENT FEEDBACK FORM

Name of the Student: R. Praveen

Year/Sem: II yr

Date: 20.02.23

Dear Student,

You are required to give your feedback on the following aspects.

S No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content			✓		
2	Skill development		✓			
3	Motivation			✓		
4	Regularity and Punctuality of trainer		✓			
5	Coverage of syllabus	✓				
6	Interaction	✓				
7	Individual attention			✓		
8	Outcome	✓				

Deevay..

Faculty In-charge



Dr.D.SENTHIL KUMARAN, M.E, M.B.B.S (MUS)

Principal

**SSM Institute of Engineering and Technology
Kuttathupatti Village, Sivagangai P.O.,
Palani Road, Dindigul - 624 002.**

DRD

B.B
HoD/Civil

SSM INSTITUTE OF ENGINEERING AND TECHNOLOGY, DINDIGUL - 624 002

Department of Civil Engineering

STUDENT FEEDBACK FORM

Name of the Student *A. Subhashini*

Year/Sem *2nd year*

Date *20.02.23*

Dear Student,

You are required to give your feedback on the following aspects.

S No	Criteria	Rating				
		Excellent	Very good	Good	Fair	Satisfactory
1	Course content			✓		
2	Skill development		✓			
3	Motivation			✓		
4	Regularity and Punctuality of trainer		✓			
5	Coverage of syllabus		✓			
6	Interaction		✓			
7	Individual attention	✓		✓		
8	Outcome			✓		

Deevay

Faculty In-charge



D. SENTHIL KUMARAN M.Sc., Ph.D., M.B.B.S.
Principal
SSM Institute of Engineering and Technology
Kuttathupattu Village, Sindalagundu (P.O),
Palani Road, Dindigul - 624 002

D. H. J.

H. J.

B.T.R CONSTRUCTION

Erode

CERTIFICATE OF PARTICIPATION

This is to certify that Mr/Ms/Dr.RAGHUL SP has actively participated in the Six Days Short Term Training on the topic "Auto CAD" from 13.02.23 to 18.02.23 organized by BTR Construction, Erode.

Dr.D.SENTHIL KUMAR, M.E.,M.D.,(WJD)
Principal,
SSW Institute of Engineering and Technology
Kettathupatti Village Sodagendu (P.O),
Palani Road, Dindigul - 624 062




Er.R.Udhayasankar,M.E
Managing Director
B.T.R Construction, Erode

B.T.R CONSTRUCTION


Erode

CERTIFICATE OF PARTICIPATION

This is to certify that Mr/Ms/Dr.NIVASHINI P has actively participated in the Six Days Short Term Training on the topic "Auto CAD" from 13.02.23 to 18.02.23 organized by BTR Construction, Erode.



Dr.D.SENTHIL KUMARAN, M.E, Ph.D, (MUS)
Principal
Institute of Engineering and Technology
SSM Institute of Engineering and Technology
Luttuthurai, Villupuram, Tamil Nadu - 606012
Phone: +91 94441 11000 | +91 94441 02122



R. S.
Er.R.Udhayasankar, M.E
Managing Director
B.T.R Construction, Erode

B.T.R CONSTRUCTION

Erode

CERTIFICATE OF PARTICIPATION

This is to certify that Mr/Ms/Dr. DHARUN M has actively participated in the Six Days Short Term Training on the topic "Auto CAD" from 13.02.23 to 18.02.23 organized by BTR Construction, Erode.

Dr. D. SENTHIL KUMARAN, M.E., Ph.D., (IUS)
Principal
SSM Institute of Engineering and Technology
Tuticorin Campus, Vellipettai, Singalagundu P.O.,
Palani Road, Tamil Nadu - 624 002.

R. S.
Er.R.Udhayasankar, M.E
Managing Director
B.T.R Construction, Erode

