

Wayline Deck — UI-Density Audit & Render Verification

Portfolio case-study deck audit for a Senior → Staff product-design interview loop. Panel feedback: *"more UI assets throughout."* This document audits where that's right, where it's wrong, and what's actually broken.

Deck: [wayline-deck.html](#) · 25 slides (numbered 1–26, no 19) · 16:9 · custom keyboard-driven HTML (**not Remark.js**) · full-length version only

Audited: 2026-05-22

Method: Static parse of every slide + **headless render verification** of all asset slides (Playwright/Chromium at 1920×1080)

▼ TL;DR

- The deck is **not** under-assetted. It already has **7 image/video slides + 4 live-HTML-component slides** out of 25.
- **6 of 7 image slides render correctly** (verified). Five real Symplify captures on slide 17 and the patient-acuity dashboard on slide 18 are strong.
- **One environment-independent defect:** slide 7's video declares a poster/fallback file ([computis-rule-engine.png](#)) that **does not exist on disk**. No safety net if the MP4 fails to load while presenting.
- **Two cheap, high-value upgrades:** rewire slide 8 to its existing-but-unused MP4 (done — see [slide-08-replacement.html](#)); build one confidence-slider GIF for slide 20.
- **Protect the Wayline section (21–26).** Its asset-lightness is deliberate — the product doesn't exist yet; that *is* the pitch. Do not "fix" it with mocked UI.
- If the panel saw placeholders during a screen-share, "add more UI" may have meant **"your assets didn't load."** Verify renders before adding anything.

▼ 1. Evaluation Rubric

Axis	Scale	Measures
Density	0–3	Current visual/information load
Asset opportunity	None / Low / Med / High	Room for a UI artifact that earns its place
Pacing risk	P0 / P1 / P2	Damage if an asset is added. P0 = breaks a deliberate breather/climax; P1 = noticeable drag; P2 = cosmetic
Staff signal	Decoration / Craft / Decision / Systems	What the asset proves. <i>Decision</i> = a judgment call; <i>Systems</i> = cross-feature/cross-vertical thinking. Decoration is the failure mode
Verdict	Add / Enhance / Hold / Leave	Action

Motion-vs-static rule: Motion (GIF/MP4) only when *change over time* is the point (slider moving, route resolving, state transition). Otherwise static.

Annotation rule: Annotate when the artifact proves a *decision* the narration claims. Raw screenshots prove craft; annotated screenshots prove judgment — the staff signal.

⚠ **Pacing caveat:** the deck file contains **no speaker notes**. Pacing roles below are inferred from on-slide content + sequence [\[ASSUMED-PACING\]](#) . If a narration script exists elsewhere, share it to tighten the Pacing-Risk

column.

▼ 2. Slide-by-Slide Audit

Sections: **Computis** (1–13) → **Simplify** (14–20) → **Wayline synthesis/pitch** (21–26).

Computis (slides 1–13)

#	Title	Type	D	Asset opp.	Verdict	Note
1	The trust surface... (title)	text	0	None	Leave	Cold open. A screenshot would undercut it.
2	The next 30 minutes (roadmap)	text	1	Low	Hold	Thumbnails would spoil the three reveals. [CUTTABLE] if added.
3	11:00 PM April 14th	text	1	None	Leave	Deliberate tension beat. P0.
4	32% conversion gap	text	1	Low	Hold	The number is the asset.
5	Three stakes	text	2	None	Leave	Rhetorical triad; UI breaks it.
6	From a percentage to a decision	hybrid	3	High	Enhance · P1	Climax of Computis arc. Before/after; "after" image wired. Annotate the 3 decision bands + \$-risk reframe. Static is correct. → Decision
7	Override is the failure mode	MP4	2	High	Fix · P1	Pattern is right (motion). Poster/fallback PNG missing — fix it. See §3. → Decision
8	If it recurs, it needs a noun in the URL	static → MP4	2	High	Enhance · P2	DONE. MP4 existed unused; rewired. See slide-08-replacement.html . → Decision
9	I shipped this. Then I audited myself (68/100)	hybrid	3	Med	Hold	Honest-miss = load-bearing staff signal. Don't crowd. Light annotation on worst offender only. → Systems
10	Measured, not asserted (4	numerals	2	None	Leave	Load-bearing verified metrics. A

#	Title	Type	D	Asset opp.	Verdict	Note
	metrics)					dashboard here would <i>weaken</i> them. P0.
11	How we measured	text	2	None	Leave	Methodology = rigor; text is the medium.
12	How we measured (cont.)	text	2	None	Leave	Objection-readiness signal ("happiest to be pressed on"). Protect. Screening-cut candidate, not asset candidate.
13	I write the React (Figma + code)	hybrid	3	High	Enhance · P2	Both images verified rendering. Optional: annotate one token – code line. → Systems

Symplify (slides 14–20)

#	Title	Type	D	Asset opp.	Verdict	Note
14	Same primitive. New vertical	live HTML	3	High	Leave	Live dual-panel render. Live > screenshot. → Systems
15	06:45 (Symplify cold open)	text	1	None	Leave	Mirror of slide 3. P0.
16	What was real / mocked	text	2	Low	Hold	Intellectual-honesty signal. Don't dilute with an asset. P1.
17	Same primitive — across fourteen features	5 PNGs	3	High	Leave (verify)	Best systems artifact in Symplify arc. All 5 verified rendering. → Systems
18	Input isn't typed. It's inferred (patient acuity)	static PNG	2	High	Enhance · P1	Verified: meets capture spec. Optional annotation on one pre-filled → confirmed field → converts craft to Decision . Minor: framing leaves wide dead margins.
20	Three artifacts	text	1	Med	Add · P2	Real text-gap. Confidence-threshold slider

#	Title	Type	D	Asset opp.	Verdict	Note
						GIF belongs here (temporal). [ASSET NEEDED] [CUTTABLE] . SBAR handoff also [ASSET NEEDED] .

Wayline synthesis / pitch (slides 21–26) — protect deliberate asset-lightness

#	Title	Type	D	Asset opp.	Verdict	Note
21	Same primitive. Two regulated verticals	live HTML	3	covered	Leave	Live dual-panel.
22	One primitive. Three regulated verticals	live HTML	3	High	Leave	Thesis slide; densest live artifact. P0.
23	Legibly seamful (live Wayline surface)	live HTML	3	covered	Leave	Most elaborate in-DOM mock; carries the design philosophy. P0 — do not touch.
24	First 90 days	text	2	None	Leave	Roadmap-as-product-UI would be fabrication. Wayline isn't built. Honest as text.
25	I design the surface where a professional supervises an AI	text	1	None	Leave	Thesis restatement. P0.
26	The ask: two-day work trial	text	0	None	Leave	CTA.

Verdict roll-up

Verdict	Slides
Fix	7 (missing poster/fallback)
Enhance	6, 8 (<i>done</i>), 13, 18
Add	20 (<i>both assets</i> [ASSET NEEDED] , [CUTTABLE])
Hold	2, 4, 9, 16
Leave	1, 3, 5, 10, 11, 12, 14, 15, 17, 21, 22, 23, 24, 25, 26

▼ 3 — Render Verification Results

All asset slides rendered headless at 1920×1080. Per-frame check: image `complete && naturalWidth>0` , placeholder `display !== none` .

Slide	Asset	Result
6	computis-classification-insights.png	✅ Renders
7	computis-rule-engine.mp4	⚠️ Could not verify in audit container (no H.264 codec). Plays in Chrome/Safari/Edge on macOS. [VERIFY IN YOUR BROWSER]
8	computis-anomaly-route.png → .mp4	✅ Static verified; MP4 rewired (same codec caveat as 7, but has working poster fallback)
9	computis-design-critique.png	✅ Renders
13	figma-classification-insights.png + code-classification-insights.png	✅ Both render
17	triage / ai-assistant-popup-large / severity / urgency / confidence (×5)	✅ All 5 render
18	symplyfy-patient-acuity.png	✅ Renders + meets capture spec (4 acuity bands, 10 rows, sparklines, filter chips, legible Dx)

🔧 The one real defect (environment-independent)

Slide 7 has no working fallback. Its `<video>` declares:

```
poster="./assets/computis-rule-engine.png"
onerror="...nextElementSibling.classList.remove('is-loaded')"
```

...but `computis-rule-engine.png` **does not exist on disk**. If the MP4 fails to load on the presenting machine, the slide falls back to the diagonal-hatch placeholder — on your highest-signal Computis evidence slide.

Fix (≤5 min): export one poster frame from the MP4 (rest/result state) and save as `assets/computis-rule-engine.png`:

```
ffmpeg -i assets/computis-rule-engine.mp4 -vf "select=eq(n\,0)" -frames:v 1 assets/computis-rule-engine.png
# or grab the final/result frame:
ffmpeg -sseof -0.5 -i assets/computis-rule-engine.mp4 -frames:v 1 assets/computis-rule-engine.png
```

Slide 8 (rewired) already avoids this — its poster points at the real `computis-anomaly-route.png`.

i Codec note (why the audit couldn't play the MP4s)

Both MP4s are standard **H.264 High / yuv420p** — valid, web-safe, decodable by all major desktop browsers. The audit's headless Chromium ships **without proprietary H.264** (`canPlayType('avc1')` → empty), so it can't play *any* H.264 file. This is a sandbox limitation, **not** a defect in your files. Still: do one live playback pass in your actual presenting browser before the loop.

▼ 4 — Compromise Playbook

Effort: **S** <30min · **M** hours · **L** day+

#	Tactic	Effort	Slides	Why it protects pacing
1	Render-verify pass (done here; redo in your browser for the 2 MP4s)	S	6,7,8,9,13,17,18	Zero pacing cost. Likely the real fix for the panel complaint.
2	Generate slide 7 poster PNG	S	7	Closes the only real defect. Working fallback on top-signal slide.
3	Rewire slide 8 to existing MP4 ✅ done	S	8	Asset existed unused; motion where motion is the point.

#	Tactic	Effort	Slides	Why it protects pacing
4	Annotate, don't add — callouts on slide 6 "after" + slide 18	M	6,18,(13)	Same slide count, higher signal. Craft → Decision.
5	Progressive reveal for dense slides (6 before/after, 17's 5 badges)	M	6,17	Lets narration pace the visual; controls cognitive load.
6	Backup-slide deep-dives after slide 26 (full dashboards, more badges, SBAR)	M	appendix	Absorbs "more UI" appetite without bloating the linear narrative. Best for a Q&A-heavy panel.
7	Build confidence-slider GIF for slide 20	M-L	20	The one missing temporal artifact. [ASSET NEEDED] [CUTTABLE] .
8	Asset standards: loops ≤6s, ≤1MB, muted, autoplay-on-enter/pause-on-exit (JS already does this); statics object-fit:contain (already set); PNG-optimize the 5 slide-17 badges	S	all asset	Consistency prevents the "screenshot dump" feel.
9	Tag no-asset zones in build notes: slides 3,5,10,15,16,24,25	S	those	Explicit guardrail against over-correcting on the feedback.

Recommended sequencing before the loop

1. **Tactic 1 + 2** — *today*, <1 hr. Verify the 2 MP4s play in your browser; generate the slide-7 poster. Resolves the most likely real complaint.
2. **Tactic 3** —  already done (**slide-08-replacement.html**).
3. **Tactic 4** — *next session*. Highest staff-signal gain per hour (annotate slides 6 + 18).
4. **Tactic 6** — *if panel is Q&A-heavy*. Safe appetite-absorber.
5. **Tactic 7** — *only if time remains*. **[CUTTABLE]**.

▼ 5 — Gaps & Assumptions

- **[ASSUMED-PACING]** — no speaker notes in file; pacing roles inferred. Share a script to tighten.
- **[VERIFY]** — slide 7 & 8 MP4 playback unconfirmed in this environment (H.264). Confirm in your presenting browser.
- **[DEFECT]** — **computis-rule-engine.png** (slide 7 poster/fallback) missing on disk.
- **[ASSET NEEDED]** — slide 20 confidence-slider GIF and SBAR handoff do not exist.
- **[GAP]** — screening variant out of scope. If revisited, the right move there is the **opposite**: cut slides 11/12, don't add assets.

Deliverables produced

- **wayline-deck-ui-density-audit.md** — this document
- **slide-08-replacement.html** — drop-in: static PNG → looped MP4, with working poster fallback