

Eleven asset-bearing slides remain. Eight discrete spatial reallocations, one consistency sweep, one batch verification pass.

Canvas already resized 1600×900 → 1920×1080. Slide 8 complete (Option B applied). This document tracks the per-slide work remaining. Each slide gets a checklist of concrete edits with priority tagging.

P0 Materially improves asset showcase **P1** Polish — consistency, hierarchy **P2** Optional refinement

SUMMARY — REMAINING SLIDES

#	SLIDE	PRIORITY	ACTION TYPE
6	From a percentage to a decision (before/after table vs. insights panel)	P0	Reallocate
7	Override is the failure mode (rule engine video)	P0	Enlarge video
9	I shipped this. Then I audited myself (critique screen)	P1	Enlarge artifact
13	I write the React (Figma + code two-up)	P0	Enlarge both
14	Same primitive. New vertical (first compare)	P1	Match slide 22
17	Same primitive across fourteen features (5-asset grid)	P0	Re-grid
18	Input isn't typed. It's inferred. (patient acuity dashboard)	P0	Frame static asset
19	Role isn't permissions (3-up sidebars)	P1	Enlarge each
20	I shipped the wrong knob (before/after fix)	P1	Enlarge both
22	Same primitive. Two regulated verticals (compare)	P1	Enlarge both
23	One primitive. Three regulated verticals (3-up + Wayline)	P0	Enlarge first two

Operating principle. Verified metrics, hierarchy, and typography are locked. Slide 18 text content has been rewritten (was voice-modality video; now patient-acuity dashboard) — all other slide copy is locked. Edits redistribute spatial allocation only. Slides 14, 22, and 23 share one asset pair (Computis classification + Symplify popup) — apply consistent treatment across the three to reinforce the “same primitive” argument.

SLIDE 6 — FROM A PERCENTAGE TO A DECISION

06 Before/after — raw confidence table vs. banded insights panel

P0

Two-column layout. Left is a hand-built mock-table. Right is the real `classification-insights.png`. Min-height currently `480px` on a 1080 canvas — about 44%. Underutilized.

- ☐ Raise `.row` min-height from `480px` to `620px`
- ☐ Confirm the mock-table left column scales proportionally — may need font-size bump on `.row-tab` rows for parity with the larger right panel
- ☐ Verify the bottom caption (“Same data...”) doesn’t collide with the enlarged row
- ☐ Consider shifting column ratio from `1:1` to `1fr 1.15fr` so the real screenshot dominates the comparison

SLIDE 7 — OVERRIDE IS THE FAILURE MODE

07 Rule engine MP4 — currently capped at 70% canvas height

P0

Pattern lock with slide 8. Slide 8 was bumped to 85%. Slide 7 needs the same treatment for consistency — and because the video has fine UI detail in the rule-authoring flow.

- ☐ Change `max-height: 70%` → `85%`
- ☐ Change `margin: 32px auto 0` → `20px auto 0`
- ☐ Add `margin-top: -8px` to the h2 to match slide 8’s tightened header
- ☐ Verify the video’s native aspect-ratio `1920 / 1246` still fits — it should, video is wider than 8:5

SLIDE 9 — I SHIPPED THIS. THEN I AUDITED MYSELF.

09 68/100 audit screen — fixed 440×611 sidecar

P1

Asset is the design critique markdown — currently locked at `flex: 0 0 440px; height: 611px`. Text column gets the dominance, which is correct for this slide. But the markdown content should be readable enough to verify the 68/100 line.

- ☐ Bump `flex: 0 0 440px` → `flex: 0 0 540px`
- ☐ Bump `height: 611px` → `height: 740px`
- ☐ Confirm the asset still sits at `align-self: flex-start` — top-aligned with the heading is intentional
- ☐ Hold the row gap at 7% — the asymmetry is what gives the text column its weight

COMPUTIS → SYMPLIFY — SLIDES 13, 14

PROJECT 1 CLOSE + TRANSITION

SLIDE 13 — I WRITE THE REACT

13 Figma source + React code — two-up at 460px min-height

P0

The “I write the React” claim only lands if the code is legible. Currently 460px on a 1080 canvas. Code screenshots need vertical room. This is one of the highest-leverage resize opportunities in the deck.

- ☐ Raise `.row` min-height from `460px` to `640px`

- ☐ Tighten `.row` gap from 4% to 3% to claim more horizontal pixels
- ☐ Both `.asset-frame` elements use `flex: 1` — confirm they expand to fill the new height
- ☐ Code screenshot text legibility — at 640px frame height, verify the React syntax is readable at projection distance. If still tight, push min-height to `680px` and trim the `body-l` max-width to 70%

SLIDE 14 — SAME PRIMITIVE. NEW VERTICAL. *(first showing)*

14 Two-up: Computis insights (wide) + Symplify popup (tall) — 560px min-height

P1

Transition slide. Sets up the visual rhyme that repeats on slides 22 and 23. Whatever change applies here must also apply to slide 22 for the rhyme to work.

- ☐ Raise grid min-height from `560px` to `720px`
- ☐ Remove the `max-height: 560px` cap on the Symplify popup — let it scale to the new grid height
- ☐ Hold the grid columns at `1.45fr 0.75fr` — wide-screen vs. tall-popup ratio is correct
- ☐ Apply the identical change to slide 22 to preserve the pattern lock

Transition pattern. Slides 14, 22, 23 share asset DNA. The “one primitive, multiple verticals” argument only works if the assets feel like the same family across all three appearances. Decide grid dimensions once, apply across all three. If slide 14 lands at 720px grid height, slide 22 does too.

SYMPLIFY — SLIDES 17, 18

PROJECT 2 · PRIMITIVE PROLIFERATION + INFERRED INPUT

SLIDE 17 — THE SAME PRIMITIVE ACROSS FOURTEEN FEATURES

17 Five-asset grid — hero in center, four peripherals at 85% opacity

P0

Densest asset slide in the deck. Grid is `1fr 2fr 1fr × 2 rows`. The hero asset spans both rows. The 14-features claim depends on the hero being unambiguously the canonical instance.

- ☐ Raise grid min-height from `620px` to `800px`
- ☐ Widen grid gap from `24px` to `32px` to let each peripheral breathe
- ☐ Verify the peripherals at `opacity: 0.85` still read as visually present, not faded out — at the larger size, `0.9` may be more honest
- ☐ Hero column is currently `2fr` — consider `2.2fr` on a 1920 canvas to give it more dominance

SLIDE 18 — INPUT ISN'T TYPED. IT'S INFERRED.

18 Symplify patient acuity dashboard — static PNG

P0

Slide rewritten. This slide previously held the voice-documentation MP4 (“Voice is an input modality”). It has been replaced with a static image of the patient acuity dashboard. Action list updated accordingly. The Wayline-bridge framing carries over — clinical specificity, AI extraction, confirm-not-type — but the asset is now a single still image, not motion. Parity-with-slide-7 logic no longer applies.

Current state per `slide-18-replacement.html`:

Heading: “Input isn’t typed. It’s inferred.”

Sub: “The clinician’s job is to confirm what the system already extracted.”

Frame: Single `.asset-frame` at `height: 72%` with `margin-bottom: 4%`

Source: `Symplify-1.7.4/src/feature-module/components/pages/ai-modules/patient-acuity/patientAcuity.tsx`

Asset file: `symplify-patient-acuity.png` (*still under capture — placeholder block live*)

Actions:

- ☐ **Capture the asset first.** Placeholder is live with explicit capture requirements:
 - (a) acuity distribution by unit visible at top
 - (b) at least 6 patient rows showing all four acuity bands (critical / high / moderate / stable)
 - (c) at least one trend sparkline visible per row
 - (d) filter chips at top with acuity color dots
 - Do not desaturate — `ACUITY_COLORS` tokens carry the chromatic work
 - Patient names, room numbers, diagnoses (Septic Shock, ARDS — Ventilated, STEMI — Post PCI) must remain legible at projection scale
- ☐ **Size for legibility, not parity.** Slide 7 logic (85% to match the rule-engine video) does not apply — a still dashboard with 6+ rows of small text needs different treatment than a wide-frame video. Test the asset at `height: 72%` first; only raise if patient rows are illegible at projection distance.
- ☐ If raising height, also reduce `margin-bottom: 4%` → `2%` to absorb the change
- ☐ Verify the `body-m` sub-headline at `max-width: 70%` doesn’t crowd the asset top edge once the image loads
- ☐ Confirm the placeholder block’s `onerror` fallback renders cleanly during dev — it should disappear once the PNG is in `./assets/`
- ☐ Cross-check against slide 17 (the 14-features grid one slide earlier): patient acuity must read as *one of those fourteen* — the hero on 17 should not look like a totally different visual family from 18’s dashboard

Wayline signal. Slide 18 is still the slide Wayline’s panel will linger on — the “confirm what the system extracted” frame is exactly the Wayline argument. The patient acuity dashboard makes that case more concretely than the voice video did (specific diagnoses, specific clinical bands, sparklines = trend, not just a single moment). Verify the rendered asset has all four acuity bands visible — if any band is missing in the capture, the proof point weakens.

SYMPLIFY — SLIDES 19, 20

PROJECT 2 · ROLE CALIBRATION + HONEST MISS

SLIDE 19 — ROLE ISN’T PERMISSIONS. IT’S CALIBRATION.

19 Three sidebar variants — admin / doctor / patient

P1

Tagged “first to cut if pacing slips” in the script comment. So edits here are P1 — make it strong if it survives, don’t overinvest. Three asset-frames in a row-3 grid at 600px min-height.

- ☐ Raise `.row-3` min-height from `600px` to `760px`
- ☐ Each frame uses `flex: 1` — will scale automatically with the grid
- ☐ Caption text (`.body-s` under each frame) — verify it doesn’t break the alignment when frames get taller

- ☐ If the three sidebar screens have noticeably different native aspect ratios, consider letterboxing to a uniform frame ratio to make the three-up read as a deliberate set

SLIDE 20 — I SHIPPED THE WRONG KNOB

20 Strikethrough global slider + per-feature thresholds (the fix)

P1

Symplify's honest-miss beat. Visual rhyme with slide 9. Two asset-frames side by side, with an 11° rotated strikethrough rule overlaid on the left one.

- ☐ Raise `.row` min-height from `520px` to `680px`
- ☐ Strikethrough rule is positioned via `transform: rotate(11deg) translateY(50%)` — verify it still spans the asset at the new height
- ☐ Footer caption ("Caught in clinician testing...") — confirm it sits flush at the canvas bottom with the enlarged row above
- ☐ **P2** consider increasing `.row` gap from 6% to 7% to separate the "wrong" and "right" panels more decisively

SYNTHESIS — SLIDES 22, 23

COMPOUND ARGUMENT

SLIDE 22 — SAME PRIMITIVE. TWO REGULATED VERTICALS.

22 Second appearance of the Computis + Symplify compare

P1

Identical structure to slide 14. Mirror whatever change was made there. Same grid, same column ratio, same caption removed if any.

- ☐ Apply the exact change made to slide 14 — min-height match
- ☐ Remove the `max-height: 560px` cap on the Symplify popup (identical to slide 14)
- ☐ Verify the heading "Same primitive. Two regulated verticals." sits in the same vertical position as slide 14's heading
- ☐ Hold the column ratio `1.45fr 0.75fr` consistent

SLIDE 23 — ONE PRIMITIVE. THREE REGULATED VERTICALS.

23 Three-up: Computis + Symplify + Wayline sketch

P0

The compound payoff. Third appearance of the pattern. Wayline column is a hand-drawn sketch component, not a screenshot. The first two columns can grow; the sketch must remain visually balanced with them.

- ☐ Raise `.row-3` min-height from `480px` to `600px`
- ☐ Bump Computis frame `max-height` from `380px` to `500px`
- ☐ Bump Symplify frame `max-height` from `460px` to `580px`
- ☐ Wayline sketch column — increase the inner pane padding and font-sizes proportionally so the three columns feel parity-balanced
- ☐ Widen `.row-3` gap from `48px` to `56px`

★ Slides 1–5, 10–12, 15, 16, 21, 24–27 — text/diagram-driven, 16 total

P2

Text-only and diagram-only slides inherit the new canvas via percentage padding. Walk through once at the end to flag anything that feels sparse, overflowing, or out of balance.

- ☐ Open the deck post-resize and walk every text-only slide
- ☐ Flag any slide where the new 1920×1080 ratio leaves text feeling stranded
- ☐ **Slide 10** — Computis outcomes overview, four large numbers — verify the numeric scale still feels confident, not lost
- ☐ **Slide 21** — Symplify outcomes — same check
- ☐ **Slide 26** (centered “one thing they remember”) — confirm the centering still feels intentional, not accidental
- ☐ **Slide 24** (the seamful reframe) — kill-switch slide. If anything looks worse at the new size, this is the most worth fixing

End of list. Eight P0 actions, four P1 actions, one P2 batch pass. Estimated execution time: 90 minutes for the per-slide work, 30 minutes for the closing batch. After all changes ship, do one full deck walkthrough at projection scale (full-screen) before locking the file.

Open dependency: Slide 18 asset (`symplify-patient-acuity.png`) is still under capture — placeholder block ships in dev but must be replaced before lockup.