

DETAILED PRACTICAL GUIDE

Strengthening Health System Responses to Gender-based Violence in Eastern Europe and Central Asia

UNFPA and WAVE · English · 2014

Important: This is a detailed unofficial reading guide, not an official translation. Consult the original publication for complete requirements and context.

Based on the original publication

<https://eeca.unfpa.org/sites/default/files/pub-pdf/WAVE-UNFPA-Report-EN.pdf>

Contents

1. Purpose and scope
2. Key guidance
3. How to use this guide
4. Survivor-centred principles
5. Practical response sequence
6. Safety and quality checks
7. Action checklist

01 Purpose and scope

- A systems guide for strengthening health-sector responses to gender-based violence across policy, facilities, workforce, financing, data and referral networks.

02 Key guidance

- Adopt national clinical protocols, ethical standards and clear roles across primary care, hospitals, emergency care and specialised services.
- Budget for private rooms, trained staff, interpretation, essential medicines, forensic supplies where appropriate and referral coordination.
- Integrate response into routine health services without labelling records or appointments in ways that expose survivors.
- Train whole teams, including reception, security, clinicians, managers and interpreters; a single trained provider cannot fix an unsafe facility.
- Build formal referral pathways with shelters, psychosocial services, legal aid and child protection, while verifying quality and confidentiality.
- Collect only data needed for care and service improvement; aggregated statistics must not make small communities or individual survivors identifiable.
- Monitor access, safety, respectful treatment, waiting time, referral completion and survivor feedback, not only the number of disclosures.
- Support providers through supervision, manageable workloads and protocols for staff who experience violence themselves.

03 How to use this guide

- This guide turns the source publication into a practical reading aid. It is designed for survivors, trusted supporters, health and social-service staff, and programme managers. It does not replace emergency services, medical care, legal advice, or the complete source publication.
- Use only the parts that fit the person's situation. Preserve her choice, privacy and pace. If a suggested action could expose browsing, calls, documents or location to an abusive person, first choose a safer device, place or time.

04 Survivor-centred principles

- Safety comes first. Ask what would make the next hours or days safer and avoid steps that may provoke retaliation. Never require a disclosure in order to offer basic help.
- Respect autonomy and informed consent. Explain realistic options, benefits, limits and possible risks; the survivor decides what happens next unless an immediate legal safeguarding duty applies.
- Protect confidentiality. Collect the minimum information, restrict access, agree on safe contact methods and explain any limits before information is shared.
- Provide equitable access. Consider disability, language, age, migration status, poverty, rural isolation, sexual orientation and other barriers without stereotyping.

05 Practical response sequence

- Begin with immediate safety and urgent health needs. Ask privately, without the suspected perpetrator present, whether it is safe to talk and whether the person needs emergency care.
- Listen without interrogation. Validate what happened, avoid blame, and do not demand a chronological account or proof. Record only what is necessary and use the survivor's own words.
- Offer a small number of verified options: medical care, safe accommodation, psychosocial support, legal information, police or protection services where appropriate. Explain that accepting one service does not require accepting all others.
- Make a warm referral when consent is given: confirm the service is open, accessible and safe; explain what to expect; and avoid sending the survivor repeatedly between agencies.
- Agree on follow-up and a safe way to communicate. Do not leave identifying messages, send revealing notifications or store files under obvious names if devices may be monitored.

06 Safety and quality checks

- Do not confront the suspected perpetrator, mediate a violent relationship, promise an outcome you cannot control, or pressure a survivor to leave immediately.
- Do not use unverified phone numbers or referrals. Services may close, change eligibility rules or share information in unsafe ways; confirm details before publication or referral.
- Organisations should train staff, supervise difficult cases, create confidential documentation rules, maintain updated referral maps and offer staff support to reduce burnout and harmful practice.

Action checklist

- Is it safe to speak, read or keep this document right now?
- Have urgent injuries, pregnancy concerns, sexual-violence care and suicide risk been considered?
- Has the survivor chosen what information may be recorded or shared?
- Are interpretation, disability access, childcare, transport and cost barriers addressed?
- Are referrals verified and is there a safe follow-up plan?
- Has the person been told that the violence is not her fault and that she can decline any option?