Started on	Thursday, 13 August 2026, 11:27 AM
State	Finished
Completed on	Thursday, 13 August 2026, 11:47 AM
Time taken	19 mins 37 secs
Grade	**100.00** out of 100.00

Question 1

Correct

Mark 5.00 out of 5.00

Write a SQL query to calculate the number of days between the `hiredate` and a specified date (`'2024-12-31'`) for each employee using the `JULIANDAY` function from the emp table.

emp table

cid	name	type
0	empno	INT
1	ename	VARCHAR(100)
2	job	VARCHAR(50)
3	mgr	INT
4	hiredate	DATE
5	sal	DECIMAL(10,2)
6	comm	DECIMAL(10,2)
7	deptno	INT

For example:

Result

ename	hiredate	days_worked
SMITH	2024-06-02	212.0
ALLEN	2024-07-20	164.0
WARD	2024-11-02	59.0

Answer: (penalty regime: 0 %)

```sql
SELECT ename,
       hiredate,
       JULIANDAY('2024-12-31') - JULIANDAY(hiredate) AS days_worked
FROM emp;
```

	Expected			Got			
✓	ename	hiredate	days_worked	ename	hiredate	days_worked	✓
	SMITH	2024-06-02	212.0	SMITH	2024-06-02	212.0	
	ALLEN	2024-07-20	164.0	ALLEN	2024-07-20	164.0	
	WARD	2024-11-02	59.0	WARD	2024-11-02	59.0	

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **2**

Correct

Mark 5.00 out of 5.00

Write a SQL statement to Update the grade of all customers in Chennai city as 5.

Customer table (customer_id,cust_name,city,grade,salesman_id)

Answer: (penalty regime: 0 %)

```
UPDATE Customer
SET grade = 5
WHERE city = 'Chennai';
```

	Test	Expected	Got	
✓	select changes();	changes() ---------- 1	changes() ---------- 1	✓
✓	select * from customer where city='Chennai'; select changes();	customer_id cust_name city grade salesman_id ----------- ------------ ---------- ---------- ----------- 3002 Nick Rimando Chennai 100 5001 customer_id cust_name city grade salesman_id ----------- ------------ ---------- ---------- ----------- 3002 Nick Rimando Chennai 5 5001 changes() ---------- 1	customer_id cust_name city grade salesman_id ----------- ------------ ---------- ---------- ----------- 3002 Nick Rimando Chennai 100 5001 customer_id cust_name city grade salesman_id ----------- ------------ ---------- ---------- ----------- 3002 Nick Rimando Chennai 5 5001 changes() ---------- 1	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **3**

Correct

Mark 5.00 out of 5.00

Write a SQL query to find all orders that meet the following conditions. Exclude combinations of order date equal to '2012-08-17' or customer ID greater than 3005 and purchase amount less than 1000.

Sample table : orders

ord_no	purch_amt	ord_date	customer_id	salesman_id
----------	----------	----------	-----------	-----------
70001	150.5	2012-10-05	3005	5002
70009	270.65	2012-09-10	3001	5005
70002	65.26	2012-10-05	3002	5001

For example:

Result

```
ord_no      purch_amt   ord_date    customer_id  salesman_id
----------  ----------  ----------  -----------  -----------
70009       270.65      2012-09-10  3001         5005
70008       5760.0      2012-09-10  3002         5001
70010       1983.43     2012-10-10  3004         5006
```

Answer: (penalty regime: 0 %)

```sql
SELECT *
FROM orders
WHERE NOT (
    ord_date = '2012-08-17'
    OR (customer_id > 3005 AND purch_amt < 1000)
);
```

	Expected	Got	
✓	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70001 150.5 2012-10-05 3005 5002 70009 270.65 2012-09-10 3001 5005 70002 65.26 2012-10-05 3002 5001 70007 948.5 2012-09-10 3005 5002 70005 2400.6 2012-07-27 3007 5001 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006 70003 2480.4 2012-10-10 3009 5003 70013 3045.6 2012-04-25 3002 5001	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70001 150.5 2012-10-05 3005 5002 70009 270.65 2012-09-10 3001 5005 70002 65.26 2012-10-05 3002 5001 70007 948.5 2012-09-10 3005 5002 70005 2400.6 2012-07-27 3007 5001 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006 70003 2480.4 2012-10-10 3009 5003 70013 3045.6 2012-04-25 3002 5001	✓
✓	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70001 150.5 2012-10-05 3005 5002 70009 270.65 2012-09-10 3001 5005 70002 65.26 2012-10-05 3002 5001 70007 948.5 2012-09-10 3005 5002 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006 70013 3045.6 2012-04-25 3002 5001	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70001 150.5 2012-10-05 3005 5002 70009 270.65 2012-09-10 3001 5005 70002 65.26 2012-10-05 3002 5001 70007 948.5 2012-09-10 3005 5002 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006 70013 3045.6 2012-04-25 3002 5001	✓
✓	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70009 270.65 2012-09-10 3001 5005 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006	ord_no purch_amt ord_date customer_id salesman_id ---------- ---------- ---------- ----------- ----------- 70009 270.65 2012-09-10 3001 5005 70008 5760.0 2012-09-10 3002 5001 70010 1983.43 2012-10-10 3004 5006	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **4**

Correct

Mark 5.00 out of 5.00

Write a SQL statement to Increase the selling price by 15% in the products table where quantity in stock is less than 50 and supplier ID is 10.

Products Table

```
name          type
----------    ----------
product_id     INT PRIMARY KEY
product_name   VARCHAR(10)
category       VARCHAR(50)
cost_price     DECIMAL(10)
sell_price     DECIMAL(10)
reorder_lv     INT
quantity       INT
supplier_id    INT
```

For example:

Test	Result
select changes();	changes() ---------- 4

Answer: (penalty regime: 0 %)

```
UPDATE products
SET sell_price = sell_price * 1.15
WHERE quantity < 50
  AND supplier_id = 10;
```

	Test	Expected	Got	
✓	select changes();	changes() ---------- 4	changes() ---------- 4	✓

	Test	Expected	Got	
✓	SELECT*FROM Products WHERE supplier_id = 10;	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ---------------- - --------- ---------- -------- -- ----------- ---------- -- --------- 6 Detergent Powder Snacks 60 80 20 40 10 7 Surf Excel Deter Snacks 85 100 10 40 10 8 Detergent Ariel Items 85 100 10 40 10 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ---------------- - --------- ---------- -------- -- ----------- ---------- -- --------- 6 Detergent Powder Snacks 60 92 20 40 10 7 Surf Excel Deter Snacks 85 115.0 10 40 10 8 Detergent Ariel Items 85 115.0 10 40 10	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ---------------- - --------- ---------- -------- -- ----------- ---------- -- --------- 6 Detergent Powder Snacks 60 80 20 40 10 7 Surf Excel Deter Snacks 85 100 10 40 10 8 Detergent Ariel Items 85 100 10 40 10 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ---------------- - --------- ---------- -------- -- ----------- ---------- -- --------- 6 Detergent Powder Snacks 60 92 20 40 10 7 Surf Excel Deter Snacks 85 115.0 10 40 10 8 Detergent Ariel Items 85 115.0 10 40 10	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **5**

Correct

Mark 5.00 out of 5.00

write a SQL query to find customers who are either from the city 'New York' or who do not have a grade greater than 100. Return customer_id, cust_name, city, grade, and salesman_id.

Sample table: customer

```
customer_id |   cust_name    |    city    | grade | salesman_id
-------------+----------------+------------+-------+-------------
        3002 | Nick Rimando   | New York   |   100 |        5001
        3007 | Brad Davis     | New York   |   200 |        5001
        3005 | Graham Zusi    | California |   200 |        5002
```

For example:

Result
customer_id cust_name   city   grade   salesman_id ----------- ------------ ---------- ---------- ----------- 3002   Nick Rimando Chennai   100   5001 3001   Brad Guzan   London   100   5005

Answer: (penalty regime: 0 %)

```
SELECT customer_id, cust_name, city, grade, salesman_id
FROM customer
WHERE city = 'New York'
   OR grade <= 100;
```

	Expected	Got	
✓	customer_id cust_name city grade salesman_id ----------- ------------ ---------- -- -------- ----------- 3002 Nick Rimando Chennai 100 5001 3001 Brad Guzan London 100 5005 3007 Brad Davis New York 200 5001 3009 Geoff Camero Berlin 100 5003	customer_id cust_name city grade salesman_id ----------- ------------ ---------- -- -------- ----------- 3002 Nick Rimando Chennai 100 5001 3001 Brad Guzan London 100 5005 3007 Brad Davis New York 200 5001 3009 Geoff Camero Berlin 100 5003	✓
✓	customer_id cust_name city grade salesman_id ----------- ------------ ---------- -- -------- ----------- 3002 Nick Rimando Chennai 100 5001 3001 Brad Guzan London 100 5005	customer_id cust_name city grade salesman_id ----------- ------------ ---------- -- -------- ----------- 3002 Nick Rimando Chennai 100 5001 3001 Brad Guzan London 100 5005	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **6**

Correct

Mark 5.00 out of 5.00

Write a query to list all products where the discount amount exceeds $50. The discount amount is calculated as original_price * discount_percentage. Return product_id, original_price, discount_percentage, and discount_amount.

Sample table: Products

product_id | original_price | discount_percentage

"101" "50" "0.1"

"102" "150" "0.15"

"103" "200" "0.2"

"104" "300" "0.25"

For example:

Result
product_id original_price discount_percentage discount_amount ---------- -------------- ------------------- --------------- 104   300.0   0.25   75.0

Answer: (penalty regime: 0 %)

```
SELECT product_id,
       original_price,
       discount_percentage,
       original_price * discount_percentage AS discount_amount
FROM Products
WHERE original_price * discount_percentage > 50;
```

	Expected	Got	
✓	product_id original_price discount_percentage discount_amount ---------- -------------- ------------- ------ --------------- 104 300.0 0.25 75.0	product_id original_price discount_percentage discount_amount ---------- -------------- ------------- ------ --------------- 104 300.0 0.25 75.0	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **7**

Correct

Mark 5.00 out of 5.00

Write a SQL query to find the exact date that is 100 days after each employee's hire date.

emp table

cid	name	type
0	empno	INT
1	ename	VARCHAR(100)
2	job	VARCHAR(50)
3	mgr	INT
4	hiredate	DATE
5	sal	DECIMAL(10,2)
6	comm	DECIMAL(10,2)
7	deptno	INT

For example:

Result

ename	hiredate	DateAfter100Days
JONES	1981-04-02	1981-07-11
MARTIN	1981-09-28	1982-01-06
BLAKE	1981-05-01	1981-08-09
CLARK	1981-06-09	1981-09-17
SCOTT	1982-12-09	1983-03-19
KING	1981-11-17	1982-02-25
TURNER	1981-09-08	1981-12-17

Answer: (penalty regime: 0 %)

```
SELECT ename,
       hiredate,
       DATE(hiredate, '+100 days') AS DateAfter100Days
FROM emp;
```

	Expected			Got			
✓	ename	hiredate	DateAfter100Days	ename	hiredate	DateAfter100Days	✓
	JONES	1981-04-02	1981-07-11	JONES	1981-04-02	1981-07-11	
	MARTIN	1981-09-28	1982-01-06	MARTIN	1981-09-28	1982-01-06	
	BLAKE	1981-05-01	1981-08-09	BLAKE	1981-05-01	1981-08-09	
	CLARK	1981-06-09	1981-09-17	CLARK	1981-06-09	1981-09-17	
	SCOTT	1982-12-09	1983-03-19	SCOTT	1982-12-09	1983-03-19	
	KING	1981-11-17	1982-02-25	KING	1981-11-17	1982-02-25	
	TURNER	1981-09-08	1981-12-17	TURNER	1981-09-08	1981-12-17	

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **8**

Correct

Mark 5.00 out of 5.00

Write a query to fetch last 5 rows in EmployeeInfo table.

EmpID	EmpFname	EmpLname	Department	Project	Address	DOB	Gender
1	Sanjay	Mehra	HR	P1	Hyderabad(HYD)	01/12/1976	M
2	Ananya	Mishra	Admin	P2	Delhi(DEL)	02/05/1968	F

For example:

Result

```
EmpID       EmpFname    EmpLname    Department  Project     Address     DOB         Gender
----------  ----------  ----------  ----------  ----------  ----------  ----------  ----------
5           Ankit       Kapoor      Admin       P2          Delhi(DEL)  1994-07-03  M
4           Sonia       Kulkarni    HR          P1          Hyderabad(  1992-05-02  F
3           Rohan       Diwan       Account     P3          Mumbai(BOM  1980-01-01  M
2           Ananya      Mishra      Admin       P2          Delhi(DEL)  1968-05-02  F
1           Sanjay      Mehra       HR          P1          Hyderabad(  1976-12-01  M
```

Answer: (penalty regime: 0 %)

```sql
SELECT *
FROM EmployeeInfo
ORDER BY EmpID DESC
LIMIT 5;
```

Expected

```
EmpID       EmpFname    EmpLname
Department  Project     Address     DOB
Gender
----------  ----------  ----------  -----
-----  ----------  ----------  ----------
----------
5           Ankit       Kapoor      Admin
P2          Delhi(DEL)  1994-07-03  M
4           Sonia       Kulkarni    HR
P1          Hyderabad(  1992-05-02  F
3           Rohan       Diwan
Account     P3          Mumbai(BOM  1980-
01-01  M
2           Ananya      Mishra      Admin
P2          Delhi(DEL)  1968-05-02  F
1           Sanjay      Mehra       HR
P1          Hyderabad(  1976-12-01  M
```

Got

```
EmpID       EmpFname    EmpLname
Department  Project     Address     DOB
Gender
----------  ----------  ----------  -----
-----  ----------  ----------  ----------
----------
5           Ankit       Kapoor      Admin
P2          Delhi(DEL)  1994-07-03  M
4           Sonia       Kulkarni    HR
P1          Hyderabad(  1992-05-02  F
3           Rohan       Diwan
Account     P3          Mumbai(BOM  1980-
01-01  M
2           Ananya      Mishra      Admin
P2          Delhi(DEL)  1968-05-02  F
1           Sanjay      Mehra       HR
P1          Hyderabad(  1976-12-01  M
```

Passed all tests!

Correct

Marks for this submission: 5.00/5.00.

Question 9

Correct

Mark 5.00 out of 5.00

Write a SQL query to Delete All Doctors with a NULL Specialization

Sample table: Doctors

```
attributes : doctor_id, first_name, last_name, specialization
```

For example:

Test	Result
SELECT * FROM doctors;	doctor_id first_name last_name specialization ---------- ---------- ---------- -------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 4 Febin Jones doctor_id first_name last_name specialization ---------- ---------- ---------- -------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics

Answer: (penalty regime: 0 %)

```
DELETE FROM Doctors
WHERE specialization IS NULL;
```

	Test	Expected	Got	
✓	SELECT * FROM doctors;	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 4 Febin Jones doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 4 Febin Jones doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics	✓
✓	SELECT * FROM doctors;	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics	✓
✓	SELECT * FROM doctors;	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj Gynacologist doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj Gynacologist	doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj Gynacologist doctor_id first_name last_name specialization ---------- ---------- -------- -- ------------- 1 John Smith Cardiology 2 Emily Johnson Orthopedics 3 Michael Brown Pediatrics 6 Micheal Raj Gynacologist	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **10**

Correct

Mark 5.00 out of 5.00

Write a SQL query to retrieve all employee names in lower case.

Table name: emp

```
name        type
----------  ----------
empno       INT
ename       VARCHAR(100)
job         VARCHAR(50)
mgr         INT
hiredate    DATE
sal         DECIMAL(10,2)
comm        DECIMAL(10,2)
deptno      INT
```

For example:

Result
EmpName ---------- king jones clark scott ford miller

Answer: (penalty regime: 0 %)

```
SELECT LOWER(ename) AS EmpName
FROM emp;
```

	Expected	Got	
✓	EmpName ---------- king jones clark scott ford miller	EmpName ---------- king jones clark scott ford miller	✓

	Expected	Got	
✓	EmpName ---------- blake turner james martin allen ward	EmpName ---------- blake turner james martin allen ward	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **11**

Correct

Mark 5.00 out of 5.00

Write a SQL query to classify `base` in the `Calculations` table as 'Provided' if it is not NULL, otherwise 'Not Provided'.

```
cid         name        type        notnull     dflt_value  pk
----------  ----------  ----------  ----------  ----------  ----------
0           id          INTEGER     0                       1
1           value1      REAL        0                       0
2           value2      REAL        0                       0
3           base        INTEGER     0                       0
4           exponent    INTEGER     0                       0
5           number      REAL        0                       0
6           decimal     REAL        0                       0
```

For example:

Result

<pre>id   base   base_status
---------- ---------- -----------
1   2   Provided
2   3   Provided
3   3   Provided
4   4   Provided</pre>

Answer: (penalty regime: 0 %)

```sql
SELECT id,
       base,
       CASE
           WHEN base IS NOT NULL THEN 'Provided'
           ELSE 'Not Provided'
       END AS base_status
FROM Calculations;
```

	Expected	Got	

✓	<pre>id base base_status
	---------- ---------- -----------
	1 2 Provided
	2 3 Provided
	3 3 Provided
	4 4 Provided</pre>
		<pre>id base base_status
		---------- ---------- -----------
		1 2 Provided
		2 3 Provided
		3 3 Provided
		4 4 Provided</pre>
			✓

✓	<pre>id base base_status
	---------- ---------- -----------
	1 2 Provided
	2 3 Provided
	3 3 Provided
	4 4 Provided
	5 Not Provide</pre>
		<pre>id base base_status
		---------- ---------- -----------
		1 2 Provided
		2 3 Provided
		3 3 Provided
		4 4 Provided
		5 Not Provide</pre>
			✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **12**

Correct

Mark 5.00 out of 5.00

Find Products with a Discounted Price Greater than a Given Amount:

Write a query to list all products that have a discounted price greater than $100. Return product_id, original_price, discount_percentage, and discounted_price.

Sample table: Products

product_id | original_price | discount_percentage

"101" "50" "0.1"

"102" "150" "0.15"

"103" "200" "0.2"

"104" "300" "0.25"

For example:

Result
product_id original_price discount_percentage discounted_price ---------- -------------- ------------------- ---------------- 102 150.0 0.15 127.5 103 200.0 0.2 160.0 104 300.0 0.25 225.0

Answer: (penalty regime: 0 %)

```
SELECT product_id,
       original_price,
       discount_percentage,
       original_price * (1 - discount_percentage) AS discounted_price
FROM Products
WHERE original_price * (1 - discount_percentage) > 100;
```

	Expected	Got	
✓	product_id original_price discount_percentage discounted_price ---------- -------------- ------------------- ---------------- 102 150.0 0.15 127.5 103 200.0 0.2 160.0 104 300.0 0.25 225.0	product_id original_price discount_percentage discounted_price ---------- -------------- ------------------- ---------------- 102 150.0 0.15 127.5 103 200.0 0.2 160.0 104 300.0 0.25 225.0	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **13**

Correct

Mark 5.00 out of 5.00

Write a SQL statement to **Double the salary for employees in department 20 who have a job_id ending with 'MAN'**

Employees table

```
---------------
employee_id
first_name
last_name
email
phone_number
hire_date
job_id
salary
commission_pct
manager_id
department_id
```

For example:

Test	Result
SELECT EMPLOYEE_ID, FIRST_NAME, EMAIL, SALARY, JOB_ID FROM EMPLOYEES WHERE department_id = 20;	EMPLOYEE_ID FIRST_NAME EMAIL SALARY JOB_ID ----------- ---------- ---------- ------ ---- ---------- 201 Michael MHARTSTE 26000 MK_MAN 202 Pat PFAY 6000 MK_REP

Answer: (penalty regime: 0 %)

```
UPDATE Employees
SET salary = salary * 2
WHERE department_id = 20
  AND job_id LIKE '%MAN';
```

	Test	Expected	Got	
✓	SELECT EMPLOYEE_ID, FIRST_NAME, EMAIL, SALARY, JOB_ID FROM EMPLOYEES WHERE department_id = 20;	EMPLOYEE_ID FIRST_NAME EMAIL SALARY JOB_ID ----------- ---------- ---------- ---------- - --------- 201 Michael MHARTSTE 26000 MK_MAN 202 Pat PFAY 6000 MK_REP	EMPLOYEE_ID FIRST_NAME EMAIL SALARY JOB_ID ----------- ---------- ---------- ---------- - --------- 201 Michael MHARTSTE 26000 MK_MAN 202 Pat PFAY 6000 MK_REP	✓

	Test	Expected	Got	
✓	`SELECT EMPLOYEE_ID, FIRST_NAME, EMAIL, SALARY, JOB_ID FROM EMPLOYEES WHERE department_id = 20 AND job_id LIKE '%MAN';`	`EMPLOYEE_ID FIRST_NAME EMAIL SALARY JOB_ID ----------- ---------- ---------- ---------- - --------- 201 Michael MHARTSTE 26000 MK_MAN`	`EMPLOYEE_ID FIRST_NAME EMAIL SALARY JOB_ID ----------- ---------- ---------- ---------- - --------- 201 Michael MHARTSTE 26000 MK_MAN`	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **14**

Correct

Mark 5.00 out of 5.00

Write a SQL query to remove rows from the table 'customer' with the following condition -

1. 'cust_country' must be 'India',

2. 'cus_city' must not be 'Chennai',

Sample table: Customer

```
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+-----------+
|CUST_CODE  | CUST_NAME  | CUST_CITY  | WORKING_AREA | CUST_COUNTRY | GRADE | OPENING_AMT |
RECEIVE_AMT | PAYMENT_AMT |OUTSTANDING_AMT| PHONE_NO     | AGENT_CODE |
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+-----------+
| C00013    | Holmes     | London     | London      | UK          |     2 |     6000.00 |
5000.00 |     7000.00 |       4000.00 | BBBBBBB     | A003      |
| C00001    | Micheal    | New York   | New York    | USA         |     2 |     3000.00 |
5000.00 |     2000.00 |       6000.00 | CCCCCCC     | A008      |
| C00020    | Albert     | New York   | New York    | USA         |     3 |     5000.00 |
7000.00 |     6000.00 |       6000.00 | BBBBSBB     | A008      |
```

For example:

Test	Result
SELECT * FROM customer WHERE cust_country='India';	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- ------------- -- ---------- ---------- C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00019 Yearannaid Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00005 Sasikant Mumbai Mumbai India 1 7000 11000 7000 11000 147-258963 A002 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00022 Avinash Mumbai Mumbai India 2 7000 11000 9000 9000 113-123456 A002 C00017 Srinivas Bangalore Bangalore India 2 8000 4000 3000 9000 AAAAAAB A007 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 C00014 Rangarappa Bangalore Bangalore India 2 8000 11000 7000 12000 AAAATGF A001 C00016 Venkatpati Bangalore Bangalore India 2 8000 11000 7000 12000 JRTVFDD A007 C00011 Sundariya Chennai Chennai India 3 7000 11000 7000 11000 PPHGRTS A010 CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ----------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- ------------- -- ---------- ---------- C00019 Yearannaidu Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00011 Sundariya Chennai Chennai India 3 7000 11000 7000 11000 PPHGRTS A010

Answer: (penalty regime: 0 %)

```sql
DELETE FROM customer
WHERE cust_country = 'India'
  AND cust_city <> 'Chennai';
```

	Test	Expected	Got	
✓	SELECT * FROM customer WHERE cust_country='India';	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---- ------ ------------ ------ ------ ---------- -------- --- ----------- ---------- - -------------- -------- -- ---------- C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00019 Yearannaid Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00005 Sasikant Mumbai Mumbai India 1 7000 11000 7000 11000 147-258963 A002 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00022 Avinash Mumbai Mumbai India 2 7000 11000 9000 9000 113-123456 A002 C00017 Srinivas Bangalore Bangalore India 2 8000 4000 3000 9000 AAAAAAB A007 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 C00014 Rangarappa Bangalore Bangalore India 2 8000 11000 7000 12000 AAAATGF A001 C00016 Venkatpati Bangalore Bangalore India 2 8000 11000 7000 12000 JRTVFDD A007 C00011 Sundariya Chennai Chennai	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---- ------ ------------ ------ ------ ---------- -------- --- ----------- ---------- - -------------- -------- -- ---------- C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00019 Yearannaid Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00005 Sasikant Mumbai Mumbai India 1 7000 11000 7000 11000 147-258963 A002 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00022 Avinash Mumbai Mumbai India 2 7000 11000 9000 9000 113-123456 A002 C00017 Srinivas Bangalore Bangalore India 2 8000 4000 3000 9000 AAAAAAB A007 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 C00014 Rangarappa Bangalore Bangalore India 2 8000 11000 7000 12000 AAAATGF A001 C00016 Venkatpati Bangalore Bangalore India 2 8000 11000 7000 12000 JRTVFDD A007 C00011 Sundariya Chennai Chennai	✓

	Test	Expected	Got	
		India 3 7000 11000 7000 11000 PPHGRTS A010 CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ----------- --- ------- ------------ ----- ------- ---------- ------- ---- ----------- --------- -- -------------- ------- --- ---------- C00019 Yearannaidu Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00011 Sundariya Chennai Chennai India 3 7000 11000 7000 11000 PPHGRTS A010	India 3 7000 11000 7000 11000 PPHGRTS A010 CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ----------- --- ------- ------------ ----- ------- ---------- ------- ---- ----------- --------- -- -------------- ------- --- ---------- C00019 Yearannaidu Chennai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00007 Ramanathan Chennai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00011 Sundariya Chennai Chennai India 3 7000 11000 7000 11000 PPHGRTS A010	

	Test	Expected	Got	
✓	SELECT * FROM customer WHERE cust_country='India';	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---- ------ ------------ ------ ------ ---------- -------- --- ----------- ---------- - --------------- -------- -- ---------- C00025 Ravindran Mumbai Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00019 Yearannaid Mumbai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00005 Sasikant Mumbai Mumbai India 1 7000 11000 7000 11000 147-258963 A002 C00007 Ramanathan Mumbai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00022 Avinash Mumbai Mumbai India 2 7000 11000 9000 9000 113-123456 A002 C00017 Srinivas Mumbai Bangalore India 2 8000 4000 3000 9000 AAAAAAB A007 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 C00014 Rangarappa Mumbai Bangalore India 2 8000 11000 7000 12000 AAAATGF A001 C00016 Venkatpati Mumbai Bangalore India 2 8000 11000 7000 12000 JRTVFDD A007 C00011 Sundariya Mumbai Chennai India 3	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---- ------ ------------ ------ ------ ---------- -------- --- ----------- ---------- - --------------- -------- -- ---------- C00025 Ravindran Mumbai Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00019 Yearannaid Mumbai Chennai India 1 8000 7000 7000 8000 ZZZZBFV A010 C00005 Sasikant Mumbai Mumbai India 1 7000 11000 7000 11000 147-258963 A002 C00007 Ramanathan Mumbai Chennai India 1 7000 11000 9000 9000 GHRDWSD A010 C00022 Avinash Mumbai Mumbai India 2 7000 11000 9000 9000 113-123456 A002 C00017 Srinivas Mumbai Bangalore India 2 8000 4000 3000 9000 AAAAAAB A007 C00009 Ramesh Mumbai Mumbai India 3 8000 7000 3000 12000 Phone No A002 C00014 Rangarappa Mumbai Bangalore India 2 8000 11000 7000 12000 AAAATGF A001 C00016 Venkatpati Mumbai Bangalore India 2 8000 11000 7000 12000 JRTVFDD A007 C00011 Sundariya Mumbai Chennai India 3	✓

	Test	Expected	Got	
		7000 11000 7000 11000 PPHGRTS A010	7000 11000 7000 11000 PPHGRTS A010	

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **15**

Correct

Mark 5.00 out of 5.00

Decrease the reorder level by 30 percent where the product name contains 'cream' and quantity in stock is higher than reorder level in the products table.

PRODUCTS TABLE

```
name                type
-----------------   ---------------
product_id          INT
product_name        VARCHAR(100)
category            VARCHAR(50)
cost_price          DECIMAL(10,2)
sell_price          DECIMAL(10,2)
reorder_lvl         INT
quantity            INT
supplier_id         INT
```

For example:

Test	Result
select changes();	changes() ---------- 3

Answer: (penalty regime: 0 %)

```
UPDATE products
SET reorder_lvl = reorder_lvl * 0.70
WHERE product_name LIKE '%cream%'
  AND quantity > reorder_lvl;
```

	Test	Expected	Got	
✓	select changes();	changes() ---------- 3	changes() ---------- 3	✓

	Test	Expected	Got	
✓	SELECT*FROM Products WHERE product_name LIKE '%cream%' AND quantity > reorder_lvl;	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------ ---------- ---------- ------ ---- ----------- --------- - ----------- 6 icecream Snacks 60 80 20 40 10 7 cream biscui Snacks 85 100 10 40 10 8 cream and on Items 85 100 10 40 10 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------ ---------- ---------- ------ ---- ----------- --------- - ----------- 6 icecream Snacks 60 80 14 40 10 7 cream biscui Snacks 85 100 7 40 10 8 cream and on Items 85 100 7 40 10	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------ ---------- ---------- ------ ---- ----------- --------- - ----------- 6 icecream Snacks 60 80 20 40 10 7 cream biscui Snacks 85 100 10 40 10 8 cream and on Items 85 100 10 40 10 product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------ ---------- ---------- ------ ---- ----------- --------- - ----------- 6 icecream Snacks 60 80 14 40 10 7 cream biscui Snacks 85 100 7 40 10 8 cream and on Items 85 100 7 40 10	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **16**

Correct

Mark 5.00 out of 5.00

Write a SQL statement to Update the `product_name` to 'Premium Bread' whose product ID is 5 in the `products` table.

`Products table`

```
---------------
product_id
product_name
category
cost_price
sell_price
reorder_lvl
quantity
supplier_id
```

Answer: (penalty regime: 0 %)

```
UPDATE products
SET product_name = 'Premium Bread'
WHERE product_id = 5;
```

	Test	Expected	Got	
✓	`select changes();`	changes() ---------- 1	changes() ---------- 1	✓
✓	`select * from products WHERE product_id=5; select changes();`	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------- ---------- ---------- - ----------- ---------- ----------- 5 Premium Bread Category A 20 50 10 1010 2 changes() ---------- 1	product_id product_name category cost_price sell_price reorder_lvl quantity supplier_id ---------- ------------- ---------- ---------- - ----------- ---------- ----------- 5 Premium Bread Category A 20 50 10 1010 2 changes() ---------- 1	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **17**

Incorrect

Mark 5.00 out of 5.00

Write a SQL query to Delete customers from 'customer' table where 'OPENING_AMT' is between 4000 and 6000.

Sample table: Customer

```
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+------------+
|CUST_CODE  | CUST_NAME  | CUST_CITY  | WORKING_AREA | CUST_COUNTRY | GRADE | OPENING_AMT |
RECEIVE_AMT | PAYMENT_AMT |OUTSTANDING_AMT| PHONE_NO     | AGENT_CODE |
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+------------+
| C00013    | Holmes     | London     | London      | UK          |     2 |    6000.00 |
5000.00 |    7000.00 |      4000.00 | BBBBBBB     | A003       |
| C00001    | Micheal    | New York   | New York    | USA         |     2 |    3000.00 |
5000.00 |    2000.00 |      6000.00 | CCCCCCC     | A008       |
| C00020    | Albert     | New York   | New York    | USA         |     3 |    5000.00 |
7000.00 |    6000.00 |      6000.00 | BBBBSBB     | A008       |
```

For example:

Test	Result
SELECT * FROM customer WHERE OPENING_AMT BETWEEN 4000 AND 6000;	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- --------------- ---------- ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00024 Cook London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00002 Bolt New York New York USA 3 5000 7000 9000 3000 DDNRDRH A008 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012

Answer: (penalty regime: 0 %)

```
SELECT COUNT(*) FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;
```

Debug: source code from all test runs

Run 1

```
import subprocess, os, shutil

# Use Twig to get students answer and the columnwidth template parameter
student_answer = """SELECT COUNT(*) FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;""".rstrip()
column_widths = []

if not student_answer.endswith(';'):
    student_answer = student_answer + ';'
db_files = [fname for fname in os.listdir() if fname.endswith('.db')]
if len(db_files) == 0:
    raise Exception("No DB files found!")
elif len(db_files) == 1:
    db_working = db_files[0][:-3]  # Strip .db extension
else:
    raise Exception("Multiple DB files not implemented yet, sorry!")

SEPARATOR = "#<ab@17943918#@>#"
controls = [".mode column", ".headers on"]
if column_widths: # Add column width specifiers if given
    controls.append(".width " + ' '.join(str(width) for width in column_widths))
prelude = '\n'.join(controls) + '\n'

shutil.copyfile(db_files[0], db_working)  # Copy clean writeable db file
testcode = """SELECT * FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;"""
extra = """SELECT * FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;"""
code_to_run = '\n'.join([prelude, extra, student_answer, testcode])
with open('commands', 'w') as sqlite_commands:
    sqlite_commands.write(code_to_run)

with open('commands') as cmd_input:
    text_input = cmd_input.read()
    try:
        output = subprocess.check_output(['sqlite3', db_working], input=text_input,
                 universal_newlines=True)
        print(output)
    except Exception as e:
        raise Exception("sqlite3 error: " + str(e))

print(SEPARATOR)
shutil.copyfile(db_files[0], db_working)  # Copy clean writeable db file
testcode = """SELECT COUNT(*) FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;"""
extra = """SELECT COUNT(*) FROM customer
WHERE OPENING_AMT BETWEEN 4000 AND 6000;"""
code_to_run = '\n'.join([prelude, extra, student_answer, testcode])
with open('commands', 'w') as sqlite_commands:
    sqlite_commands.write(code_to_run)

with open('commands') as cmd_input:
    text_input = cmd_input.read()
    try:
        output = subprocess.check_output(['sqlite3', db_working], input=text_input,
                 universal_newlines=True)
        print(output)
    except Exception as e:
        raise Exception("sqlite3 error: " + str(e))
```

	Test	Expected	Got	
×	SELECT * FROM customer WHERE OPENING_AMT BETWEEN 4000 AND 6000;	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- --------- - ------------ ------------ -- -------- ----------- ---------- - ----------- --------------- ---------- ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00024 Cook London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00002 Bolt New York New York USA 3 5000 7000 9000 3000 DDNRDRH A008 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- --------- - ------------ ------------ -- -------- ----------- ---------- - ----------- --------------- ---------- ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00020 Albert New York New York USA 3 5000 7000 6000 6000 BBBBSBB A008 C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00024 Cook London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00002 Bolt New York New York USA 3 5000 7000 9000 3000 DDNRDRH A008 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012 COUNT(*) ---------- 10 CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- --------- - ------------ ------------ -- -------- ----------- ---------- - ----------- --------------- ---------- ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00020 Albert New York New York USA 3	×

	Test	Expected	Got	
			5000 7000 6000 6000 BBBBSBB A008 C00025 Ravindran Bangalore Bangalore India 2 5000 7000 4000 8000 AVAVAVA A011 C00024 Cook London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 Stuart London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00002 Bolt New York New York USA 3 5000 7000 9000 3000 DDNRDRH A008 C00004 Winston Brisban Brisban Australia 1 5000 8000 7000 6000 AAAAAAA A005 C00023 Karl London London UK 0 4000 6000 7000 3000 AAAABAA A006 C00010 Charles Hampshair Hampshair UK 3 6000 4000 5000 5000 MMMMMMM A009 C00012 Steven San Jose San Jose USA 1 5000 7000 9000 3000 KRFYGJK A012	
✕	SELECT COUNT(*) FROM customer WHERE OPENING_AMT BETWEEN 4000 AND 6000;	COUNT(*) ---------- 10 COUNT(*) ---------- 0	COUNT(*) ---------- 10 COUNT(*) ---------- 10 COUNT(*) ---------- 10	✕

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/5.00.

Question **18**

Correct

Mark 5.00 out of 5.00

Write a query to fetch 3 top salaried records from EmployeePosition table.

EmpID	EmpPosition	DateOfJoining	Salary
1	Manager	01/05/2024	500000
2	Executive	02/05/2024	75000

For example:

Result
EmpID   EmpPosition DateOfJoining Salary ---------- ----------- ------------- ---------- 1   Manager   2024-05-01   500000 1   Executive   2024-05-01   300000 3   Manager   2024-05-01   90000

Answer: (penalty regime: 0 %)

```
SELECT *
FROM EmployeePosition
ORDER BY Salary DESC
LIMIT 3;
```

	Expected	Got	
✓	EmpID EmpPosition DateOfJoining Salary ---------- ----------- ------------- ---------- 1 Manager 2024-05-01 500000 1 Executive 2024-05-01 300000 3 Manager 2024-05-01 90000	EmpID EmpPosition DateOfJoining Salary ---------- ----------- ------------- ---------- 1 Manager 2024-05-01 500000 1 Executive 2024-05-01 300000 3 Manager 2024-05-01 90000	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **19**
Correct
Mark 5.00 out of 5.00

Write a SQL query to Delete customers with 'GRADE' 3 and whose 'CUST_NAME' contains the substring 'BBB', and 'PAYMENT_AMT' is greater than 2000

Sample table: Customer

```
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+------------+
|CUST_CODE  | CUST_NAME  | CUST_CITY  | WORKING_AREA | CUST_COUNTRY | GRADE | OPENING_AMT |
RECEIVE_AMT | PAYMENT_AMT |OUTSTANDING_AMT| PHONE_NO     | AGENT_CODE |
+-----------+------------+------------+-------------+-------------+-------+------------+-----
--------+------------+--------------+-------------+------------+
| C00013    | Holmes     | London     | London      | UK          |     2 |    6000.00 |
5000.00 |    7000.00 |      4000.00 | BBBBBBB     | A003       |
| C00001    | Micheal    | New York   | New York    | USA         |     2 |    3000.00 |
5000.00 |    2000.00 |      6000.00 | CCCCCCC     | A008       |
| C00020    | Albert     | New York   | New York    | USA         |     3 |    5000.00 |
7000.00 |    6000.00 |      6000.00 | BBBBSBB     | A008       |
```

For example:

Test	Result

`select changes();`	`changes()`
	`----------`
	`0`

Answer: (penalty regime: 0 %)

```
DELETE FROM customer
WHERE GRADE = 3
  AND CUST_NAME LIKE '%BBB%'
  AND PAYMENT_AMT > 2000;
```

	Test	Expected	Got	

✓	`select changes();`	`changes()`
		`----------`
		`0`
			`changes()`
			`----------`
			`0`
				✓

	Test	Expected	Got	

✓	`select changes();`	`CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE`
		`---------- ---------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- --------------- ---------- ----------`
		`C00020 ABBBCC New York New York USA 3 5000 7000 2500 6000 BBBBSBB A008`
		`C00002 ABBBCC New York New York USA 3 5000 7000 2500 3000 DDNRDRH A008`
		`C00010 ABBBCC Hampshair Hampshair UK 3 6000 4000 2500 5000 MMMMMMM A009`
		`C00009 ABBBCC Mumbai Mumbai India 3 8000 7000 2500 12000 Phone No A002`
		`C00011 ABBBCC Chennai Chennai India 3 7000 11000 2500 11000 PPHGRTS A010`
		`changes()`
		`----------`
		`5`
			`CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE`
			`---------- ---------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- --------------- ---------- ----------`
			`C00020 ABBBCC New York New York USA 3 5000 7000 2500 6000 BBBBSBB A008`
			`C00002 ABBBCC New York New York USA 3 5000 7000 2500 3000 DDNRDRH A008`
			`C00010 ABBBCC Hampshair Hampshair UK 3 6000 4000 2500 5000 MMMMMMM A009`
			`C00009 ABBBCC Mumbai Mumbai India 3 8000 7000 2500 12000 Phone No A002`
			`C00011 ABBBCC Chennai Chennai India 3 7000 11000 2500 11000 PPHGRTS A010`
			`changes()`
			`----------`
			`5`
				✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.

Question **20**

Correct

Mark 5.00 out of 5.00

Write a SQL query to Delete customers from 'customer' table where 'CUST_NAME' contains the substring 'Holmes'.

Sample table: Customer

```
+-----------+------------+------------+-------------+-------------+-------+------------+-------------+------------+---------------+------------+------------+
|CUST_CODE  | CUST_NAME  | CUST_CITY  | WORKING_AREA | CUST_COUNTRY | GRADE | OPENING_AMT | RECEIVE_AMT | PAYMENT_AMT |OUTSTANDING_AMT| PHONE_NO    | AGENT_CODE |
+-----------+------------+------------+-------------+-------------+-------+------------+-------------+------------+---------------+------------+------------+
| C00013    | Holmes     | London     | London      | UK          |     2 |    6000.00 | 5000.00 |    7000.00 |       4000.00 | BBBBBBB    | A003       |
| C00001    | Micheal    | New York   | New York    | USA         |     2 |    3000.00 | 5000.00 |    2000.00 |       6000.00 | CCCCCCC    | A008       |
| C00020    | Albert     | New York   | New York    | USA         |     3 |    5000.00 | 7000.00 |    6000.00 |       6000.00 | BBBBSBB    | A008       |
```

For example:

Test	Result
select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---------- ------------ ------------ ---------- ----------- ----------- ----------- --------------- ---------- ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 changes() ---------- 1

Answer: (penalty regime: 0 %)

```sql
DELETE FROM customer
WHERE CUST_NAME LIKE '%Holmes%';
```

	Test	Expected	Got	
✓	select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---------- ------------ ------------ ------- --- ----------- ----------- ---- ------- --------------- --------- - ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 changes() ---------- 1	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- ---------- ---------- ------------ ------------ ------- --- ----------- ----------- ---- ------- --------------- --------- - ---------- C00013 Holmes London London UK 2 6000 5000 7000 4000 BBBBBBB A003 changes() ---------- 1	✓
✓	select changes();	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- --------------- ------ ---- ------------ ------------ - --------- ----------- ----------- ----------- --------------- ----- ----- ---------- C00013 SherlockHolmess London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00024 SherlockHolmess London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 SherlockHolmess London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00023 SherlockHolmess London London UK 0 4000 6000 7000 3000 AAAABAA A006 changes() ---------- 4	CUST_CODE CUST_NAME CUST_CITY WORKING_AREA CUST_COUNTRY GRADE OPENING_AMT RECEIVE_AMT PAYMENT_AMT OUTSTANDING_AMT PHONE_NO AGENT_CODE ---------- --------------- ------ ---- ------------ ------------ - --------- ----------- ----------- ----------- --------------- ----- ----- ---------- C00013 SherlockHolmess London London UK 2 6000 5000 7000 4000 BBBBBBB A003 C00024 SherlockHolmess London London UK 2 4000 9000 7000 6000 FSDDSDF A006 C00015 SherlockHolmess London London UK 1 6000 8000 3000 11000 GFSGERS A003 C00023 SherlockHolmess London London UK 0 4000 6000 7000 3000 AAAABAA A006 changes() ---------- 4	✓

Passed all tests! ✓

Correct

Marks for this submission: 5.00/5.00.