

1. Copy the test data sheet (dfx.csv) at examples folders in JMeter installation folder.


## <path in local machine>\apache-jmeter-5.3\bin\examples




- 2. Copy chromedriver\_win32 folder in your machine. This contains chrome driver.
- JMeter prerequisites Ensure that web driver sampler plugin is configured in JMeter. Installation and download instructions are available in these links. <a href="https://jmeter-plugins.org/wiki/PluginsManager/">https://jmeter-plugins.org/wiki/PluginsManager/</a> <a href="https://jmeter-plugins.org/?search=jpgc-webdriver">https://jmeter-plugins.org/?search=jpgc-webdriver</a>
- 4. Open file **DFX-NFT.jmx** file in JMeter
  - a. Click on Appointment Manager.
  - b. Ensure that path of chromedriver.exe is correct. (It should be complete folder path as in step 2). Click the checkbox (Use Chrome headless mode), if requirement is to run in non-GUI mode. Keep it unchecked if requirement is to run in GUI mode.



c. Ensure that path of dfx.csv is correct. (It should be complete folder path as in step 2)



d. Configure threads and ramp-up period. Set the values as per the load required.



- e. Perform steps b, c & d for Advisor Checkin and Service Dashboard as well.
- f. Click on arrow/run button to trigger the test.